

Communicable Diseases In California 1994, 1995



State of California
Department of Health Services

PETE WILSON, GOVERNOR

back of cover

COMMUNICABLE DISEASES in CALIFORNIA, 1994, 1995

Prepared by

Department of Health Services
Division of Communicable Disease Control
Disease Investigations and Surveillance Branch
Surveillance and Statistics Section

PETE WILSON, GOVERNOR
STATE OF CALIFORNIA

S. Kimberly Belshé, Director
Department of Health Services

Duc Vugia, M.D., MPH, Chief
Disease Investigations
and Surveillance Branch

Stephen H. Waterman, M.D., M.P.H., Chief
Division of Communicable Disease Control

Mark Starr D.V.M., M.P.V.M, Acting Chief
Surveillance and Statistics Section

December, 1997

blank page

Table of Contents

	Page
List of Tables and Figures	ii
Introduction	1
Acknowledgements	2
Tables	3
Figures	45

List of Tables and Figures

Tables

Table 1.	Reported Cases By Month, California, 1994	4
Table 2.	Reported Cases By Month, California, 1995	5
Table 3.	Reported Cases and Rates by Local Health Jurisdiction, California, 1994	6
Table 4.	Reported Cases and Rates by Local Health Jurisdiction, California, 1995	18
Table 5a.	Sexually Transmitted Disease Cases by Local Health Jurisdictions, 1994	30
Table 5b.	Sexually Transmitted Disease Rates by Local Health Jurisdictions, 1994	31
Table 6a.	Sexually Transmitted Disease Cases by Local Health Jurisdictions, 1995	32
Table 6b.	Sexually Transmitted Disease Rates by Local Health Jurisdictions, 1995	33
Table 7a.	Cases Reported by Age Group, California, 1994	34
Table 7b.	Rates for Cases Reported by Age Group, California, 1994	35
Table 8a.	Cases Reported by Age Group, California, 1995	36
Table 8b.	Rates for Cases Reported by Age Group, California, 1995	37
Table 9a.	Cases Reported by Race / Ethnic Groups, California, 1994	38
Table 9b.	Rates for Cases Reported by Race / Ethnic Group, California, 1994	39
Table 10a.	Cases Reported by Race / Ethnic Groups, California, 1995	40
Table 10b.	Rates for Cases Reported by Race / Ethnic Group, California, 1995	41
Table 11.	Summary of Reported Foodborne Outbreaks, California, 1994	42
Table 12.	Summary of Reported Foodborne Outbreaks, California, 1995	43
Table 13.	Deaths from Selected Diseases, California, 1986 - 1995	44

Figures

AIDS Cases Reported by Year, California, 1980-1995	46
Amebiasis Cases Reported by Year, California, 1980-1995	47
Coccidioidomycosis Cases Reported by Year, California, 1980-1995	48

Cryptosporidiosis Rates by Age Group and Sex, California, 1995	49
Cryptosporidiosis Cases Reported by Year, California, 1986-1995	50
Cysticercosis Cases Reported by Year, California, 1986-1995	51
Foodborne Outbreaks by Confirmed <i>Salmonella</i> Serotype, 1994	52
Foodborne Outbreaks by Confirmed <i>Salmonella</i> Serotype, 1995	53
Giardia Cases Reported by Year, California, 1986-1995	54
Hepatitis A Rates by Age Group and Sex, California, 1995	55
Hepatitis A Cases Reported by Year, California, 1980-1995	56
Hepatitis B Rates By Age Group and Sex, California, 1995	57
Hepatitis B Cases Reported by Year, California, 1980-1995	58
Kawasaki Syndrome Rates by Age Group and Sex, California, 1995	59
Kawasaki Syndrome Cases Reported by Year, California, 1986-1995	60
Leprosy Cases Reported by Year, California, 1980-1995	61
Malaria Cases Reported by Year, California, 1980-1995	62
Viral Meningitis Rates by Age Group and Sex, California, 1995	63
Viral Meningitis Cases Reported by Year, California, 1980-1995	64
Meningococcal Infections Rates and Cases by Age Group and Sex, California, 1995	65
Meningococcal Infections, Cases Reported by Year, California, 1980-1995	66
Mumps Cases Reported by Year, California, 1980-1995	67
Pertussis Cases Reported by Year, California, 1980-1995	68
Rubella Cases Reported by Year, California, 1980-1995	69
Salmonellosis Cases Reported by Year, California, 1980-1995	70
Shigellosis, All Groups, Cases Reported by Year, California, 1986-1995	71
Syphilis Total Cases Reported by Year, California, 1980-1995	72
Tuberculosis Rates and Cases by Age Group and Sex, California, 1995	73
Tuberculosis Cases Reported by Year, California, 1980-1995	74
Typhoid Fever Cases Reported by Year, California, 1980-1995	75

blank page

Introduction

This publication contains summaries of the official statistics for the calendar years 1994 and 1995 from the Department of Health Services, Division of Communicable Disease Control, Disease Investigations and Surveillance Branch, Surveillance and Statistics Section on the occurrence of reportable communicable diseases in California.

The first section of this report contains morbidity tables for currently reportable communicable diseases. These show the number of cases reported to the Department of Health Services for 1994 and 1995 as well as the distribution of cases by month, geographic location, patient age, and race/ethnic group. Tables summarizing reported foodborne disease outbreaks and a table of deaths associated with specified conditions for the ten-year period 1986-95 are also included.

Case rates for California counties, age-groups, and sex were calculated using population estimates provided by the California Department of Finance, Demographic Research Unit, Projected Total Population of California Counties 1990 to 2040, Report 93 P-3 (Electronic Database for 1993). State-wide case rates for the years 1980 through 1990 were calculated using population estimates from the Demographic Research Unit, Intercensal Estimates of the Population of California: State and Counties 1989-1990 July Report I 80-90 JULY. For those health jurisdictions that encompass a single city within a larger county (cities of Berkeley, Long Beach and Pasadena), population estimates were taken from the report Population Estimates for California Cities and Counties, January 1, 1995 Report 95 E-1, also produced by the Demographic Research Unit. This report (95 E-1) estimates the population as of January 1, 1995 whereas the other reports estimate the population for July 1, 1994 and July 1, 1995. The population for those jurisdictions encompassing the remainder of the counties with city jurisdictions (Los Angeles Health Dept. and Alameda Health Dept.) were estimated by subtraction. Although this introduces some inconsistencies, the error produced when calculating case rates for these jurisdictions should be relatively insignificant (in comparison to the error introduced by reporting under or over counts).

For some diseases, specific programs within the Department of Health Services will develop a more accurate case count than the Surveillance and Statistics Section (SSS). These programs may retrospectively review case reports received by this office, or may capitalize on data sources (such as

laboratory culture reports or year-end survey of communicable disease programs in the local health departments) in addition to the data received by this office to estimate disease incidence. Where these program-specific data have been furnished to the SSS, they have been used in this report.

The Office of AIDS provided the AIDS incidence data for this report.

The Disease Investigations and Surveillance Branch, Veterinary Public Health Section provided a database file containing reviewed case-report data for Animal Rabies.

The Immunization Branch supplied reviewed case-report data for Measles and Pertussis. The SSS database was also reconciled against Immunization's *Haemophilus influenzae* and Rubella case-history databases. The Immunization Branch also provides this Section with summary data for Infant Botulism.

Tuberculosis data was provided by the Tuberculosis Control Branch for cases counted (i.e., where the diagnosis was confirmed) by local TB control programs.

The tables for sexually transmitted diseases were provided by the Sexually Transmitted Disease Control Branch for inclusion in this report. The STD Branch produces a report annually, to which the reader should refer for additional data on sexually transmitted diseases in California.

The Center for Health Statistics, Planning and Data Analysis Section, provided the data for the number of deaths due to selected diseases, which are presented in table 13.

The second part of this report contains figures with graphs depicting summary data for some of the reportable communicable diseases described in the tables.

In 1994, we did not receive reports for any of the following: Anthrax, Leptospirosis, Poliomyelitis, Streptococcal Infections among dairy workers, or Yellow Fever.

In 1995, we did not receive reports for any of the following: Anthrax, Outbreaks of Diarrhea of the Newborn, Diphtheria, Arboviral Encephalitis, Hepatitis Delta, Reye syndrome, Rocky Mountain Spotted Fever, Streptococcal Infections among dairy workers, or Yellow Fever.

Introduction

During the period of time covered by this report, the Surveillance and Statistics Section processed in excess of 330,000 disease reports. Reports of other outbreaks and unusual diseases reportable under Title 17, California Code of Regulations, Sections 2502 and 2503 are not summarized in this report.

The data contained herein are the best currently available. On occasion we have reason to investigate specific diseases in retrospect. Should we find reporting errors or have other compelling reasons to revise any of these data, the revised figures will be incorporated into future reports.

Acknowledgments

This report was prepared by Stanley R. Bissell, M.S. with the assistance of Shu Sebesta, John Hastings, and John C. Williamson, Maricia Morris and Teresita Frias. Inquiries regarding the content of this report should be directed to the Surveillance and Statistics Section MS 486, Department of Health Services, P.O. Box 942732, Sacramento, CA 94234-7320, or by telephoning (916) 445-5948.

The Surveillance and Statistics Section participates in the Automated Vital Statistics System - Confidential Morbidity Report (AVSS-CMR). AVSS-CMR enjoys the participation of over forty local health jurisdictions which electronically transmit their reportable disease data to the State.

The SSS gratefully acknowledges the outstanding contributions made by Doctor Ronald L. Williams, Director, Health Data Research Facility, University of California, Santa Barbara. Dr. Williams' vision, and the untiring support of his staff, have made an automated state-wide communicable disease surveillance system a reality in California.

In addition, the SSS acknowledges the cooperation and assistance of the Communicable Disease Control Officers, Public Health Nurses, Health Data Managers, Epidemiologists and support staff who make daily contributions to the State's communicable disease surveillance efforts.

The SSS recognizes the valuable contributions made by several programs within the Division of Communicable Disease Control, especially those of Jean Montes, STD Control Branch, Kevin Reilly, DVM, MPVM, and Sharon Hull, Veterinary Public Health Section, L. Dales, M.D., Cynthia O'Malley, Patricia Schwarz, and Stephen Arnon, M.D., Immunization Branch, S. Royce, M.D., M.P.H., TB Control Branch, and S. B. Werner, M.D., J. Rosenberg, M.D., Robert Murray DrPH, and D. Vugia, M.D, M.P.H., Disease Investigations Section.

TABLES

Tables

Table 1. Reported Cases[§] By Month, California, 1994

DISEASE	CASES REPORTED - CALIFORNIA, 1994												
	ALL	MONTH											
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
AIDS *	9985	975	828	1011	858	837	872	727	866	758	799	731	700
AMEBIASIS	990	88	62	93	75	72	88	69	102	85	71	94	91
BOTULISM, FOODBORNE	4	-	-	-	-	1	1	1	-	1	-	-	-
BOTULISM, INFANT	30	6	-	4	1	1	3	1	4	3	3	1	3
BOTULISM, WOUND	11	2	2	2	1	-	-	-	-	1	-	-	3
BRUCELLOSIS	36	1	1	5	2	2	4	8	1	5	-	2	5
CAMPYLOBACTERIOSIS	8085	408	446	560	605	638	931	875	962	670	706	677	607
CHOLERA	18	-	-	2	1	1	4	-	2	-	2	2	4
COCCIDIOIDOMYCOSIS	2703	487	167	355	296	185	220	127	199	158	151	214	144
CONJUNCTIVITIS, ACUTE NEWBORN	39	1	7	6	2	4	2	6	4	-	3	2	2
CRYPTOSPORIDIOSIS	480	15	35	51	34	33	36	35	67	35	35	39	65
CYSTICERCOSIS	118	9	12	21	7	12	17	8	9	5	5	4	9
DENGUE	6	-	1	1	-	-	-	-	-	1	2	1	-
DIARRHEA OF THE NEWBORN, OUTBREAKS	1	-	-	-	-	1	-	-	-	-	-	-	-
DIPHTHERIA	1	-	-	-	-	-	-	-	-	-	1	-	-
E. COLI O157:H7 INFECTION	118	9	1	-	4	4	13	11	12	19	13	12	20
ENCEPHALITIS, ARBOVIRAL	1	-	-	-	-	-	-	-	-	-	-	-	1
ENCEPHALITIS, POST INFECTIOUS	8	-	-	-	4	-	-	2	1	-	1	-	-
ENCEPHALITIS, PRIMARY, OTHER & UNSP.	130	7	16	4	8	11	8	10	16	13	6	17	14
FOODBORNE O/B ASSOC. CASES	1261	47	69	304	9	86	12	89	140	303	13	26	163
FOODBORNE OUTBREAKS	61	4	3	8	2	3	5	4	9	6	2	5	10
GIARDIA	6111	533	527	540	385	461	449	432	642	539	513	581	509
HAEMOPHILUS INFLUENZAE, INVASIVE	165	10	6	18	9	39	10	6	8	8	34	5	12
HEPATITIS A	6641	405	471	626	479	445	649	530	653	518	542	659	664
HEPATITIS B	2122	114	178	239	208	147	203	167	194	141	161	193	177
HEPATITIS D	6	-	1	-	-	-	2	-	1	-	-	-	2
HEPATITIS NON-A NON-B	593	32	28	62	54	54	83	50	40	56	33	44	57
HEPATITIS UNSPECIFIED	185	13	10	15	16	16	20	18	23	14	10	13	17
KAWASAKI SYNDROME	118	2	12	13	6	8	12	16	16	1	11	9	12
LEGIONELLOSIS	54	2	4	6	4	3	3	3	10	6	2	6	5
LEPROSY	38	5	1	3	3	1	6	1	1	6	2	8	1
LEPTOSPIROSIS	-	-	-	-	-	-	-	-	-	-	-	-	-
LISTERIOSIS	126	10	7	6	10	4	5	7	21	13	14	16	13
LYME DISEASE	68	5	4	2	8	6	9	6	9	3	8	4	4
MALARIA	216	10	24	21	22	14	19	20	20	15	13	14	24
MEASLES: IMPORTED	8	-	1	-	1	2	-	-	4	-	-	-	-
MEASLES: INDIGENOUS	53	-	2	5	-	22	13	3	-	8	-	-	-
MENINGITIS, VIRAL	1370	73	45	88	92	103	209	181	185	113	116	92	73
MENINGOCOCCAL INFECTIONS	400	36	42	44	25	64	29	18	32	21	31	22	36
MUMPS	270	7	26	26	25	26	42	24	26	13	20	12	23
PARALYTIC SHELLFISH POISONING	23	-	1	1	1	-	3	-	-	5	2	7	3
PERTUSSIS	603	25	65	31	31	55	73	54	48	84	66	41	30
PLAQUE	2	1	-	-	-	-	-	-	-	-	1	-	-
POLIOMYELITIS, PARALYTIC	-	-	-	-	-	-	-	-	-	-	-	-	-
PSITTACOSIS	4	1	-	-	-	-	2	-	-	1	-	-	-
Q FEVER	7	-	-	-	2	-	1	-	3	1	-	-	-
RABIES, ANIMAL	293	20	19	16	22	19	19	11	46	50	38	19	14
RABIES, HUMAN	1	-	-	-	-	-	-	-	1	-	-	-	-
RELAPSING FEVER	3	-	-	-	-	-	-	-	1	1	1	-	-
REYE SYNDROME	5	-	1	3	-	-	-	-	-	-	-	-	1
RHEUMATIC FEVER, ACUTE	18	1	-	1	2	1	2	1	3	2	2	2	1
ROCKY MOUNTAIN SPOTTED FEVER	5	-	1	-	1	1	1	-	1	-	-	-	-
RUBELLA (GERMAN MEASLES)	28	1	4	5	4	1	2	4	1	1	1	1	3
RUBELLA, CONGENITAL	1	-	1	-	-	-	-	-	-	-	-	-	-
SALMONELLOSIS (NON-TYPHOID)	6226	341	306	355	463	408	562	516	719	556	681	648	671
SHIGELLOSIS, GROUP A	54	5	2	5	4	2	7	3	7	7	4	5	3
SHIGELLOSIS, GROUP B	1397	90	90	114	96	90	99	120	153	131	135	125	154
SHIGELLOSIS, GROUP C	87	3	2	4	4	7	6	10	10	9	8	15	9
SHIGELLOSIS, GROUP D	1737	168	113	103	85	100	113	115	184	215	183	202	156
SHIGELLOSIS, GROUP UNKNOWN	666	47	26	35	52	43	50	45	94	70	69	70	65
STREPTOCOCCAL INF., DAIRY WORKERS	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL INF., FOOD HANDLERS	17	1	1	5	3	1	1	1	-	1	-	1	2
TETANUS	8	-	1	1	-	-	1	-	-	-	4	1	-
TOXIC SHOCK SYNDROME	39	2	4	7	8	1	3	1	4	4	-	2	3
TRICHINOSIS	12	10	-	-	-	-	-	-	-	1	1	-	-
TUBERCULOSIS	4839	136	289	410	392	308	410	337	458	374	317	466	942
TULAREMIA	2	-	-	-	-	-	-	-	-	1	1	-	-
TYPHOID FEVER, ACUTE	112	5	5	3	6	8	11	12	20	17	11	3	11
TYPHUS FEVER	21	6	3	-	1	1	1	1	-	1	4	-	3
VIBRIO INFECTIONS (NON-CHOLERA)	27	2	1	2	1	1	1	5	1	5	2	4	2
YELLOW FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-

§ Exclusive of Sexually Transmitted Diseases -- see Table 5a and Table 5b.

* AIDS total includes 23 cases not assigned to month.

Table 2. Reported Cases[§] by Month, California, 1995

DISEASE	ALL	CASES REPORTED - CALIFORNIA, 1995											
		MONTH											
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
AIDS *	8434	861	727	863	722	758	742	669	686	595	633	574	597
AMEBIASIS	934	77	79	107	61	74	61	90	86	86	79	85	49
BOTULISM, FOODBORNE	2	-	-	-	-	-	-	-	1	-	-	-	1
BOTULISM, INFANT	37	1	1	3	5	3	5	6	3	6	-	4	-
BOTULISM, WOUND	20	1	-	-	2	1	3	-	1	1	1	4	6
BOTULISM, UNSPECIFIED**	1	-	-	-	-	-	-	-	-	-	-	-	1
BRUCELLOSIS	29	1	1	-	2	3	4	3	6	1	1	2	5
CAMPYLOBACTERIOSIS	7362	463	488	563	471	601	586	624	990	726	521	644	685
CHOLERA	9	2	-	-	-	-	3	1	-	-	-	2	1
COCCIDIOIDOMYCOSIS	1174	84	59	94	103	69	50	105	84	65	128	149	184
CONJUNCTIVITIS, ACUTE NEWBORN	40	4	4	12	2	4	-	3	2	2	3	2	2
CRYPTOSPORIDIOSIS	521	18	19	40	42	75	47	36	45	46	39	52	62
CYSTICERCOSIS	93	13	13	3	11	9	6	12	6	8	3	3	6
DENGUE	9	-	-	1	3	1	-	-	2	-	1	1	-
DIARRHEA OF THE NEWBORN, OUTBREAKS	-	-	-	-	-	-	-	-	-	-	-	-	-
DIPHTHERIA	-	-	-	-	-	-	-	-	-	-	-	-	-
E. COLI O157:H7 INFECTION	118	6	3	6	5	10	3	6	28	13	17	13	8
ENCEPHALITIS, ARBOVIRAL	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS, POST INFECTIOUS	4	-	-	1	-	-	-	1	2	-	-	-	-
ENCEPHALITIS, PRIMARY, OTHER & UNSP.	108	3	2	8	13	4	3	24	13	4	8	17	9
FOODBORNE O/B ASSOC. CASES	1219	252	69	125	5	40	33	64	99	105	36	98	293
FOODBORNE OUTBREAKS	63	7	2	4	1	5	3	2	10	9	4	5	11
GIARDIASIS	5424	352	307	536	458	429	406	412	486	459	593	517	469
HAEMOPHILUS INFLUENZAE, INVASIVE	179	25	17	19	15	13	12	8	13	9	12	20	16
HEMOLYTIC-UREMIC SYNDROME	3	-	-	-	-	-	-	-	2	1	-	-	-
HEPATITIS A	6773	523	510	705	528	622	484	496	577	513	606	614	595
HEPATITIS B	1723	136	114	196	168	192	152	134	144	116	113	125	133
HEPATITIS D	-	-	-	-	-	-	-	-	-	-	-	-	-
HEPATITIS NON-A NON-B	508	30	38	49	61	42	39	66	47	37	36	35	28
HEPATITIS UNSPECIFIED	208	7	16	20	11	23	31	21	29	15	11	13	11
KAWASAKI SYNDROME	111	5	14	18	3	17	7	8	15	6	7	3	8
LEGIONELLOSIS	79	-	2	21	6	8	4	13	1	2	9	4	9
LEPROSY	49	8	2	4	7	9	1	5	3	1	3	5	1
LEPTOSPIROSIS	2	-	-	-	-	1	-	-	-	1	-	-	-
LISTERIOSIS	145	14	6	9	10	9	12	11	14	7	21	19	13
LYME DISEASE	80	2	9	3	5	7	7	11	13	5	8	2	8
MALARIA	244	9	19	17	8	29	17	21	39	21	30	21	13
MEASLES: IMPORTED	3	-	-	1	-	-	-	1	1	-	-	-	-
MEASLES: INDIGENOUS	106	-	80	15	2	2	-	4	2	-	-	-	1
MENINGITIS, VIRAL	1234	78	62	81	77	121	85	94	173	129	141	103	90
MENINGOCOCCAL INFECTIONS	370	49	27	56	30	42	27	21	28	20	19	26	25
MUMPS	212	20	16	18	25	40	19	11	19	12	16	9	7
PARALYTIC SHELLFISH POISONING	2	-	-	-	-	-	-	-	-	-	2	-	-
PERTUSSIS	543	17	31	39	22	22	25	82	48	56	47	36	118
PLAGUE	2	-	-	1	-	1	-	-	-	-	-	-	-
POLIOMYELITIS, PARALYTIC	1	-	-	-	-	-	-	-	1	-	-	-	-
PSITTACOSIS	6	-	-	1	1	-	-	-	-	-	2	1	1
Q FEVER	2	-	-	1	-	-	-	-	-	1	-	-	-
RABIES, ANIMAL	382	15	28	52	29	26	32	29	48	42	36	33	12
RABIES, HUMAN	2	-	-	-	-	-	-	-	-	1	-	-	1
RELAPSING FEVER	5	-	-	1	-	-	1	1	1	2	-	-	-
REYE SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER, ACUTE	8	-	2	1	-	1	-	1	1	-	1	-	1
ROCKY MOUNTAIN SPOTTED FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA (GERMAN MEASLES)	21	7	-	1	1	4	1	4	-	1	1	-	1
RUBELLA, CONGENITAL	4	2	1	-	1	-	-	-	-	-	-	-	-
SALMONELLOSIS (NON-TYPHOID)	6356	307	396	476	364	589	454	610	797	646	577	615	525
SHIGELLOSIS, GROUP A	50	5	4	4	-	2	4	1	8	6	12	1	3
SHIGELLOSIS, GROUP B	1271	108	99	139	82	105	99	87	133	117	111	121	70
SHIGELLOSIS, GROUP C	91	5	8	3	4	5	4	8	8	9	14	13	10
SHIGELLOSIS, GROUP D	3144	97	102	122	82	143	149	225	516	476	455	475	302
SHIGELLOSIS, GROUP UNKNOWN	817	25	40	43	32	70	41	63	113	128	109	85	68
STREPTOCOCCAL INF., DAIRY WORKERS	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL INF., FOOD HANDLERS	9	3	2	1	-	1	-	-	1	1	-	-	-
TETANUS	5	-	-	2	-	-	1	-	-	-	-	1	1
TOXIC SHOCK SYNDROME	22	1	2	3	2	2	2	1	-	1	1	2	5
TRICHINOSIS	1	-	1	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS	4672	149	260	423	378	384	364	387	445	359	407	304	812
TULAREMIA	2	-	-	-	-	-	-	-	-	1	1	-	-
TYPHOID FEVER, ACUTE	73	2	1	11	8	7	2	2	8	8	7	10	7
TYPHUS FEVER	15	1	1	-	1	1	2	1	-	3	-	-	2
VIBRIO INFECTIONS (NON-CHELOERA)	44	4	1	1	1	3	2	2	8	6	4	5	7
YELLOW FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-

§ Exclusive of Sexually Transmitted Diseases -- see Table 6a and Table 6b.

* AIDS total includes 7 cases not assigned to month.

** Could not be determined if exposure was from food or wound.

Tables

Table 3. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1994

JURISDICTION	DISEASE											
	AIDS		AMEBIASIS		BOTULISM, FOODBORNE		BOTULISM, INFANT		BOTULISM WOUND		BRUCELLOSIS	
	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE
CALIFORNIA	9985	30.7	990	3.0	4	0.0	30	0.1	11	0.0	36	0.1
ALAMEDA CO	976	71.7	25	1.8	-	-	-	-	-	-	-	-
ALAMEDA HD	-	-	23	1.8	-	-	-	-	-	-	-	-
BERKELEY HD	-	-	2	1.9	-	-	-	-	-	-	-	-
ALPINE	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	3	8.8	-	-	-	-	-	-	-	-	-	-
BUTTE	16	8.0	1	0.5	-	-	-	-	-	-	-	-
CALAVERAS	-	-	1	2.6	-	-	-	-	-	-	-	-
COLUSA	1	5.5	-	-	-	-	-	-	-	-	-	-
CONTRA COSTA	206	23.5	16	1.8	-	-	-	-	-	-	1	0.1
DEL NORTE	4	13.0	-	-	-	-	-	-	-	-	-	-
EL DORADO	20	13.5	-	-	-	-	1	0.7	-	-	-	-
FRESNO	100	12.9	3	0.4	2	0.3	1	0.1	-	-	1	0.1
GLENN	-	-	-	-	-	-	-	-	-	-	-	-
HUMBOLDT	19	14.7	1	0.8	-	-	-	-	-	-	-	-
IMPERIAL	14	10.4	1	0.7	-	-	-	-	-	-	-	-
INYO	1	5.3	-	-	-	-	-	-	-	-	-	-
KERN	95	14.8	8	1.3	-	-	-	-	-	-	-	-
KINGS	16	14.1	-	-	-	-	-	-	-	-	-	-
LAKE	12	20.9	1	1.7	-	-	-	-	2	3.5	-	-
LASSEN	3	10.2	-	-	-	-	-	-	-	-	-	-
LOS ANGELES CO	7130	76.1	235	2.5	-	-	10	0.1	3	0.0	9	0.1
LOS ANGELES HD	-	-	220	2.5	-	-	10	0.1	3	0.0	9	0.1
LONG BEACH HD	-	-	14	3.2	-	-	-	-	-	-	-	-
PASADENA HD	-	-	1	0.7	-	-	-	-	-	-	-	-
MADERA	7	6.5	-	-	-	-	-	-	-	-	-	-
MARIN	146	60.1	36	14.8	-	-	-	-	-	-	-	-
MARIPOSA	1	5.9	-	-	-	-	-	-	-	-	-	-
MENDOCINO	13	15.0	-	-	-	-	-	-	-	-	-	-
MERCED	15	7.5	11	5.5	1	0.5	-	-	-	-	-	-
MODOC	-	-	-	-	-	-	-	-	-	-	-	-
MONO	-	-	-	-	-	-	-	-	-	-	-	-
MONTEREY	70	18.6	5	1.3	-	-	1	0.3	-	-	1	0.3
NAPA	17	14.4	5	4.2	-	-	-	-	-	-	-	-
NEVADA	6	6.7	1	1.1	-	-	-	-	-	-	-	-
ORANGE	475	18.1	50	1.9	-	-	3	0.1	1	0.0	2	0.1
PLACER	15	7.3	2	1.0	1	0.5	-	-	-	-	-	-
PLUMAS	-	-	-	-	-	-	-	-	-	-	-	-
RIVERSIDE	366	25.7	7	0.5	-	-	1	0.1	-	-	-	-
SACRAMENTO	245	21.1	2	0.2	-	-	2	0.2	1	0.1	-	-
SAN BENITO	4	9.6	-	-	-	-	-	-	-	-	-	-
SAN BERNARDINO	261	15.8	21	1.3	-	-	2	0.1	-	-	1	0.1
SAN DIEGO	945	34.7	49	1.8	-	-	1	0.0	-	-	10	0.4
SAN FRANCISCO	1763	234.3	255	33.9	-	-	-	-	1	0.1	-	-
SAN JOAQUIN	61	11.4	7	1.3	-	-	2	0.4	1	0.2	1	0.2
SAN LUIS OBISPO	46	19.6	1	0.4	-	-	-	-	-	-	-	-
SAN MATEO	166	23.9	26	3.8	-	-	-	-	-	-	-	-
SANTA BARBARA	60	15.1	59	14.8	-	-	1	0.3	-	-	-	-
SANTA CLARA	282	17.7	90	5.7	-	-	3	0.2	-	-	5	0.3
SANTA CRUZ	40	16.8	12	5.0	-	-	-	-	-	-	-	-
SHASTA	9	5.3	-	-	-	-	-	-	-	-	-	-
SIERRA	1	30.1	-	-	-	-	-	-	-	-	-	-
SISKIYOU	2	4.4	-	-	-	-	-	-	-	-	-	-
SOLANO	106	27.1	3	0.8	-	-	-	-	-	-	1	0.3
SONOMA	130	30.6	12	2.8	-	-	1	0.2	1	0.2	-	-
STANISLAUS	38	9.0	15	3.5	-	-	-	-	-	-	1	0.2
SUTTER	5	6.7	1	1.3	-	-	-	-	-	-	1	1.3
TEHAMA	3	5.4	1	1.8	-	-	-	-	-	-	1	1.8
TRINITY	3	21.8	-	-	-	-	-	-	-	-	-	-
TULARE	27	7.6	23	6.4	-	-	-	-	-	-	-	-
TUOLUMNE	6	10.9	-	-	-	-	-	-	-	-	-	-
VENTURA	62	8.7	4	0.6	-	-	-	-	1	0.1	1	0.1
YOLO	20	12.6	-	-	-	-	-	-	-	-	-	-
YUBA	3	4.6	-	-	-	-	-	1	1.5	-	-	-

§ Exclusive of Sexually Transmitted Diseases -- See Table 5a and 5b .

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

(CONTINUED)

Table 3. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1994 (continued)

JURISDICTION	DISEASE											
	CAMPYLOBACTER-IOSIS		CHOLERA		COCCIDIOIDOMYCO-SIS		CONJUNCTIVITIS, ACUTE NEWBORN		CRYPTOSPORIDIOSIS		CYSTICERCOSIS	
	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE
CALIFORNIA	8085	24.9	18	0.1	2703	8.3	39	0.1	480	1.5	118	0.4
ALAMEDA CO	576	42.3	-	-	35	2.6	-	-	1	0.1	2	0.2
ALAMEDA HD	515	41.0	-	-	33	2.6	-	-	-	-	1	0.1
BERKELEY HD	61	58.4	-	-	2	1.9	-	-	1	1.0	1	1.0
ALPINE	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	15	43.8	-	-	1	2.9	-	-	-	-	-	-
BUTTE	58	28.8	-	-	1	0.5	-	-	1	0.5	-	-
CALAVERAS	8	20.5	-	-	2	5.1	-	-	-	-	-	-
COLUSA	3	16.5	-	-	-	-	-	-	-	-	-	-
CONTRA COSTA	430	49.0	-	-	25	2.9	-	-	3	0.3	1	0.1
DEL NORTE	4	13.0	-	-	-	-	-	-	-	-	-	-
EL DORADO	11	7.4	-	-	-	-	-	-	-	-	-	-
FRESNO	199	25.7	-	-	83	10.7	-	-	1	0.1	1	0.1
GLENN	4	14.7	-	-	-	-	-	-	-	-	-	-
HUMBOLDT	48	37.1	-	-	-	-	-	-	-	-	-	-
IMPERIAL	25	18.6	-	-	3	2.2	1	0.7	-	-	-	-
INYO	6	31.8	-	-	-	-	-	-	-	-	-	-
KERN	101	15.7	-	-	1540	239.9	-	-	7	1.1	-	-
KINGS	18	15.9	-	-	31	27.3	-	-	-	-	-	-
LAKE	4	7.0	-	-	1	1.7	-	-	-	-	-	-
LASSEN	4	13.5	-	-	1	3.4	-	-	-	-	-	-
LOS ANGELES CO	1448	15.5	4	0.0	101	1.1	35	0.4	223	2.4	44	0.5
LOS ANGELES HD	1350	15.4	4	0.1	97	1.1	35	0.4	202	2.3	43	0.5
LONG BEACH HD	61	14.0	-	-	3	0.7	-	-	17	3.9	1	0.2
PASADENA HD	37	27.1	-	-	1	0.7	-	-	4	2.9	-	-
MADERA	32	29.7	-	-	1	0.9	-	-	-	-	-	-
MARIN	138	56.9	-	-	3	1.2	-	-	2	0.8	2	0.8
MARIPOSA	4	23.6	-	-	-	-	-	-	-	-	-	-
MENDOCINO	12	13.8	-	-	-	-	-	-	2	2.3	-	-
MERCED	93	46.2	-	-	12	6.0	-	-	-	-	-	-
MODOC	-	-	-	-	-	-	-	-	-	-	-	-
MONO	11	107.0	-	-	-	-	1	9.7	-	-	-	-
MONTEREY	100	26.6	-	-	26	6.9	-	-	-	-	3	0.8
NAPA	70	59.3	-	-	1	0.9	-	-	-	-	1	0.9
NEVADA	10	11.2	-	-	1	1.1	-	-	-	-	-	-
ORANGE	193	7.3	1	0.0	14	0.5	-	-	8	0.3	19	0.7
PLACER	35	17.1	-	-	1	0.5	-	-	-	-	1	0.5
PLUMAS	4	18.8	-	-	-	-	-	-	-	-	-	-
RIVERSIDE	151	10.6	-	-	49	3.4	-	-	9	0.6	7	0.5
SACRAMENTO	254	21.9	-	-	9	0.8	-	-	1	0.1	-	-
SAN BENITO	21	50.3	-	-	2	4.8	-	-	-	-	-	-
SAN BERNARDINO	181	11.0	-	-	25	1.5	-	-	14	0.9	7	0.4
SAN DIEGO	881	32.3	-	-	56	2.1	1	0.0	64	2.4	8	0.3
SAN FRANCISCO	614	81.6	1	0.1	7	0.9	-	-	118	15.7	4	0.5
SAN JOAQUIN	213	39.8	1	0.2	85	15.9	-	-	7	1.3	-	-
SAN LUIS OBISPO	52	22.1	1	0.4	90	38.3	-	-	1	0.4	-	-
SAN MATEO	461	66.5	4	0.6	2	0.3	-	-	1	0.1	-	-
SANTA BARBARA	84	21.1	1	0.3	11	2.8	-	-	-	-	-	-
SANTA CLARA	578	36.3	4	0.3	20	1.3	-	-	7	0.4	4	0.3
SANTA CRUZ	100	42.0	-	-	3	1.3	-	-	2	0.8	1	0.4
SHASTA	39	23.2	-	-	-	-	-	-	-	-	-	-
SIERRA	3	90.3	-	-	-	-	-	-	-	-	-	-
SISKIYOU	15	32.7	-	-	-	-	-	-	-	-	-	-
SOLANO	128	32.8	1	0.3	2	0.5	-	-	1	0.3	-	-
SONOMA	171	40.2	-	-	1	0.2	-	-	1	0.2	1	0.2
STANISLAUS	166	39.2	-	-	22	5.2	1	0.2	1	0.2	2	0.5
SUTTER	19	25.4	-	-	-	-	-	-	-	-	5	6.7
TEHAMA	6	10.7	-	-	-	-	-	-	-	-	1	1.8
TRINITY	2	14.6	-	-	-	-	-	-	-	-	-	-
TULARE	101	28.3	-	-	192	53.8	-	-	1	0.3	1	0.3
TIJUANNE	5	9.1	-	-	-	-	-	-	-	-	-	-
VENTURA	127	17.8	-	-	244	34.1	-	-	3	0.4	3	0.4
YOLO	40	25.2	-	-	-	-	-	-	1	0.6	-	-
YUBA	9	13.7	-	-	-	-	-	-	-	-	-	-

[§] Exclusive of Sexually Transmitted Diseases -- See Table 5a and 5b.

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

(CONTINUED)

Tables

Table 3. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1994 (continued)

JURISDICTION	DISEASE											
	DENGUE		DIARRHEA OF THE NEWBORN, O/B		DIPHTHERIA		E. COLI 0157:H7 INFECTION		ENCEPHALITIS, ARBOVIRAL		ENCEPHALITIS, POST INFECTIOUS	
	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE
CALIFORNIA	6	0.0	1	0.0	1	0.0	118	0.4	1	0.0	8	0.0
ALAMEDA CO	-	-	-	-	-	-	15	1.1	-	-	-	-
ALAMEDA HD	-	-	-	-	-	-	12	1.0	-	-	-	-
BERKELEY HD	-	-	-	-	-	-	3	2.9	-	-	-	-
ALPINE	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	-	-	-	-	-	-	-	-	-	-	-	-
BUTTE	-	-	-	-	-	-	-	-	-	-	-	-
CALAVERAS	-	-	-	-	-	-	-	-	-	-	-	-
COLUSA	-	-	-	-	-	-	-	-	-	-	-	-
CONTRA COSTA	1	0.1	-	-	-	-	1	0.1	-	-	-	-
DEL NORTE	-	-	-	-	-	-	-	-	-	-	-	-
EL DORADO	-	-	-	-	-	-	-	-	-	-	-	-
FRESNO	-	-	-	-	-	-	6	0.8	-	-	-	-
GLENN	-	-	-	-	-	-	1	3.7	-	-	-	-
HUMBOLDT	-	-	-	-	-	-	1	0.8	-	-	-	-
IMPERIAL	-	-	-	-	-	-	-	-	-	-	-	-
INYO	-	-	-	-	-	-	2	10.6	-	-	-	-
KERN	-	-	-	-	-	-	-	-	-	-	-	-
KINGS	-	-	-	-	-	-	-	-	-	-	-	-
LAKE	-	-	-	-	-	-	-	-	-	-	-	-
LASSEN	-	-	-	-	-	-	-	-	-	-	-	-
LOS ANGELES CO	1	0.0	1	0.0	-	-	13	0.1	-	-	3	0.0
LOS ANGELES HD	-	-	1	0.0	-	-	13	0.2	-	-	3	0.0
LONG BEACH HD	1	0.2	-	-	-	-	-	-	-	-	-	-
PASADENA HD	-	-	-	-	-	-	-	-	-	-	-	-
MADERA	-	-	-	-	-	-	1	0.9	-	-	-	-
MARIN	-	-	-	-	-	-	1	0.4	-	-	-	-
MARIPOSA	-	-	-	-	-	-	1	1.2	-	-	-	-
MENDOCINO	-	-	-	-	-	-	-	-	-	-	-	-
MERCED	-	-	-	-	-	-	-	-	-	-	-	-
MODOC	-	-	-	-	-	-	-	-	-	-	-	-
MONO	-	-	-	-	-	-	1	9.7	-	-	-	-
MONTEREY	-	-	-	-	-	-	1	0.3	-	-	-	-
NAPA	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
ORANGE	-	-	-	-	-	-	1	0.0	-	-	2	0.1
PLACER	-	-	-	-	-	-	-	-	-	-	-	-
PLUMAS	-	-	-	-	-	-	-	-	-	-	-	-
RIVERSIDE	-	-	-	-	1	0.1	-	-	1	0.1	-	-
SACRAMENTO	-	-	-	-	-	-	7	0.6	-	-	-	-
SAN BENITO	-	-	-	-	-	-	-	-	-	-	-	-
SAN BERNARDINO	-	-	-	-	-	-	2	0.1	-	-	2	0.1
SAN DIEGO	-	-	-	-	-	-	17	0.6	-	-	1	0.0
SAN FRANCISCO	-	-	-	-	-	-	4	0.5	-	-	-	-
SAN JOAQUIN	1	0.2	-	-	-	-	14	2.6	-	-	-	-
SAN LUIS OBISPO	-	-	-	-	-	-	5	2.1	-	-	-	-
SAN MATEO	1	0.1	-	-	-	-	7	1.0	-	-	-	-
SANTA BARBARA	-	-	-	-	-	-	2	0.5	-	-	-	-
SANTA CLARA	2	0.1	-	-	-	-	7	0.4	-	-	-	-
SANTA CRUZ	-	-	-	-	-	-	2	0.8	-	-	-	-
SHASTA	-	-	-	-	-	-	-	-	-	-	-	-
SIERRA	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	-	-	-	-	-	-	1	2.2	-	-	-	-
SOLANO	-	-	-	-	-	-	-	-	-	-	-	-
SONOMA	-	-	-	-	-	-	-	-	-	-	-	-
STANISLAUS	-	-	-	-	-	-	-	-	-	-	-	-
SUTTER	-	-	-	-	-	-	-	-	-	-	-	-
TEHAMA	-	-	-	-	-	-	-	-	-	-	-	-
TRINITY	-	-	-	-	-	-	-	-	-	-	-	-
TULARE	-	-	-	-	-	-	-	-	-	-	-	-
TUOLUMNE	-	-	-	-	-	-	-	-	-	-	-	-
VENTURA	-	-	-	-	-	-	4	0.6	-	-	-	-
YOLO	-	-	-	-	-	-	-	-	-	-	-	-
YUBA	-	-	-	-	-	-	-	-	-	-	-	-

§ Exclusive of Sexually Transmitted Diseases -- See Table 5a and 5b.

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

(CONTINUED)

Table 3. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1994 (continued)

JURISDICTION	DISEASE											
	ENCEPHALITIS, PRIMARY, OTHER & UNSPECIFIED		FOODBORNE O/B ASSOC. CASES		FOODBORNE OUTBREAKS		GIARDIASIS		HAEMOPHILUS INFLUENZAE, INVASIVE		HEPATITIS A	
	CASES	RATE	CASES	RATE	NUMBER	RATE	CASES	RATE	CASES	RATE	CASES	RATE
CALIFORNIA	130	0.4	1261	3.9	61	0.2	6111	18.8	165	0.5	6641	20.4
ALAMEDA CO	4	0.3	-	-	-	-	165	12.1	25	1.8	112	8.2
ALAMEDA HD	3	0.2	-	-	-	-	149	11.9	22	1.8	96	7.6
BERKELEY HD	1	1.0	-	-	-	-	16	15.3	3	2.9	16	15.3
ALPINE	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	-	-	-	-	-	-	14	40.8	-	-	1	2.9
BUTTE	-	-	-	-	-	-	47	23.4	-	-	251	124.7
CALAVERAS	-	-	-	-	-	-	6	15.3	-	-	2	5.1
COLUSA	-	-	-	-	-	-	1	5.5	-	-	13	71.4
CONTRA COSTA	5	0.6	-	-	-	-	214	24.4	7	0.8	78	8.9
DEL NORTE	-	-	-	-	-	-	2	6.5	-	-	46	149.5
EL DORADO	3	2.0	-	-	-	-	15	10.1	-	-	11	7.4
FRESNO	2	0.3	111	14.4	10	1.3	223	28.8	6	0.8	157	20.3
GLENN	-	-	-	-	-	-	3	11.0	-	-	29	106.5
HUMBOLDT	-	-	-	-	-	-	19	14.7	-	-	401	310.1
IMPERIAL	-	-	-	-	-	-	5	3.7	-	-	45	33.4
INYO	-	-	-	-	-	-	6	31.8	-	-	26	138.0
KERN	1	0.2	-	-	-	-	73	11.4	5	0.8	491	76.5
KINGS	-	-	-	-	-	-	5	4.4	2	1.8	5	4.4
LAKE	-	-	-	-	-	-	12	20.9	-	-	6	10.5
LASSEN	-	-	-	-	-	-	5	16.9	-	-	12	40.6
LOS ANGELES CO	45	0.5	431	4.6	11	0.1	1293	13.8	89	1.0	1285	13.7
LOS ANGELES HD	45	0.5	431	4.9	11	0.1	1177	13.4	84	1.0	1120	12.7
LONG BEACH HD	-	-	-	-	-	-	89	20.4	5	1.1	124	28.4
PASADENA HD	-	-	-	-	-	-	27	19.8	-	-	41	30.1
MADERA	-	-	-	-	-	-	12	11.2	-	-	41	38.1
MARIN	-	-	-	-	-	-	138	56.9	-	-	12	4.9
MARIPOSA	-	-	-	-	-	-	-	-	-	-	5	29.4
MENDOCINO	-	-	-	-	-	-	15	17.3	-	-	15	17.3
MERCED	-	-	12	6.0	3	1.5	102	50.7	-	-	44	21.9
MODOC	-	-	-	-	-	-	2	19.1	-	-	1	9.6
MONO	-	-	-	-	-	-	2	19.5	-	-	3	29.2
MONTEREY	2	0.5	25	6.7	3	0.8	30	8.0	1	0.3	56	14.9
NAPA	-	-	-	-	-	-	48	40.7	-	-	21	17.8
NEVADA	-	-	-	-	-	-	25	27.9	-	-	8	8.9
ORANGE	3	0.1	123	4.7	6	0.2	302	11.5	5	0.2	177	6.7
PLACER	1	0.5	2	1.0	1	0.5	29	14.2	-	-	22	10.8
PLUMAS	-	-	-	-	-	-	8	37.6	-	-	6	28.2
RIVERSIDE	7	0.5	57	4.0	3	0.2	98	6.9	4	0.3	312	21.9
SACRAMENTO	11	1.0	8	0.7	2	0.2	95	8.2	1	0.1	122	10.5
SAN BENITO	-	-	-	-	-	-	2	4.8	-	-	4	9.6
SAN BERNARDINO	9	0.6	11	0.7	1	0.1	209	12.7	2	0.1	361	21.9
SAN DIEGO	12	0.4	14	0.5	7	0.3	695	25.5	2	0.1	668	24.5
SAN FRANCISCO	-	-	46	6.1	1	0.1	405	53.8	6	0.8	293	38.9
SAN JOAQUIN	1	0.2	128	23.9	5	0.9	249	46.5	-	-	162	30.3
SAN LUIS OBISPO	-	-	-	-	-	-	47	20.0	-	-	21	8.9
SAN MATEO	1	0.1	-	-	-	-	142	20.5	1	0.1	49	7.1
SANTA BARBARA	3	0.8	-	-	-	-	200	50.2	-	-	84	21.1
SANTA CLARA	4	0.3	76	4.8	2	0.1	554	34.8	3	0.2	154	9.7
SANTA CRUZ	1	0.4	57	23.9	2	0.8	39	16.4	-	-	39	16.4
SHASTA	2	1.2	-	-	-	-	31	18.4	1	0.6	109	64.7
SIERRA	-	-	-	-	-	-	1	30.1	-	-	-	-
SISKIYOU	-	-	-	-	-	-	14	30.5	-	-	66	143.8
SOLANO	4	1.0	-	-	-	-	62	15.9	1	0.3	120	30.7
SONOMA	1	0.2	-	-	-	-	108	25.4	-	-	81	19.1
STANISLAUS	1	0.2	-	-	-	-	92	21.7	-	-	154	36.3
SUTTER	1	1.3	-	-	-	-	26	34.8	-	-	91	121.9
TEHAMA	-	-	-	-	-	-	11	19.7	-	-	51	91.2
TRINITY	-	-	-	-	-	-	7	51.0	-	-	8	58.2
TULARE	2	0.6	152	42.6	2	0.6	67	18.8	2	0.6	75	21.0
TUOLUMNE	-	-	-	-	-	-	2	3.6	-	-	11	20.0
VENTURA	2	0.3	-	-	-	-	77	10.8	2	0.3	45	6.3
YOLO	2	1.3	8	5.1	2	1.3	25	15.8	-	-	37	23.3
YUBA	-	-	-	-	-	-	32	48.7	-	-	142	216.0

[§] Exclusive of Sexually Transmitted Diseases -- See Table 5a and 5b.Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).
(CONTINUED)

Tables

Table 3. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1994 (continued)

JURISDICTION	DISEASE											
	HEPATITIS B		HEPATITIS D		HEPATITIS NON-A, NON-B		HEPATITIS UNSPECIFIED		KAWASAKI SYNDROME		LEGIONELLOSIS	
	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE
CALIFORNIA	2122	6.5	6	0.0	593	1.8	185	0.6	118	0.4	54	0.2
ALAMEDA CO	79	5.8	-	-	8	0.6	1	0.1	1	0.1	7	0.5
ALAMEDA HD	72	5.7	-	-	4	0.3	1	0.1	1	0.1	4	0.3
BERKELEY HD	7	6.7	-	-	4	3.8	-	-	-	-	3	2.9
ALPINE	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	3	8.8	-	-	7	20.4	-	-	-	-	-	-
BUTTE	17	8.4	-	-	12	6.0	2	1.0	-	-	-	-
CALAVERAS	4	10.2	-	-	1	2.6	-	-	-	-	-	-
COLUSA	1	5.5	-	-	-	-	-	-	-	-	-	-
CONTRA COSTA	18	2.1	-	-	1	0.1	12	1.4	2	0.2	3	0.3
DEL NORTE	6	19.5	-	-	1	3.3	-	-	-	-	-	-
EL DORADO	16	10.8	-	-	47	31.8	-	-	1	0.7	-	-
FRESNO	409	52.9	-	-	65	8.4	11	1.4	2	0.3	-	-
GLENN	-	-	-	-	5	18.4	-	-	1	3.7	-	-
HUMBOLDT	21	16.2	-	-	-	-	-	-	-	-	-	-
IMPERIAL	27	20.1	-	-	6	4.5	5	3.7	-	-	-	-
INYO	-	-	-	-	-	-	-	-	-	-	-	-
KERN	115	17.9	-	-	8	1.3	-	-	1	0.2	3	0.5
KINGS	4	3.5	-	-	2	1.8	1	0.9	1	0.9	-	-
LAKE	3	5.2	-	-	1	1.7	-	-	1	1.7	2	3.5
LASSEN	2	6.8	-	-	1	3.4	2	6.8	-	-	-	-
LOS ANGELES CO	344	3.7	-	-	58	0.6	43	0.5	42	0.5	10	0.1
LOS ANGELES HD	293	3.3	-	-	51	0.6	41	0.5	42	0.5	9	0.1
LONG BEACH HD	33	7.6	-	-	5	1.1	1	0.2	-	-	-	-
PASADENA HD	18	13.2	-	-	2	1.5	1	0.7	-	-	1	0.7
MADERA	14	13.0	-	-	14	13.0	-	-	-	-	-	-
MARIN	2	0.8	-	-	3	1.2	2	0.8	-	-	-	-
MARIPOSA	1	5.9	-	-	-	-	-	-	-	-	-	-
MENDOCINO	7	8.1	-	-	1	1.2	2	2.3	-	-	-	-
MERCED	9	4.5	1	0.5	1	0.5	-	-	-	-	-	-
MODOC	3	28.7	-	-	1	9.6	-	-	-	-	-	-
MONO	-	-	-	-	-	-	-	-	-	-	-	-
MONTEREY	35	9.3	-	-	6	1.6	8	2.1	-	-	-	-
NAPA	8	6.8	-	-	4	3.4	-	-	-	-	1	0.9
NEVADA	14	15.6	-	-	4	4.5	-	-	1	1.1	-	-
ORANGE	47	1.8	-	-	3	0.1	18	0.7	21	0.8	3	0.1
PLACER	15	7.3	-	-	-	-	-	-	1	0.5	-	-
PLUMAS	3	14.1	-	-	1	4.7	-	-	-	-	-	-
RIVERSIDE	266	18.7	1	0.1	10	0.7	7	0.5	6	0.4	5	0.4
SACRAMENTO	19	1.6	2	0.2	2	0.2	4	0.3	9	0.8	3	0.3
SAN BENITO	2	4.8	-	-	2	4.8	-	-	-	-	-	-
SAN BERNARDINO	98	5.9	-	-	13	0.8	17	1.0	6	0.4	3	0.2
SAN DIEGO	56	2.1	-	-	6	0.2	15	0.6	12	0.4	2	0.1
SAN FRANCISCO	71	9.4	1	0.1	-	-	-	-	-	-	-	-
SAN JOAQUIN	24	4.5	-	-	28	5.2	1	0.2	-	-	1	0.2
SAN LUIS OBISPO	4	1.7	-	-	-	-	-	-	-	-	-	-
SAN MATEO	91	13.1	-	-	5	0.7	2	0.3	-	-	2	0.3
SANTA BARBARA	3	0.8	-	-	1	0.3	1	0.3	-	-	-	-
SANTA CLARA	28	1.8	-	-	80	5.0	5	0.3	2	0.1	1	0.1
SANTA CRUZ	19	8.0	-	-	3	1.3	1	0.4	-	-	-	-
SHASTA	28	16.6	-	-	21	12.5	17	10.1	1	0.6	2	1.2
SIERRA	-	-	-	-	-	-	-	-	-	-	-	-
STISKIYOU	9	19.6	-	-	5	10.9	-	-	-	-	-	-
SOLANO	24	6.1	-	-	12	3.1	3	0.8	-	-	-	-
SONOMA	20	4.7	-	-	16	3.8	-	-	-	-	3	0.7
STANISLAUS	34	8.0	-	-	69	16.3	-	-	2	0.5	2	0.5
SUTTER	8	10.7	-	-	9	12.1	-	-	1	1.3	-	-
TEHAMA	7	12.5	-	-	13	23.3	-	-	-	-	-	-
TRINITY	-	-	-	-	-	-	-	-	-	-	-	-
TULARE	16	4.5	1	0.3	8	2.2	-	-	2	0.6	-	-
TUOLUMNE	3	5.5	-	-	2	3.6	-	-	-	-	-	-
VENTURA	39	5.5	-	-	12	1.7	2	0.3	1	0.1	1	0.1
YOLO	11	6.9	-	-	5	3.2	1	0.6	1	0.6	-	-
YUBA	15	22.8	-	-	10	15.2	2	3.0	-	-	-	-

§ Exclusive of Sexually Transmitted Diseases -- See Table 5a and 5b.

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

(CONTINUED)

Table 3. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1994 (continued)

JURISDICTION	DISEASE											
	LEPROSY		LEPTOSPIROSIS		LISTERIOSIS		LYME DISEASE		MALARIA		MEASLES: IMPORTED	
	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE
CALIFORNIA	38	0.1	-	-	126	0.4	68	0.2	216	0.7	8	0.0
ALAMEDA CO	2	0.2	-	-	12	0.9	1	0.1	17	1.3	-	-
ALAMEDA HD	2	0.2	-	-	11	0.9	-	-	14	1.1	-	-
BERKELEY HD	-	-	-	-	1	1.0	1	1.0	3	2.9	-	-
ALPINE	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	-	-	-	-	-	-	-	-	-	-	-	-
BUTTE	-	-	-	-	1	0.5	-	-	-	-	-	-
CALAVERAS	-	-	-	-	-	-	-	-	1	2.6	-	-
COLUSA	-	-	-	-	-	-	-	-	-	-	-	-
CONTRA COSTA	-	-	-	-	7	0.8	2	0.2	10	1.1	-	-
DEL NORTE	-	-	-	-	-	-	-	-	1	3.3	-	-
EL DORADO	-	-	-	-	-	-	2	1.4	1	0.7	-	-
FRESNO	2	0.3	-	-	2	0.3	-	-	3	0.4	-	-
GLENN	-	-	-	-	-	-	-	-	-	-	-	-
HUMBOLDT	-	-	-	-	1	0.8	2	1.6	-	-	-	-
IMPERIAL	-	-	-	-	-	-	-	-	-	-	-	-
INYO	-	-	-	-	-	-	-	-	-	-	-	-
KERN	2	0.3	-	-	-	-	2	0.3	1	0.2	-	-
KINGS	-	-	-	-	-	-	-	-	-	-	-	-
LAKE	-	-	-	-	-	-	1	1.7	-	-	-	-
LASSEN	-	-	-	-	-	-	-	-	-	-	-	-
LOS ANGELES CO	20	0.2	-	-	43	0.5	2	0.0	45	0.5	3	0.0
LOS ANGELES HD	19	0.2	-	-	40	0.5	2	0.0	40	0.5	3	0.0
LONG BEACH HD	1	0.2	-	-	2	0.5	-	-	4	0.9	-	-
PASADENA HD	-	-	-	-	1	0.7	-	-	1	0.7	-	-
MADERA	-	-	-	-	-	-	-	-	-	-	-	-
MARIN	-	-	-	-	1	0.4	2	0.8	2	0.8	-	-
MARIPOSA	-	-	-	-	-	-	-	-	-	-	-	-
MENDOCINO	-	-	-	-	-	-	4	4.6	1	1.2	-	-
MERCED	-	-	-	-	-	-	-	-	-	-	-	-
MODOC	-	-	-	-	-	-	-	-	-	-	-	-
MONO	-	-	-	-	-	-	-	-	-	-	-	-
MONTEREY	1	0.3	-	-	-	-	1	0.3	1	0.3	-	-
NAPA	-	-	-	-	-	-	-	-	2	1.7	-	-
NEVADA	-	-	-	-	-	-	8	8.9	2	2.2	-	-
ORANGE	-	-	-	-	11	0.4	-	-	15	0.6	-	-
PLACER	-	-	-	-	-	-	2	1.0	-	-	-	-
PLUMAS	-	-	-	-	-	-	-	-	-	-	-	-
RIVERSIDE	1	0.1	-	-	4	0.3	2	0.1	7	0.5	-	-
SACRAMENTO	-	-	-	-	5	0.4	-	-	10	0.9	-	-
SAN BENITO	-	-	-	-	-	-	-	-	1	2.4	-	-
SAN BERNARDINO	-	-	-	-	2	0.1	3	0.2	6	0.4	-	-
SAN DIEGO	4	0.2	-	-	8	0.3	7	0.3	24	0.9	-	-
SAN FRANCISCO	2	0.3	-	-	4	0.5	1	0.1	14	1.9	1	0.1
SAN JOAQUIN	1	0.2	-	-	3	0.6	2	0.4	3	0.6	-	-
SAN LUIS OBISPO	-	-	-	-	-	-	1	0.4	-	-	-	-
SAN MATEO	-	-	-	-	1	0.1	2	0.3	9	1.3	1	0.1
SANTA BARBARA	-	-	-	-	2	0.5	-	-	1	0.3	-	-
SANTA CLARA	1	0.1	-	-	7	0.4	3	0.2	24	1.5	1	0.1
SANTA CRUZ	-	-	-	-	1	0.4	2	0.8	3	1.3	1	0.4
SHASTA	-	-	-	-	1	0.6	3	1.8	-	-	-	-
SIERRA	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	-	-	-	-	-	-	1	2.2	-	-	-	-
SOLANO	1	0.3	-	-	2	0.5	-	-	1	0.3	-	-
SONOMA	-	-	-	-	1	0.2	3	0.7	1	0.2	-	-
STANISLAUS	-	-	-	-	2	0.5	1	0.2	1	0.2	-	-
SUTTER	-	-	-	-	-	-	-	-	5	6.7	-	-
TEHAMA	-	-	-	-	-	-	1	1.8	-	-	-	-
TRINITY	-	-	-	-	-	-	-	-	1	7.3	-	-
TULARE	1	0.3	-	-	1	0.3	3	0.8	1	0.3	-	-
TIJUANNE	-	-	-	-	-	-	-	-	-	-	-	-
VENTURA	-	-	-	-	4	0.6	-	-	1	0.1	1	0.1
YOLO	-	-	-	-	-	-	1	0.6	1	0.6	-	-
YUBA	-	-	-	-	-	-	3	4.6	-	-	-	-

[§] Exclusive of Sexually Transmitted Diseases -- See Table 5a and 5b.

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

(CONTINUED)

Tables

Table 3. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1994 (continued)

JURISDICTION	DISEASE											
	MEASLES: INDIGENOUS		MENINGITIS, VIRAL		MENINGOCOCCAL INFECTIONS		MUMPS		PARALYTIC SHELLFISH POISONING		PERTUSSIS	
	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE
CALIFORNIA	53	0.2	1370	4.2	400	1.2	270	0.8	23	0.1	603	1.9
ALAMEDA CO	-	-	8	0.6	28	2.1	2	0.2	-	-	45	3.3
ALAMEDA HD	-	-	6	0.5	28	2.2	2	0.2	-	-	40	3.2
BERKELEY HD	-	-	2	1.9	-	-	-	-	-	-	5	4.8
ALPINE	-	-	-	-	1	80.7	-	-	-	-	-	-
AMADOR	-	-	-	-	-	-	-	-	-	-	-	-
BUTTE	-	-	2	1.0	8	4.0	2	1.0	-	-	2	1.0
CALAVERAS	-	-	-	-	-	-	-	-	-	-	-	-
COLUSA	-	-	-	-	-	-	1	5.5	-	-	3	16.5
CONTRA COSTA	1	0.1	21	2.4	11	1.3	2	0.2	-	-	64	7.3
DEL NORTE	1	3.3	-	-	2	6.5	-	-	-	-	-	-
EL DORADO	-	-	5	3.4	2	1.4	-	-	-	-	2	1.4
FRESNO	4	0.5	89	11.5	11	1.4	18	2.3	23	3.0	28	3.6
GLENN	-	-	2	7.3	-	-	-	-	-	-	-	-
HUMBOLDT	-	-	2	1.6	4	3.1	1	0.8	-	-	-	-
IMPERIAL	-	-	22	16.3	-	-	4	3.0	-	-	2	1.5
INYO	-	-	-	-	-	-	-	-	-	-	-	-
KERN	-	-	79	12.3	11	1.7	3	0.5	-	-	14	2.2
KINGS	-	-	-	-	-	-	1	0.9	-	-	1	0.9
LAKE	-	-	2	3.5	2	3.5	2	3.5	-	-	3	5.2
LASSEN	-	-	1	3.4	-	-	-	-	-	-	-	-
LOS ANGELES CO	8	0.1	284	3.0	85	0.9	53	0.6	-	-	91	1.0
LOS ANGELES HD	4	0.1	263	3.0	83	0.9	49	0.6	-	-	88	1.0
LONG BEACH HD	4	0.9	18	4.1	1	0.2	3	0.7	-	-	3	0.7
PASADENA HD	-	-	3	2.2	1	0.7	1	0.7	-	-	-	-
MADERA	29	26.9	6	5.6	-	-	3	2.8	-	-	2	1.9
MARIN	-	-	9	3.7	3	1.2	1	0.4	-	-	5	2.1
MARIPOSA	-	-	-	-	-	-	-	-	-	-	3	17.7
MENDOCINO	-	-	-	-	2	2.3	6	6.9	-	-	3	3.5
MERCED	-	-	2	1.0	1	0.5	8	4.0	-	-	11	5.5
MODOC	-	-	-	-	-	-	-	-	-	-	-	-
MONO	-	-	2	19.5	-	-	-	-	-	-	-	-
MONTEREY	-	-	6	1.6	3	0.8	7	1.9	-	-	7	1.9
NAPA	-	-	5	4.2	5	4.2	-	-	-	-	2	1.7
NEVADA	-	-	4	4.5	-	-	-	-	-	-	2	2.2
ORANGE	-	-	110	4.2	26	1.0	12	0.5	-	-	21	0.8
PLACER	-	-	9	4.4	6	2.9	-	-	-	-	7	3.4
PLUMAS	-	-	-	-	-	-	-	-	-	-	1	4.7
RIVERSIDE	2	0.1	63	4.4	12	0.8	17	1.2	-	-	2	0.1
SACRAMENTO	-	-	72	6.2	22	1.9	11	1.0	-	-	15	1.3
SAN BENITO	-	-	-	-	3	7.2	-	-	-	-	-	-
SAN BERNARDINO	1	0.1	62	3.8	21	1.3	22	1.3	-	-	6	0.4
SAN DIEGO	1	0.0	210	7.7	38	1.4	7	0.3	-	-	91	3.3
SAN FRANCISCO	-	-	1	0.1	11	1.5	5	0.7	-	-	12	1.6
SAN JOAQUIN	-	-	10	1.9	7	1.3	11	2.1	-	-	6	1.1
SAN LUIS OBISPO	1	0.4	17	7.2	2	0.9	4	1.7	-	-	17	7.2
SAN MATEO	-	-	10	1.4	5	0.7	4	0.6	-	-	6	0.9
SANTA BARBARA	-	-	12	3.0	6	1.5	1	0.3	-	-	7	1.8
SANTA CLARA	3	0.2	45	2.8	25	1.6	19	1.2	-	-	47	3.0
SANTA CRUZ	1	0.4	2	0.8	6	2.5	1	0.4	-	-	2	0.8
SHASTA	-	-	16	9.5	2	1.2	2	1.2	-	-	3	1.8
SIERRA	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	-	-	-	-	1	2.2	-	-	-	-	-	-
SOLANO	-	-	17	4.4	1	0.3	-	-	-	-	8	2.1
SONOMA	1	0.2	8	1.9	2	0.5	3	0.7	-	-	35	8.2
STANISLAUS	-	-	67	15.8	11	2.6	6	1.4	-	-	9	2.1
SUTTER	-	-	5	6.7	1	1.3	1	1.3	-	-	-	-
TEHAMA	-	-	1	1.8	-	-	1	1.8	-	-	-	-
TRINITY	-	-	-	-	-	-	-	-	-	-	-	-
TULARE	-	-	54	15.1	2	0.6	26	7.3	-	-	8	2.2
TUOLUMNE	-	-	1	1.8	-	-	-	-	-	-	-	-
VENTURA	-	-	24	3.4	9	1.3	3	0.4	-	-	10	1.4
YOLO	-	-	1	0.6	1	0.6	-	-	-	-	-	-
YUBA	-	-	2	3.0	1	1.5	-	-	-	-	-	-

§ Exclusive of Sexually Transmitted Diseases -- See Table 5a and 5b.

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

(CONTINUED)

Table 3. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1994 (continued)

JURISDICTION	DISEASE											
	PLAQUE		POLIOMYELITIS, PARALYTIC		PSITTACOSIS		Q FEVER		RABIES, ANIMAL		RABIES, HUMAN	
	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	CASES	RATE	
CALIFORNIA	2	0.0	-	-	4	0.0	7	0.0	293	1	0.0	
ALAMEDA CO	-	-	-	-	-	-	-	-	4	1	0.1	
ALAMEDA HD	-	-	-	-	-	-	-	-	4	1	0.1	
BERKELEY HD	-	-	-	-	-	-	-	-	-	-	-	
ALPINE	-	-	-	-	-	-	-	-	-	-	-	
AMADOR	-	-	-	-	-	-	-	-	1	-	-	
BUTTE	-	-	-	-	-	-	1	0.5	28	-	-	
CALAVERAS	-	-	-	-	-	-	-	-	-	-	-	
COLUSA	-	-	-	-	-	-	-	-	4	-	-	
CONTRA COSTA	-	-	-	-	1	0.1	-	-	4	-	-	
DEL NORTE	-	-	-	-	-	-	-	-	-	-	-	
EL DORADO	-	-	-	-	-	-	-	-	8	-	-	
FRESNO	-	-	-	-	1	0.1	-	-	-	-	-	
GLENN	-	-	-	-	-	-	-	-	9	-	-	
HUMBOLDT	-	-	-	-	-	-	-	-	5	-	-	
IMPERIAL	-	-	-	-	-	-	-	-	4	-	-	
INYO	1	5.3	-	-	-	-	-	-	1	-	-	
KERN	-	-	-	-	-	-	-	-	2	-	-	
KINGS	-	-	-	-	-	-	-	-	-	-	-	
LAKE	-	-	-	-	-	-	-	-	-	-	-	
LASSEN	-	-	-	-	-	-	-	-	-	-	-	
LOS ANGELES CO	-	-	-	-	-	-	-	-	16	-	-	
LOS ANGELES HD	-	-	-	-	-	-	-	-	16	-	-	
LONG BEACH HD	-	-	-	-	-	-	-	-	-	-	-	
PASADENA HD	-	-	-	-	-	-	-	-	-	-	-	
MADERA	-	-	-	-	-	-	-	-	1	-	-	
MARIN	-	-	-	-	-	-	-	-	3	-	-	
MARIPOSA	-	-	-	-	-	-	-	-	-	-	-	
MENDOCINO	-	-	-	-	-	-	1	1.2	8	-	-	
MERCED	-	-	-	-	-	-	-	-	-	-	-	
MODOC	-	-	-	-	-	-	-	-	-	-	-	
MONO	-	-	-	-	-	-	-	-	-	-	-	
MONTEREY	-	-	-	-	-	-	-	-	4	-	-	
NAPA	-	-	-	-	-	-	-	-	5	-	-	
NEVADA	-	-	-	-	-	-	-	-	7	-	-	
ORANGE	-	-	-	-	-	-	-	-	4	-	-	
PLACER	-	-	-	-	-	-	-	-	67	-	-	
PLUMAS	-	-	-	-	-	-	-	-	1	-	-	
RIVERSIDE	-	-	-	-	-	-	1	0.1	4	-	-	
SACRAMENTO	-	-	-	-	-	-	-	-	4	-	-	
SAN BENITO	-	-	-	-	1	2.4	-	-	-	-	-	
SAN BERNARDINO	-	-	-	-	1	0.0	-	-	5	-	-	
SAN DIEGO	-	-	-	-	1	0.0	1	0.0	20	-	-	
SAN FRANCISCO	-	-	-	-	-	-	-	-	-	-	-	
SAN JOAQUIN	-	-	-	-	-	-	-	-	1	-	-	
SAN LUIS OBISPO	-	-	-	-	-	-	-	-	16	-	-	
SAN MATEO	1	0.1	-	-	-	-	-	-	-	-	-	
SANTA BARBARA	-	-	-	-	-	-	-	-	5	-	-	
SANTA CLARA	-	-	-	-	-	-	-	-	2	-	-	
SANTA CRUZ	-	-	-	-	-	-	1	0.4	-	-	-	
SHASTA	-	-	-	-	-	-	-	-	3	-	-	
SIERRA	-	-	-	-	-	-	-	-	1	-	-	
SISKIYOU	-	-	-	-	-	-	-	-	4	-	-	
SOLANO	-	-	-	-	-	-	2	0.5	5	-	-	
SONOMA	-	-	-	-	-	-	-	-	5	-	-	
STANISLAUS	-	-	-	-	-	-	-	-	1	-	-	
SUTTER	-	-	-	-	-	-	-	-	2	-	-	
TEHAMA	-	-	-	-	-	-	-	-	1	-	-	
TRINITY	-	-	-	-	-	-	-	-	3	-	-	
TULARE	-	-	-	-	-	-	-	-	4	-	-	
TIOLUMNE	-	-	-	-	-	-	-	-	1	-	-	
VENTURA	-	-	-	-	-	-	-	-	8	-	-	
YOLO	-	-	-	-	-	-	-	-	5	-	-	
YUBA	-	-	-	-	-	-	-	-	7	-	-	

[§] Exclusive of Sexually Transmitted Diseases -- See Table 5a and 5b.

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

(CONTINUED)

Tables

Table 3. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1994 (continued)

JURISDICTION	DISEASE											
	RELAPSING FEVER		REYE SYNDROME		RHEUMATIC FEVER, ACUTE		ROCKY MOUNTAIN SPOTTED FEVER		RUBELLA (GERMAN MEASLES)		RUBELLA, CONGENITAL	
	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE
CALIFORNIA	3	0.0	5	0.0	18	0.1	5	0.0	28	0.1	1	0.0
ALAMEDA CO	1	0.1	1	0.1	1	0.1	-	-	-	-	-	-
ALAMEDA HD	1	0.1	1	0.1	1	0.1	-	-	-	-	-	-
BERKELEY HD	-	-	-	-	-	-	-	-	-	-	-	-
ALPINE	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	-	-	-	-	-	-	-	-	-	-	-	-
BUTTE	-	-	-	-	-	-	-	-	1	0.5	-	-
CALAVERAS	-	-	-	-	-	-	-	-	-	-	-	-
COLUSA	-	-	-	-	-	-	-	-	1	5.5	-	-
CONTRA COSTA	-	-	1	0.1	-	-	-	-	1	0.1	-	-
DEL NORTE	-	-	-	-	-	-	-	-	-	-	-	-
EL DORADO	-	-	-	-	-	-	-	-	-	-	-	-
FRESNO	-	-	-	-	-	-	-	-	2	0.3	-	-
GLENN	-	-	-	-	1	3.7	-	-	-	-	-	-
HUMBOLDT	-	-	-	-	-	-	-	-	-	-	-	-
IMPERIAL	-	-	-	-	-	-	-	-	-	-	-	-
INYO	-	-	-	-	-	-	-	-	-	-	-	-
KERN	-	-	-	-	-	-	-	-	1	0.2	-	-
KINGS	-	-	-	-	-	-	-	-	-	-	-	-
LAKE	-	-	-	-	-	-	-	-	1	1.7	-	-
LASSEN	-	-	-	-	-	-	-	-	-	-	-	-
LOS ANGELES CO	-	-	1	0.0	5	0.1	-	-	3	0.0	-	-
LOS ANGELES HD	-	-	1	0.0	5	0.1	-	-	3	0.0	-	-
LONG BEACH HD	-	-	-	-	-	-	-	-	-	-	-	-
PASADENA HD	-	-	-	-	-	-	-	-	-	-	-	-
MADERA	-	-	-	-	-	-	-	-	-	-	-	-
MARIN	-	-	-	-	-	-	2	0.8	-	-	-	-
MARIPOSA	1	5.9	-	-	-	-	-	-	-	-	-	-
MENDOCINO	-	-	-	-	-	-	-	-	-	-	-	-
MERCED	-	-	1	0.5	-	-	-	-	-	-	-	-
MODOC	-	-	-	-	-	-	-	-	-	-	-	-
MONO	-	-	-	-	-	-	-	-	-	-	-	-
MONTEREY	-	-	-	-	-	-	-	-	1	0.3	-	-
NAPA	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
ORANGE	-	-	1	0.0	-	-	-	-	-	-	1	0.0
PLACER	-	-	-	-	-	-	-	-	-	-	-	-
PLUMAS	-	-	-	-	-	-	-	-	1	4.7	-	-
RIVERSIDE	-	-	-	-	1	0.1	-	-	2	0.1	-	-
SACRAMENTO	-	-	-	-	2	0.2	-	-	-	-	-	-
SAN BENITO	-	-	-	-	-	-	-	-	-	-	-	-
SAN BERNARDINO	-	-	-	-	-	-	1	0.1	6	0.4	-	-
SAN DIEGO	-	-	-	-	1	0.0	1	0.0	2	0.1	-	-
SAN FRANCISCO	-	-	-	-	-	-	-	-	1	0.1	-	-
SAN JOAQUIN	-	-	-	-	1	0.2	-	-	-	-	-	-
SAN LUIS OBISPO	-	-	-	-	-	-	-	-	-	-	-	-
SAN MATEO	-	-	-	-	-	-	-	-	1	0.1	-	-
SANTA BARBARA	-	-	-	-	-	-	-	-	-	-	-	-
SANTA CLARA	-	-	-	-	2	0.1	-	-	-	-	-	-
SANTA CRUZ	1	0.4	-	-	-	-	-	-	1	0.4	-	-
SHASTA	-	-	-	-	-	-	-	-	1	0.6	-	-
SIERRA	-	-	-	-	-	-	-	-	-	-	-	-
STISKIYOU	-	-	-	-	2	4.4	-	-	-	-	-	-
SOLANO	-	-	-	-	-	-	-	-	-	-	-	-
SONOMA	-	-	-	-	-	-	-	-	-	-	-	-
STANISLAUS	-	-	-	-	-	-	-	-	-	-	-	-
SUTTER	-	-	-	-	-	-	-	-	-	-	-	-
TEHAMA	-	-	-	-	-	-	-	-	-	-	-	-
TRINITY	-	-	-	-	-	-	-	-	-	-	-	-
TULARE	-	-	-	-	1	0.3	1	0.3	1	0.3	-	-
TUOLUMNE	-	-	-	-	-	-	-	-	-	-	-	-
VENTURA	-	-	-	-	-	-	-	-	1	0.1	-	-
YOLO	-	-	-	-	-	-	1	0.6	-	-	-	-
YUBA	-	-	-	-	-	-	-	-	-	-	-	-

§ Exclusive of Sexually Transmitted Diseases -- See Table 5a and 5b.

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

(CONTINUED)

Table 3. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1994 (continued)

JURISDICTION	DISEASE											
	SALMONELLOSIS (NON-TYPHOID)		SHIGELLOSIS, GROUP A		SHIGELLOSIS, GROUP B		SHIGELLOSIS, GROUP C		SHIGELLOSIS, GROUP D		SHIGELLOSIS, GROUP UNKNOWN	
	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE
CALIFORNIA	6226	19.2	54	0.2	1397	4.3	87	0.3	1737	5.3	666	2.1
ALAMEDA CO	215	15.8	1	0.1	30	2.2	3	0.2	93	6.8	58	4.3
ALAMEDA HD	200	15.9	1	0.1	26	2.1	2	0.2	88	7.0	57	4.5
BERKELEY HD	15	14.4	-	-	4	3.8	1	1.0	5	4.8	1	1.0
ALPINE	-	-	-	-	1	80.7	-	-	-	-	-	-
AMADOR	3	8.8	-	-	-	-	-	-	-	-	-	-
BUTTE	32	15.9	2	1.0	-	-	-	-	7	3.5	7	3.5
CALAVERAS	3	7.7	-	-	-	-	-	-	1	2.6	-	-
COLUSA	1	5.5	-	-	1	5.5	-	-	-	-	-	-
CONTRA COSTA	124	14.1	1	0.1	15	1.7	1	0.1	40	4.6	23	2.6
DEL NORTE	3	9.8	-	-	-	-	-	-	-	-	-	-
EL DORADO	13	8.8	-	-	-	-	-	-	4	2.7	3	2.0
FRESNO	135	17.5	6	0.8	42	5.4	1	0.1	37	4.8	16	2.1
GLENN	1	3.7	-	-	-	-	-	-	-	-	-	-
HUMBOLDT	16	12.4	-	-	1	0.8	-	-	4	3.1	-	-
IMPERIAL	48	35.7	-	-	8	5.9	-	-	6	4.5	3	2.2
INYO	15	79.6	-	-	-	-	-	-	-	-	-	-
KERN	96	15.0	-	-	6	0.9	-	-	8	1.3	68	10.6
KINGS	10	8.8	1	0.9	5	4.4	-	-	-	-	-	-
LAKE	2	3.5	-	-	1	1.7	-	-	1	1.7	-	-
LASSEN	2	6.8	-	-	-	-	-	-	-	-	-	-
LOS ANGELES CO	2296	24.5	11	0.1	571	6.1	40	0.4	628	6.7	197	2.1
LOS ANGELES HD	2140	24.3	10	0.1	516	5.9	38	0.4	557	6.3	194	2.2
LONG BEACH HD	107	24.5	-	-	46	10.5	2	0.5	30	6.9	3	0.7
PASADENA HD	49	35.9	1	0.7	9	6.6	-	-	41	30.1	-	-
MADERA	28	26.0	-	-	4	3.7	-	-	5	4.6	1	0.9
MARIN	33	13.6	-	-	2	0.8	-	-	6	2.5	1	0.4
MARIPOSA	5	29.4	-	-	-	-	-	-	-	-	-	-
MENDOCINO	14	16.1	-	-	-	-	-	-	-	-	-	-
MERCED	31	15.4	-	-	1	0.5	-	-	13	6.5	23	11.4
MODOC	3	28.7	-	-	1	9.6	-	-	-	-	-	-
MONO	8	77.8	-	-	1	9.7	-	-	-	-	-	-
MONTEREY	39	10.4	1	0.3	14	3.7	-	-	4	1.1	10	2.7
NAPA	21	17.8	-	-	4	3.4	1	0.9	2	1.7	2	1.7
NEVADA	10	11.2	-	-	-	-	-	-	-	-	1	1.1
ORANGE	277	10.5	3	0.1	90	3.4	10	0.4	55	2.1	8	0.3
PLACER	28	13.7	-	-	3	1.5	-	-	2	1.0	-	-
PLUMAS	5	23.5	-	-	-	-	-	-	-	-	-	-
RIVERSIDE	289	20.3	1	0.1	41	2.9	2	0.1	45	3.2	34	2.4
SACRAMENTO	121	10.4	1	0.1	8	0.7	-	-	85	7.3	9	0.8
SAN BENITO	11	26.4	3	7.2	5	12.0	-	-	1	2.4	3	7.2
SAN BERNARDINO	418	25.3	3	0.2	68	4.1	3	0.2	108	6.5	18	1.1
SAN DIEGO	539	19.8	6	0.2	139	5.1	10	0.4	198	7.3	46	1.7
SAN FRANCISCO	199	26.4	3	0.4	127	16.9	5	0.7	103	13.7	-	-
SAN JOAQUIN	105	19.6	1	0.2	20	3.7	-	-	74	13.8	2	0.4
SAN LUIS OBISPO	28	11.9	1	0.4	4	1.7	-	-	1	0.4	1	0.4
SAN MATEO	132	19.0	3	0.4	27	3.9	4	0.6	60	8.7	8	1.2
SANTA BARBARA	47	11.8	-	-	10	2.5	-	-	5	1.3	7	1.8
SANTA CLARA	273	17.2	3	0.2	61	3.8	3	0.2	38	2.4	45	2.8
SANTA CRUZ	50	21.0	1	0.4	18	7.6	-	-	3	1.3	7	2.9
SHASTA	12	7.1	-	-	1	0.6	-	-	9	5.3	-	-
SIERRA	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	12	26.2	-	-	-	-	-	-	-	-	6	13.1
SOLANO	31	7.9	-	-	2	0.5	-	-	13	3.3	4	1.0
SONOMA	52	12.2	-	-	10	2.4	1	0.2	8	1.9	14	3.3
STANISLAUS	62	14.6	-	-	6	1.4	1	0.2	11	2.6	-	-
SUTTER	10	13.4	-	-	3	4.0	-	-	4	5.4	-	-
TEHAMA	7	12.5	-	-	-	-	-	-	1	1.8	2	3.6
TRINITY	5	36.4	-	-	-	-	-	-	1	7.3	-	-
TULARE	183	51.3	-	-	32	9.0	2	0.6	27	7.6	9	2.5
TUOLUMNE	3	5.5	-	-	-	-	-	-	-	-	1	1.8
VENTURA	93	13.0	2	0.3	10	1.4	-	-	20	2.8	22	3.1
YOLO	17	10.7	-	-	1	0.6	-	-	2	1.3	4	2.5
YUBA	10	15.2	-	-	3	4.6	-	-	4	6.1	3	4.6

§ Exclusive of Sexually Transmitted Diseases -- See Table 5a and 5b.

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

(CONTINUED)

Tables

Table 3. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1994 (continued)

JURISDICTION	DISEASE											
	STREPTOCOCCAL INF., DAIRY WORKERS		STREPTOCOCCAL INF., FOOD HANDLERS		TETANUS		TOXIC SHOCK SYNDROME		TRICHINOSIS		TUBERCULOSIS	
	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE
CALIFORNIA	-	-	17	0.1	8	0.0	39	0.1	12	0.0	4839	14.9
ALAMEDA CO	-	-	-	-	1	0.1	5	0.4	-	-	208	15.3
ALAMEDA HD	-	-	-	-	1	0.1	5	0.4	-	-	200	15.9
BERKELEY HD	-	-	-	-	-	-	-	-	-	-	8	7.7
ALPINE	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	-	-	-	-	-	-	-	-	-	-	-	-
BUTTE	-	-	1	0.5	-	-	-	-	-	-	7	3.5
CALAVERAS	-	-	-	-	-	-	-	-	-	-	-	-
COLUSA	-	-	-	-	-	-	-	-	-	-	-	-
CONTRA COSTA	-	-	-	-	-	-	2	0.2	-	-	99	11.3
DEL NORTE	-	-	-	-	-	-	-	-	-	-	3	9.8
EL DORADO	-	-	1	0.1	1	0.1	1	0.1	-	-	1	0.7
FRESNO	-	-	-	-	-	-	-	-	-	-	77	10.0
GLENN	-	-	-	-	-	-	-	-	-	-	-	-
HUMBOLDT	-	-	-	-	-	-	-	-	-	-	3	2.3
IMPERIAL	-	-	-	-	-	-	-	-	-	-	38	28.2
INYO	-	-	-	-	-	-	-	-	-	-	-	-
KERN	-	-	-	-	1	0.2	-	-	-	-	111	17.3
KINGS	-	-	-	-	-	-	1	0.9	-	-	15	13.2
LAKE	-	-	-	-	-	-	-	-	-	-	1	1.7
LASSEN	-	-	-	-	-	-	-	-	-	-	-	-
LOS ANGELES CO	-	-	-	-	1	0.0	9	0.1	2	0.0	1908	20.4
LOS ANGELES HD	-	-	-	-	-	-	9	0.1	2	0.0	1792	20.4
LONG BEACH HD	-	-	-	-	1	0.2	-	-	-	-	103	23.6
PASADENA HD	-	-	-	-	-	-	-	-	-	-	13	9.5
MADERA	-	-	-	-	-	-	-	-	-	-	16	14.9
MARIN	-	-	-	-	-	-	-	-	-	-	17	7.0
MARIPOSA	-	-	-	-	-	-	-	-	-	-	-	-
MENDOCINO	-	-	-	-	-	-	-	-	-	-	7	8.1
MERCED	-	-	1	0.5	-	-	-	-	-	-	20	9.9
MODOC	-	-	-	-	-	-	-	-	-	-	1	9.6
MONO	-	-	-	-	-	-	-	-	-	-	-	-
MONTEREY	-	-	-	-	-	-	-	-	-	-	42	11.2
NAPA	-	-	-	-	-	-	-	-	-	-	1	0.9
NEVADA	-	-	-	-	-	-	1	1.1	-	-	-	-
ORANGE	-	-	-	-	2	0.1	2	0.1	-	-	365	13.9
PLACER	-	-	-	-	-	-	-	-	-	-	7	3.4
PLUMAS	-	-	-	-	-	-	-	-	-	-	-	-
RIVERSIDE	-	-	-	-	-	-	1	0.1	-	-	106	7.4
SACRAMENTO	-	-	-	-	-	-	1	0.1	-	-	130	11.2
SAN BENITO	-	-	-	-	-	-	-	-	-	-	3	7.2
SAN BERNARDINO	-	-	-	-	-	-	1	0.1	-	-	133	8.1
SAN DIEGO	-	-	-	-	1	0.0	4	0.2	-	-	420	15.4
SAN FRANCISCO	-	-	-	-	-	-	1	0.1	-	-	280	37.2
SAN JOAQUIN	-	-	-	-	-	-	-	-	-	-	95	17.7
SAN LUIS OBISPO	-	-	-	-	-	-	1	0.4	-	-	26	11.1
SAN MATEO	-	-	-	-	1	0.1	-	-	-	-	75	10.8
SANTA BARBARA	-	-	-	-	-	-	1	0.3	-	-	75	18.8
SANTA CLARA	-	-	-	-	-	-	1	0.1	-	-	283	17.8
SANTA CRUZ	-	-	-	-	-	-	1	0.4	-	-	29	12.2
SHASTA	-	-	-	-	-	-	1	0.6	-	-	2	1.2
SIERRA	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	-	-	-	-	-	-	-	-	-	-	-	-
SOLANO	-	-	-	-	-	-	-	-	-	-	37	9.5
SONOMA	-	-	-	-	-	-	1	0.2	-	-	29	6.8
STANISLAUS	-	-	-	-	-	-	-	-	-	-	20	4.7
SUTTER	-	-	-	-	-	-	-	-	-	-	8	10.7
TEHAMA	-	-	-	-	-	-	1	1.8	-	-	1	1.8
TRINITY	-	-	-	-	-	-	-	-	-	-	-	-
TULARE	-	-	-	-	-	-	-	-	10	2.8	50	14.0
TUOLUMNE	-	-	-	-	-	-	-	-	-	-	2	3.6
VENTURA	-	-	14	2.0	-	-	3	0.4	-	-	63	8.8
YOLO	-	-	-	-	-	-	-	-	-	-	18	11.4
YUBA	-	-	-	-	-	-	-	-	-	-	7	10.7

§ Exclusive of Sexually Transmitted Diseases -- See Table 5a and 5b.

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

(CONTINUED)

Table 3. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1994 (continued)

JURISDICTION	DISEASE									
	TULAREMIA		TYPHOID FEVER, ACUTE		TYPHUS FEVER		VIBRIO INFECTIONS		YELLOW FEVER	
	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE
CALIFORNIA	2	0.0	112	0.3	21	0.1	27	0.1	-	-
ALAMEDA CO	-	-	12	0.9	-	-	-	-	-	-
ALAMEDA HD	-	-	12	1.0	-	-	-	-	-	-
BERKELEY HD	-	-	-	-	-	-	-	-	-	-
ALPINE	-	-	-	-	-	-	-	-	-	-
AMADOR	-	-	-	-	-	-	-	-	-	-
BUTTE	-	-	-	-	-	-	-	-	-	-
CALAVERAS	-	-	-	-	-	-	-	-	-	-
COLUSA	-	-	-	-	-	-	-	-	-	-
CONTRA COSTA	-	-	3	0.3	1	0.1	-	-	-	-
DEL NORTE	-	-	-	-	-	-	-	-	-	-
EL DORADO	-	-	-	-	-	-	-	-	-	-
FRESNO	-	-	-	-	-	-	-	-	-	-
GLENN	-	-	-	-	-	-	1	3.7	-	-
HUMBOLDT	-	-	1	0.8	-	-	-	-	-	-
IMPERIAL	-	-	-	-	-	-	-	-	-	-
INYO	-	-	-	-	-	-	-	-	-	-
KERN	-	-	-	-	-	-	-	-	-	-
KINGS	-	-	-	-	-	-	-	-	-	-
LAKE	-	-	-	-	-	-	-	-	-	-
LASSEN	-	-	-	-	-	-	-	-	-	-
LOS ANGELES CO	-	-	41	0.4	20	0.2	9	0.1	-	-
LOS ANGELES HD	-	-	40	0.5	15	0.2	8	0.1	-	-
LONG BEACH HD	-	-	1	0.2	-	-	1	0.2	-	-
PASADENA HD	-	-	-	-	5	3.7	-	-	-	-
MADERA	-	-	-	-	-	-	-	-	-	-
MARIN	-	-	1	0.4	-	-	-	-	-	-
MARIPOSA	-	-	-	-	-	-	-	-	-	-
MENDOCINO	-	-	-	-	-	-	-	-	-	-
MERCED	-	-	-	-	-	-	1	0.5	-	-
MODOC	-	-	-	-	-	-	-	-	-	-
MONO	-	-	-	-	-	-	-	-	-	-
MONTEREY	-	-	-	-	-	-	-	-	-	-
NAPA	-	-	1	0.9	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-
ORANGE	-	-	10	0.4	-	-	2	0.1	-	-
PLACER	-	-	-	-	-	-	-	-	-	-
PLUMAS	-	-	-	-	-	-	-	-	-	-
RIVERSIDE	-	-	-	-	-	-	3	0.2	-	-
SACRAMENTO	-	-	-	-	-	-	-	-	-	-
SAN BENITO	-	-	-	-	-	-	-	-	-	-
SAN BERNARDINO	-	-	-	-	-	-	1	0.1	-	-
SAN DIEGO	-	-	11	0.4	-	-	2	0.1	-	-
SAN FRANCISCO	-	-	3	0.4	-	-	4	0.5	-	-
SAN JOAQUIN	-	-	3	0.6	-	-	-	-	-	-
SAN LUIS OBISPO	-	-	2	0.9	-	-	-	-	-	-
SAN MATEO	-	-	2	0.3	-	-	2	0.3	-	-
SANTA BARBARA	-	-	-	-	-	-	-	-	-	-
SANTA CLARA	1	0.1	17	1.1	-	-	1	0.1	-	-
SANTA CRUZ	-	-	1	0.4	-	-	-	-	-	-
SHASTA	-	-	-	-	-	-	-	-	-	-
SIERRA	-	-	-	-	-	-	-	-	-	-
SISKIYOU	-	-	-	-	-	-	-	-	-	-
SOLANO	-	-	2	0.5	-	-	-	-	-	-
SONOMA	1	0.2	1	0.2	-	-	-	-	-	-
STANISLAUS	-	-	-	-	-	-	1	0.2	-	-
SUTTER	-	-	-	-	-	-	-	-	-	-
TEHAMA	-	-	-	-	-	-	-	-	-	-
TRINITY	-	-	-	-	-	-	-	-	-	-
TULARE	-	-	1	0.3	-	-	-	-	-	-
TUOLUMNE	-	-	-	-	-	-	-	-	-	-
VENTURA	-	-	-	-	-	-	-	-	-	-
YOLO	-	-	-	-	-	-	-	-	-	-
YUBA	-	-	-	-	-	-	-	-	-	-

§ Exclusive of Sexually Transmitted Diseases -- See Table 5a and 5b.

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

Tables

Table 4. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1995

JURISDICTION	DISEASE											
	AIDS		AMEBIASIS		BOTULISM, FOODBORNE		BOTULISM, INFANT		BOTULISM, WOUND & UNSPECIFIED		BRUCELLOSIS	
	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE
CALIFORNIA	8434	25.4	934	2.8	2	0.0	37	0.1	21	0.1	29	0.1
ALAMEDA CO	842	61.1	23	1.7	-	-	2	0.2	-	-	-	-
ALAMEDA HD	-	-	20	1.6	-	-	1	0.1	-	-	-	-
BERKELEY HD	-	-	3	2.9	-	-	1	1.0	-	-	-	-
ALPINE	-	-	2	159.2	-	-	-	-	-	-	-	-
AMADOR	4	11.4	1	2.8	-	-	-	-	-	-	-	-
BUTTE	13	6.3	3	1.5	-	-	-	-	2	1.0	1	0.5
CALAVERAS	1	2.5	-	-	-	-	-	-	-	-	-	-
COLUSA	2	10.7	-	-	-	-	-	-	-	-	-	-
CONTRA COSTA	152	17.0	10	1.1	-	-	-	-	-	-	-	-
DEL NORTE	1	3.1	-	-	-	-	-	-	-	-	-	-
EL DORADO	10	6.6	1	0.7	-	-	1	0.7	-	-	-	-
FRESNO	115	14.3	2	0.3	-	-	1	0.1	2	0.2	2	0.3
GLENN	1	3.6	-	-	-	-	-	-	-	-	-	-
HUMBOLDT	13	9.9	1	0.8	-	-	-	-	-	-	-	-
IMPERIAL	19	13.8	3	2.2	-	-	-	-	-	-	-	-
INYO	1	5.2	1	5.2	-	-	-	-	-	-	-	-
KERN	125	19.0	1	0.2	-	-	1	0.2	-	-	-	-
KINGS	9	7.8	1	0.9	-	-	-	-	-	-	-	-
LAKE	8	13.5	1	1.7	-	-	-	-	1	1.7	-	-
LASSEN	6	18.0	-	-	-	-	-	-	-	-	-	-
LOS ANGELES CO	6038	63.6	199	2.1	1	0.0	13	0.1	1	0.0	5	0.1
LOS ANGELES HD	-	-	186	2.1	-	-	12	0.1	1	0.0	5	0.1
LONG BEACH HD	-	-	13	3.0	-	-	1	0.2	-	-	-	-
PASADENA HD	-	-	-	-	1	0.7	-	-	-	-	1	0.9
MADERA	7	6.1	1	0.9	-	-	-	-	-	-	-	-
MARIN	133	54.4	41	16.8	-	-	1	0.4	-	-	-	-
MARIPOSA	2	11.5	1	5.7	-	-	-	-	-	-	-	-
MENDOCINO	15	16.9	2	2.3	-	-	1	1.1	-	-	-	-
MERCED	8	3.9	10	4.8	-	-	-	-	-	-	-	-
MODOC	-	-	-	-	-	-	-	-	-	-	-	-
MONO	1	9.5	-	-	-	-	-	-	-	-	-	-
MONTEREY	58	15.1	-	-	-	-	1	0.3	1	0.3	2	0.5
NAPA	15	12.6	4	3.4	-	-	-	-	-	-	-	-
NEVADA	12	12.9	1	1.1	-	-	-	-	-	-	-	-
ORANGE	435	16.3	48	1.8	-	-	3	0.1	1	0.0	5	0.2
PLACER	10	4.7	2	1.0	-	-	-	-	-	-	-	-
PLUMAS	2	9.3	-	-	-	-	-	-	-	-	-	-
RIVERSIDE	232	15.5	6	0.4	-	-	-	-	2	0.1	-	-
SACRAMENTO	170	14.3	6	0.5	-	-	2	0.2	2	0.2	1	0.1
SAN BENITO	7	16.3	-	-	-	-	-	-	-	-	-	-
SAN BERNARDINO	193	11.2	11	0.6	-	-	1	0.1	1	0.1	-	-
SAN DIEGO	813	29.3	62	2.2	-	-	2	0.1	-	-	3	0.1
SAN FRANCISCO	1424	188.2	282	37.3	-	-	-	-	-	-	-	-
SAN JOAQUIN	60	10.9	5	0.9	-	-	-	-	1	0.2	2	0.4
SAN LUIS OBISPO	39	16.3	4	1.7	-	-	1	0.4	-	-	-	-
SAN MATEO	121	17.2	10	1.4	-	-	-	-	-	-	1	0.1
SANTA BARBARA	49	12.1	28	6.9	-	-	3	0.7	1	0.3	-	-
SANTA CLARA	253	15.7	96	6.0	1	0.1	3	0.2	1	0.1	1	0.1
SANTA CRUZ	36	15.0	5	2.1	-	-	-	-	-	-	-	-
SHASTA	4	2.3	1	0.6	-	-	-	-	-	-	-	-
SIERRA	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	6	12.9	-	-	-	-	-	-	-	-	-	-
SOLANO	104	25.7	1	0.3	-	-	-	-	-	-	-	-
SONOMA	136	31.4	12	2.8	-	-	-	-	1	0.2	-	-
STANISLAUS	32	7.4	15	3.4	-	-	-	-	4	0.9	-	-
SUTTER	4	5.2	1	1.3	-	-	-	-	-	-	-	-
TEHAMA	-	-	-	-	-	-	-	-	-	-	-	-
TRINITY	1	7.2	-	-	-	-	-	-	-	-	-	-
TULARE	20	5.4	21	5.7	-	-	-	-	-	-	1	0.3
TUOLUMNE	8	14.1	-	-	-	-	-	-	-	-	-	-
VENTURA	77	10.6	6	0.8	-	-	1	0.1	2	0.3	2	0.3
YOLO	17	10.4	1	0.6	-	-	-	-	1	0.6	2	1.2
YUBA	6	8.9	2	3.0	-	-	-	-	-	-	-	-

§ Exclusive of Sexually Transmitted Diseases -- See Table 6a and 6b.

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

(CONTINUED)

Table 4. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1995 (continued)

JURISDICTION	DISEASE											
	CAMPYLOBACTERIOSIS		CHOLERA		COCCIDIOIDOMYCOSIS		CONJUNCTIVITIS, ACUTE NEWBORN		CRYPTOSPORIDIOSIS		CYSTICERCOSIS	
	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE
CALIFORNIA	7362	22.2	9	0.0	1174	3.5	40	0.1	521	1.6	93	0.3
ALAMEDA CO	454	33.0	1	0.1	17	1.2	-	-	3	0.2	2	0.2
ALAMEDA HD	380	29.9	1	0.1	16	1.3	-	-	3	0.2	2	0.2
BERKELEY HD	74	70.8	-	-	1	1.0	-	-	-	-	-	-
ALPINE	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	6	17.1	-	-	-	-	-	-	-	-	-	-
BUTTE	58	28.2	-	-	2	1.0	-	-	-	-	-	-
CALAVERAS	8	19.6	-	-	-	-	-	-	-	-	-	-
COLUSA	3	16.0	-	-	-	-	-	-	-	-	-	-
CONTRA COSTA	344	38.5	-	-	9	1.0	1	0.1	1	0.1	1	0.1
DEL NORTE	3	9.4	-	-	-	-	-	-	-	-	-	-
EL DORADO	10	6.6	-	-	-	-	-	-	-	-	-	-
FRESNO	231	28.8	1	0.1	57	7.1	-	-	2	0.3	-	-
GLENN	6	21.5	-	-	1	3.6	-	-	-	-	-	-
HUMBOLDT	47	35.8	-	-	1	0.8	-	-	2	1.5	-	-
IMPERIAL	20	14.5	-	-	3	2.2	-	-	-	-	-	-
INYO	4	20.9	-	-	-	-	-	-	-	-	-	-
KERN	131	19.9	-	-	545	82.7	-	-	5	0.8	1	0.2
KINGS	24	20.7	-	-	36	31.1	-	-	-	-	-	-
LAKE	4	6.8	-	-	-	-	-	-	-	-	-	-
LASSEN	3	9.0	-	-	-	-	-	-	-	-	-	-
LOS ANGELES CO	1329	14.0	3	0.0	73	0.8	33	0.4	239	2.5	28	0.3
LOS ANGELES HD	1249	14.0	2	0.0	71	0.8	33	0.4	214	2.4	26	0.3
LONG BEACH HD	56	12.8	1	0.2	2	0.5	-	-	24	5.5	1	0.2
PASADENA HD	24	17.6	-	-	-	-	-	-	1	0.7	1	0.7
MADERA	17	14.8	-	-	4	3.5	-	-	-	-	-	-
MARIN	186	76.1	-	-	2	0.8	-	-	2	0.8	1	0.4
MARIPOSA	2	11.5	-	-	1	5.7	-	-	-	-	-	-
MENDOCINO	32	36.0	-	-	-	-	-	-	1	1.1	-	-
MERCED	76	36.6	-	-	12	5.8	-	-	-	-	2	1.0
MODOC	-	-	-	-	-	-	-	-	-	-	-	-
MONO	-	-	-	-	-	-	1	9.5	-	-	-	-
MONTEREY	83	21.7	-	-	16	4.2	-	-	1	0.3	3	0.8
NAPA	63	52.8	-	-	2	1.7	-	-	1	0.8	1	0.8
NEVADA	11	11.9	-	-	-	-	-	-	1	1.1	-	-
ORANGE	445	16.6	3	0.1	16	0.6	-	-	28	1.1	14	0.5
PLACER	21	9.9	-	-	2	1.0	1	0.5	-	-	-	-
PLUMAS	6	27.8	-	-	-	-	-	-	-	-	-	-
RIVERSIDE	129	8.6	-	-	36	2.4	1	0.1	12	0.8	4	0.3
SACRAMENTO	106	8.9	-	-	4	0.3	1	0.1	3	0.3	1	0.1
SAN BENITO	18	41.9	-	-	2	4.7	-	-	-	-	1	2.3
SAN BERNARDINO	193	11.2	-	-	16	0.9	-	-	12	0.7	2	0.1
SAN DIEGO	715	25.8	-	-	37	1.3	1	0.0	60	2.2	13	0.5
SAN FRANCISCO	560	74.0	-	-	4	0.5	-	-	125	16.5	2	0.3
SAN JOAQUIN	202	36.8	-	-	22	4.0	-	-	1	0.2	-	-
SAN LUIS OBISPO	53	22.1	-	-	33	13.8	-	-	-	-	-	-
SAN MATEO	382	54.4	-	-	3	0.4	1	0.1	2	0.3	3	0.4
SANTA BARBARA	66	16.3	-	-	4	1.0	-	-	1	0.3	4	1.0
SANTA CLARA	500	31.1	1	0.1	15	0.9	-	-	5	0.3	4	0.3
SANTA CRUZ	91	38.0	-	-	2	0.8	-	-	-	-	1	0.4
SHASTA	22	12.7	-	-	1	0.6	-	-	-	-	-	-
SIERRA	1	30.1	-	-	-	-	-	-	1	30.1	-	-
SISKIYOU	11	23.7	-	-	-	-	-	-	-	-	-	-
SOLANO	98	24.2	-	-	6	1.5	-	-	6	1.5	-	-
SONOMA	147	34.0	-	-	-	-	-	-	3	0.7	-	-
STANISLAUS	137	31.5	-	-	21	4.8	-	-	-	-	-	-
SUTTER	18	23.4	-	-	2	2.6	-	-	-	-	2	2.6
TEHAMA	2	3.5	-	-	-	-	-	-	-	-	-	-
TRINITY	1	7.2	-	-	-	-	-	-	-	-	-	-
TULARE	96	26.0	-	-	143	38.7	-	-	-	-	1	0.3
TIJUANNE	4	7.1	-	-	1	1.8	-	-	-	-	-	-
VENTURA	119	16.4	-	-	23	3.2	-	-	2	0.3	2	0.3
YOLO	48	29.2	-	-	-	-	-	-	2	1.2	-	-
YUBA	16	23.6	-	-	-	-	-	-	-	-	-	-

§ Exclusive of Sexually Transmitted Diseases -- See Table 6a and 6b.

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

(CONTINUED)

Tables

Table 4. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1995 (continued)

JURISDICTION	DISEASE											
	DENGUE		DIARRHEA OF THE NEWBORN, O/B		DIPHTHERIA		E. COLI 0157:H7 INFECTION		ENCEPHALITIS, ARBOVIRAL		ENCEPHALITIS, POST INFECTIOUS	
	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE
CALIFORNIA	9	0.0	-	-	-	-	118	0.4	-	-	4	0.0
ALAMEDA CO	-	-	-	-	-	-	11	0.8	-	-	-	-
ALAMEDA HD	-	-	-	-	-	-	11	0.9	-	-	-	-
BERKELEY HD	-	-	-	-	-	-	-	-	-	-	-	-
ALPINE	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	-	-	-	-	-	-	3	8.5	-	-	-	-
BUTTE	-	-	-	-	-	-	2	1.0	-	-	-	-
CALAVERAS	-	-	-	-	-	-	-	-	-	-	-	-
COLUSA	-	-	-	-	-	-	1	5.3	-	-	-	-
CONTRA COSTA	-	-	-	-	-	-	-	-	-	-	-	-
DEL NORTE	-	-	-	-	-	-	-	-	-	-	-	-
EL DORADO	-	-	-	-	-	-	2	1.3	-	-	-	-
FRESNO	-	-	-	-	-	-	10	1.2	-	-	-	-
GLENN	-	-	-	-	-	-	-	-	-	-	-	-
HUMBOLDT	-	-	-	-	-	-	-	-	-	-	-	-
IMPERIAL	-	-	-	-	-	-	-	-	-	-	-	-
INYO	-	-	-	-	-	-	-	-	-	-	-	-
KERN	1	0.2	-	-	-	-	1	0.2	-	-	-	-
KINGS	-	-	-	-	-	-	-	-	-	-	-	-
LAKE	-	-	-	-	-	-	-	-	-	-	-	-
LASSEN	-	-	-	-	-	-	-	-	-	-	-	-
LOS ANGELES CO	3	0.0	-	-	-	-	7	0.1	-	-	3	0.0
LOS ANGELES HD	2	0.0	-	-	-	-	6	0.1	-	-	3	0.0
LONG BEACH HD	-	-	-	-	-	-	1	0.2	-	-	-	-
PASADENA HD	1	0.7	-	-	-	-	-	-	-	-	-	-
MADERA	-	-	-	-	-	-	-	-	-	-	-	-
MARIN	-	-	-	-	-	-	1	0.4	-	-	-	-
MARIPOSA	-	-	-	-	-	-	-	-	-	-	-	-
MENDOCINO	-	-	-	-	-	-	-	-	-	-	-	-
MERCED	-	-	-	-	-	-	1	0.5	-	-	-	-
MODOC	-	-	-	-	-	-	-	-	-	-	-	-
MONO	-	-	-	-	-	-	-	-	-	-	-	-
MONTEREY	-	-	-	-	-	-	1	0.3	-	-	-	-
NAPA	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	1	1.1	-	-	-	-
ORANGE	-	-	-	-	-	-	6	0.2	-	-	-	-
PLACER	-	-	-	-	-	-	3	1.4	-	-	-	-
PLUMAS	-	-	-	-	-	-	-	-	-	-	-	-
RIVERSIDE	-	-	-	-	-	-	2	0.1	-	-	-	-
SACRAMENTO	-	-	-	-	-	-	10	0.8	-	-	1	0.1
SAN BENITO	-	-	-	-	-	-	1	2.3	-	-	-	-
SAN BERNARDINO	-	-	-	-	-	-	2	0.1	-	-	-	-
SAN DIEGO	-	-	-	-	-	-	12	0.4	-	-	-	-
SAN FRANCISCO	2	0.3	-	-	-	-	2	0.3	-	-	-	-
SAN JOAQUIN	-	-	-	-	-	-	6	1.1	-	-	-	-
SAN LUIS OBISPO	-	-	-	-	-	-	5	2.1	-	-	-	-
SAN MATEO	2	0.5	-	-	-	-	8	2.0	-	-	-	-
SANTA BARBARA	-	-	-	-	-	-	4	0.3	-	-	-	-
SANTA CLARA	-	-	-	-	-	-	1	0.4	-	-	-	-
SANTA CRUZ	-	-	-	-	-	-	-	-	-	-	-	-
SHASTA	-	-	-	-	-	-	-	-	-	-	-	-
SIERRA	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	-	-	-	-	-	-	-	-	-	-	-	-
SOLANO	-	-	-	-	-	-	1	0.3	-	-	-	-
SONOMA	-	-	-	-	-	-	3	0.7	-	-	-	-
STANISLAUS	-	-	-	-	-	-	4	0.9	-	-	-	-
SUTTER	-	-	-	-	-	-	-	-	-	-	-	-
TEHAMA	-	-	-	-	-	-	-	-	-	-	-	-
TRINITY	-	-	-	-	-	-	-	-	-	-	-	-
TULARE	-	-	-	-	-	-	3	0.8	-	-	-	-
TUOLUMNE	-	-	-	-	-	-	-	-	-	-	-	-
VENTURA	1	0.1	-	-	-	-	-	-	-	-	-	-
YOLO	-	-	-	-	-	-	4	2.4	-	-	-	-
YUBA	-	-	-	-	-	-	-	-	-	-	-	-

§ Exclusive of Sexually Transmitted Diseases -- See Table 6a and 6b.

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

(CONTINUED)

Table 4. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1995 (continued)

JURISDICTION	DISEASE											
	ENCEPHALITIS, PRIMARY, OTHER & UNSPECIFIED		FOODBORNE O/B ASSOC. CASES		FOODBORNE OUTBREAKS		GIARDIASIS		HAEMOPHILUS INFLUENZAE, INVASIVE		HEMOLYTIC-UREMIC SYNDROME	
	CASES	RATE	CASES	RATE	NUMBER	RATE	CASES	RATE	CASES	RATE	CASES	RATE
CALIFORNIA	108	0.3	1219	3.7	63	0.2	5424	16.3	179	0.5	3	0.0
ALAMEDA CO	2	0.2	-	-	-	-	170	12.3	27	2.0	-	-
ALAMEDA HD	1	0.1	-	-	-	-	153	12.0	25	2.0	-	-
BERKELEY HD	1	1.0	-	-	-	-	17	16.3	2	1.9	-	-
ALPINE	-	-	-	-	-	-	1	79.6	-	-	-	-
AMADOR	-	-	-	-	-	-	9	25.6	-	-	-	-
BUTTE	2	1.0	-	-	-	-	47	22.9	-	-	-	-
CALAVERAS	-	-	-	-	-	-	4	9.8	-	-	-	-
COLUSA	-	-	-	-	-	-	3	16.0	-	-	-	-
CONTRA COSTA	1	0.1	-	-	-	-	139	15.6	17	1.9	-	-
DEL NORTE	-	-	-	-	-	-	2	6.3	-	-	-	-
EL DORADO	3	2.0	-	-	-	-	14	9.2	-	-	-	-
FRESNO	2	0.3	-	-	-	-	204	25.4	-	-	-	-
GLENN	1	3.6	-	-	-	-	5	18.0	-	-	-	-
HUMBOLDT	-	-	-	-	-	-	28	21.3	-	-	-	-
IMPERIAL	-	-	20	14.5	1	0.7	4	2.9	1	0.7	-	-
INYO	-	-	-	-	-	-	2	10.4	-	-	-	-
KERN	3	0.5	-	-	-	-	65	9.9	1	0.2	1	0.2
KINGS	-	-	-	-	-	-	2	1.7	-	-	-	-
LAKE	-	-	-	-	-	-	15	25.4	1	1.7	-	-
LASSEN	-	-	-	-	-	-	2	6.0	-	-	-	-
LOS ANGELES CO	46	0.5	480	5.1	18	0.2	1004	10.6	70	0.7	-	-
LOS ANGELES HD	46	0.5	479	5.4	17	0.2	924	10.4	64	0.7	-	-
LONG BEACH HD	-	-	-	-	-	-	64	14.6	3	0.7	-	-
PASADENA HD	-	-	1	0.7	1	0.7	16	11.7	3	2.2	-	-
MADERA	-	-	-	-	-	-	11	9.6	-	-	-	-
MARIN	1	0.4	-	-	-	-	137	56.0	-	-	-	-
MARIPOSA	-	-	-	-	-	-	1	5.7	-	-	-	-
MENDOCINO	-	-	-	-	-	-	44	49.5	-	-	-	-
MERCED	-	-	30	14.5	2	1.0	41	19.8	-	-	-	-
MODOC	-	-	-	-	-	-	3	28.2	-	-	-	-
MONO	-	-	-	-	-	-	1	9.5	-	-	-	-
MONTEREY	-	-	78	20.4	4	1.0	41	10.7	3	0.8	-	-
NAPA	1	0.8	-	-	-	-	64	53.7	-	-	-	-
NEVADA	-	-	-	-	-	-	12	12.9	-	-	-	-
ORANGE	3	0.1	158	5.9	9	0.3	406	15.2	11	0.4	-	-
PLACER	2	1.0	-	-	-	-	40	18.9	-	-	-	-
PLUMAS	-	-	-	-	-	-	6	27.8	-	-	-	-
RIVERSIDE	1	0.1	-	-	-	-	122	8.2	1	0.1	-	-
SACRAMENTO	6	0.5	105	8.8	2	0.2	62	5.2	1	0.1	-	-
SAN BENITO	-	-	-	-	-	-	2	4.7	-	-	-	-
SAN BERNARDINO	3	0.2	87	5.1	4	0.2	128	7.4	3	0.2	-	-
SAN DIEGO	10	0.4	24	0.9	10	0.4	573	20.6	7	0.3	-	-
SAN FRANCISCO	-	-	174	23.0	4	0.5	410	54.2	24	3.2	-	-
SAN JOAQUIN	1	0.2	35	6.4	5	0.9	195	35.6	1	0.2	2	0.4
SAN LUIS OBISPO	4	1.7	-	-	-	-	36	15.0	1	0.4	-	-
SAN MATEO	1	0.1	3	0.4	1	0.1	146	20.8	-	-	-	-
SANTA BARBARA	-	-	-	-	-	-	142	35.1	1	0.3	-	-
SANTA CLARA	5	0.3	25	1.6	3	0.2	511	31.8	3	0.2	-	-
SANTA CRUZ	-	-	-	-	-	-	45	18.8	-	-	-	-
SHASTA	-	-	-	-	-	-	14	8.1	-	-	-	-
SIERRA	-	-	-	-	-	-	2	60.2	-	-	-	-
SISKIYOU	-	-	-	-	-	-	3	6.5	-	-	-	-
SOLANO	4	1.0	-	-	-	-	66	16.3	1	0.3	-	-
SONOMA	3	0.7	-	-	-	-	124	28.7	1	0.2	-	-
STANISLAUS	-	-	-	-	-	-	91	20.9	1	0.2	-	-
SUTTER	-	-	-	-	-	-	27	35.1	-	-	-	-
TEHAMA	1	1.7	-	-	-	-	7	12.2	-	-	-	-
TRINITY	-	-	-	-	-	-	9	64.4	-	-	-	-
TULARE	-	-	-	-	-	-	89	24.1	1	0.3	-	-
TUOLUMNE	-	-	-	-	-	-	2	3.5	-	-	-	-
VENTURA	2	0.3	-	-	-	-	42	5.8	2	0.3	-	-
YOLO	-	-	-	-	-	-	33	20.1	-	-	-	-
YUBA	-	-	-	-	-	-	16	23.6	-	-	-	-

§ Exclusive of Sexually Transmitted Diseases -- See Table 6a and 6b.

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).
(CONTINUED)

Tables

Table 4. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1995 (continued)

JURISDICTION	DISEASE											
	HEPATITIS A		HEPATITIS B		HEPATITIS D		HEPATITIS NON-A, NON-B		HEPATITIS UNSPECIFIED		KAWASAKI SYNDROME	
	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE
CALIFORNIA	6773	20.4	1723	5.2	-	-	508	1.5	208	0.6	111	0.3
ALAMEDA CO	112	8.1	66	4.8	-	-	3	0.2	2	0.2	3	0.2
ALAMEDA HD	97	7.6	60	4.7	-	-	2	0.2	2	0.2	3	0.2
BERKELEY HD	15	14.4	6	5.7	-	-	1	1.0	-	-	-	-
ALPINE	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	-	-	1	2.8	-	-	1	2.8	-	-	-	-
BUTTE	53	25.8	4	2.0	-	-	9	4.4	-	-	-	-
CALAVERAS	7	17.1	1	2.5	-	-	2	4.9	-	-	-	-
COLUSA	3	16.0	-	-	-	-	-	-	-	-	-	-
CONTRA COSTA	78	8.7	6	0.7	-	-	5	0.6	7	0.8	4	0.5
DEL NORTE	52	162.5	10	31.3	-	-	4	12.5	-	-	-	-
EL DORADO	11	7.2	14	9.2	-	-	9	5.9	2	1.3	-	-
FRESNO	91	11.3	228	28.4	-	-	37	4.6	1	0.1	1	0.1
GLENN	2	7.2	1	3.6	-	-	1	3.6	-	-	-	-
HUMBOLDT	219	166.6	22	16.7	-	-	1	0.8	-	-	-	-
IMPERIAL	46	33.4	32	23.2	-	-	11	8.0	11	8.0	-	-
INYO	10	52.2	2	10.4	-	-	-	-	-	-	-	-
KERN	258	39.1	97	14.7	-	-	2	0.3	-	-	1	0.2
KINGS	13	11.2	19	16.4	-	-	-	-	-	-	1	0.9
LAKE	23	38.9	3	5.1	-	-	-	-	1	1.7	1	1.7
LASSEN	2	6.0	5	15.0	-	-	2	6.0	-	-	-	-
LOS ANGELES CO	1347	14.2	270	2.9	-	-	113	1.2	24	0.3	38	0.4
LOS ANGELES HD	1120	12.6	228	2.6	-	-	113	1.3	23	0.3	36	0.4
LONG BEACH HD	207	47.4	21	4.8	-	-	-	-	1	0.2	1	0.2
PASADENA HD	20	14.7	21	15.4	-	-	-	-	-	-	1	0.7
MADERA	20	17.5	10	8.7	-	-	4	3.5	4	3.5	-	-
MARIN	34	13.9	6	2.5	-	-	4	1.6	-	-	-	-
MARIPOSA	-	-	2	11.5	-	-	-	-	-	-	-	-
MENDOCINO	35	39.4	1	1.1	-	-	-	-	-	-	-	-
MERCED	35	16.9	6	2.9	-	-	-	-	1	0.5	-	-
MODOC	5	47.0	-	-	-	-	1	9.4	-	-	-	-
MONO	3	28.6	-	-	-	-	-	-	-	-	-	-
MONTEREY	60	15.7	24	6.3	-	-	4	1.0	2	0.5	1	0.3
NAPA	16	13.4	4	3.4	-	-	14	11.7	-	-	-	-
NEVADA	8	8.6	3	3.2	-	-	7	7.5	-	-	-	-
ORANGE	405	15.1	73	2.7	-	-	8	0.3	22	0.8	13	0.5
PLACER	16	7.6	16	7.6	-	-	5	2.4	3	1.4	-	-
PLUMAS	6	27.8	1	4.6	-	-	4	18.6	-	-	-	-
RIVERSIDE	339	22.6	228	15.2	-	-	25	1.7	4	0.3	2	0.1
SACRAMENTO	215	18.1	24	2.0	-	-	5	0.4	8	0.7	5	0.4
SAN BENITO	6	14.0	3	7.0	-	-	1	2.3	1	2.3	1	2.3
SAN BERNARDINO	499	29.0	87	5.1	-	-	4	0.2	30	1.7	1	0.1
SAN DIEGO	479	17.3	58	2.1	-	-	4	0.1	2	0.1	23	0.8
SAN FRANCISCO	450	59.5	50	6.6	-	-	1	0.1	-	-	-	-
SAN JOAQUIN	198	36.1	24	4.4	-	-	19	3.5	1	0.2	2	0.4
SAN LUIS OBISPO	19	7.9	6	2.5	-	-	-	-	-	-	2	0.8
SAN MATEO	66	9.4	105	14.9	-	-	-	-	-	-	1	0.1
SANTA BARBARA	84	20.8	12	3.0	-	-	31	7.7	2	0.5	-	-
SANTA CLARA	167	10.4	19	1.2	-	-	44	2.7	11	0.7	6	0.4
SANTA CRUZ	45	18.8	15	6.3	-	-	1	0.4	1	0.4	-	-
SHASTA	563	325.8	18	10.4	-	-	41	23.7	62	35.9	-	-
SIERRA	8	240.6	-	-	-	-	-	-	-	-	-	-
SISKIYOU	52	112.1	11	23.7	-	-	7	15.1	-	-	-	-
SOLANO	45	11.1	9	2.2	-	-	-	-	1	0.3	1	0.3
SONOMA	107	24.7	21	4.9	-	-	13	3.0	-	-	-	-
STANISLAUS	119	27.3	18	4.1	-	-	34	7.8	-	-	-	-
SUTTER	43	55.8	7	9.1	-	-	-	-	-	-	-	-
TEHAMA	37	64.3	1	1.7	-	-	5	8.7	-	-	-	-
TRINITY	14	100.2	1	7.2	-	-	2	14.3	-	-	1	7.2
TULARE	72	19.5	19	5.1	-	-	10	2.7	-	-	2	0.5
TUOLUMNE	2	3.5	6	10.6	-	-	2	3.5	-	-	-	-
VENTURA	68	9.4	32	4.4	-	-	8	1.1	2	0.3	-	-
YOLO	26	15.8	13	7.9	-	-	-	-	2	1.2	1	0.6
YUBA	80	118.0	9	13.3	-	-	-	-	1	1.5	-	-

§ Exclusive of Sexually Transmitted Diseases -- See Table 6a and 6b.

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

(CONTINUED)

Table 4. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1995 (continued)

JURISDICTION	DISEASE											
	LEGIONELLOSIS		LEPROSY		LEPTOSPIROSIS		LISTERIOSIS		LYME DISEASE		MALARIA	
	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE
CALIFORNIA	79	0.2	49	0.2	2	0.0	145	0.4	80	0.2	244	0.7
ALAMEDA CO	4	0.3	3	0.2	-	-	10	0.7	2	0.2	15	1.1
ALAMEDA HD	2	0.2	3	0.2	-	-	10	0.8	1	0.1	15	1.2
BERKELEY HD	2	1.9	-	-	-	-	-	-	1	1.0	-	-
ALPINE	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	-	-	-	-	-	-	-	-	-	-	-	-
BUTTE	2	1.0	-	-	-	-	1	0.5	1	0.5	-	-
CALAVERAS	-	-	-	-	-	-	-	-	-	-	-	-
COLUSA	-	-	-	-	-	-	-	-	-	-	-	-
CONTRA COSTA	10	1.1	3	0.3	-	-	6	0.7	-	-	8	0.9
DEL NORTE	-	-	-	-	-	-	-	-	2	6.3	-	-
EL DORADO	-	-	-	-	-	-	-	-	4	2.6	-	-
FRESNO	-	-	-	-	-	-	-	-	-	-	5	0.6
GLENN	-	-	-	-	-	-	-	-	-	-	-	-
HUMBOLDT	-	-	-	-	-	-	-	-	4	3.0	2	1.5
IMPERIAL	1	0.7	-	-	-	-	1	0.7	-	-	-	-
INYO	-	-	-	-	-	-	-	-	-	-	-	-
KERN	-	-	1	0.2	-	-	1	0.2	1	0.2	2	0.3
KINGS	-	-	-	-	-	-	-	-	-	-	-	-
LAKE	-	-	-	-	-	-	-	-	2	3.4	1	1.7
LASSEN	-	-	-	-	-	-	-	-	-	-	-	-
LOS ANGELES CO	19	0.2	14	0.2	-	-	41	0.4	5	0.1	77	0.8
LOS ANGELES HD	19	0.2	13	0.2	-	-	37	0.4	5	0.1	74	0.8
LONG BEACH HD	-	-	1	0.2	-	-	4	0.9	-	-	-	-
PASADENA HD	-	-	-	-	-	-	-	-	-	-	3	2.2
MADERA	-	-	-	-	-	-	-	-	-	-	-	-
MARIN	1	0.4	-	-	-	-	-	-	10	4.1	1	0.4
MARIPOSA	-	-	-	-	-	-	-	-	-	-	-	-
MENDOCINO	-	-	-	-	-	-	-	-	12	13.5	1	1.1
MERCED	1	0.5	1	0.5	-	-	-	-	-	-	1	0.5
MODOC	-	-	-	-	-	-	-	-	-	-	-	-
MONO	-	-	-	-	-	-	-	-	1	9.5	-	-
MONTEREY	-	-	5	1.3	-	-	5	1.3	2	0.5	1	0.3
NAPA	1	0.8	2	1.7	-	-	-	-	-	-	-	-
NEVADA	1	1.1	-	-	-	-	-	-	-	-	-	-
ORANGE	7	0.3	1	0.0	-	-	10	0.4	-	-	10	0.4
PLACER	1	0.5	1	0.5	-	-	1	0.5	1	0.5	1	0.5
PLUMAS	-	-	-	-	-	-	-	-	1	4.6	-	-
RIVERSIDE	10	0.7	1	0.1	-	-	5	0.3	-	-	2	0.1
SACRAMENTO	3	0.3	2	0.2	-	-	2	0.2	1	0.1	10	0.8
SAN BENITO	-	-	-	-	-	-	-	-	-	-	-	-
SAN BERNARDINO	3	0.2	1	0.1	-	-	2	0.1	1	0.1	6	0.4
SAN DIEGO	3	0.1	4	0.1	1	0.0	22	0.8	6	0.2	14	0.5
SAN FRANCISCO	2	0.3	-	-	-	-	16	2.1	1	0.1	21	2.8
SAN JOAQUIN	-	-	2	0.4	-	-	-	-	-	-	7	1.3
SAN LUIS OBISPO	-	-	-	-	-	-	-	-	-	-	1	0.4
SAN MATEO	1	0.1	3	0.4	-	-	3	0.4	1	0.1	9	1.3
SANTA BARBARA	-	-	-	-	-	-	2	0.5	3	0.7	-	-
SANTA CLARA	1	0.1	3	0.2	-	-	5	0.3	2	0.1	28	1.7
SANTA CRUZ	-	-	1	0.4	-	-	2	0.8	3	1.3	1	0.4
SHASTA	2	1.2	-	-	-	-	-	-	1	0.6	-	-
SIERRA	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	-	-	-	-	-	-	-	-	-	-	-	-
SOLANO	2	0.5	1	0.3	-	-	-	-	-	-	1	0.3
SONOMA	-	-	-	-	-	-	2	0.5	11	2.5	2	0.5
STANISLAUS	-	-	-	-	-	-	1	0.2	-	-	2	0.5
SUTTER	1	1.3	-	-	-	-	-	-	-	-	8	10.4
TEHAMA	1	1.7	-	-	-	-	-	-	-	-	-	-
TRINITY	-	-	-	-	-	-	-	-	-	-	-	-
TULARE	1	0.3	-	-	1	0.3	-	-	1	0.3	1	0.3
TUOLUMNE	-	-	-	-	-	-	-	-	-	-	-	-
VENTURA	-	-	-	-	-	-	4	0.6	-	-	2	0.3
YOLO	1	0.6	-	-	-	-	1	0.6	-	-	4	2.4
YUBA	-	-	-	-	-	-	1	1.5	1	1.5	-	-

[§] Exclusive of Sexually Transmitted Diseases -- See Table 6a and 6b.

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

(CONTINUED)

Tables

Table 4. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1995 (continued)

JURISDICTION	DISEASE											
	MEASLES: IMPORTED		MEASLES: INDIGENOUS		MENINGITIS, VIRAL		MENINGOCOCCAL INFECTIONS		MUMPS		PARALYTIC SHELLFISH POISONING	
	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE
CALIFORNIA	3	0.0	106	0.3	1234	3.7	370	1.1	212	0.6	2	0.0
ALAMEDA CO	-	-	-	-	19	1.4	20	1.5	3	0.2	2	0.2
ALAMEDA HD	-	-	-	-	15	1.2	19	1.5	3	0.2	2	0.2
BERKELEY HD	-	-	-	-	4	3.8	1	1.0	-	-	-	-
ALPINE	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	-	-	-	-	-	-	-	-	-	-	-	-
BUTTE	-	-	-	-	3	1.5	8	3.9	1	0.5	-	-
CALAVERAS	-	-	-	-	-	-	-	-	-	-	-	-
COLUSA	-	-	-	-	-	-	-	-	-	-	-	-
CONTRA COSTA	-	-	-	-	28	3.1	11	1.2	2	0.2	-	-
DEL NORTE	-	-	-	-	-	-	-	-	-	-	-	-
EL DORADO	-	-	-	-	5	3.3	1	0.7	-	-	-	-
FRESNO	-	-	-	-	40	5.0	12	1.5	12	1.5	-	-
GLENN	-	-	-	-	-	-	1	3.6	2	7.2	-	-
HUMBOLDT	-	-	-	-	5	3.8	7	5.3	2	1.5	-	-
IMPERIAL	-	-	-	-	8	5.8	-	-	7	5.1	-	-
INYO	-	-	-	-	-	-	-	-	1	5.2	-	-
KERN	-	-	-	-	54	8.2	10	1.5	14	2.1	-	-
KINGS	-	-	-	-	-	-	-	-	1	0.9	-	-
LAKE	-	-	-	-	-	-	-	-	1	1.7	-	-
LASSEN	-	-	-	-	-	-	-	-	1	3.0	-	-
LOS ANGELES CO	1	0.0	5	0.1	189	2.0	51	0.5	50	0.5	-	-
LOS ANGELES HD	1	0.0	5	0.1	166	1.9	47	0.5	43	0.5	-	-
LONG BEACH HD	-	-	-	-	22	5.0	3	0.7	5	1.1	-	-
PASADENA HD	-	-	-	-	1	0.7	1	0.7	2	1.5	-	-
MADERA	-	-	-	-	4	3.5	-	-	1	0.9	-	-
MARIN	-	-	-	-	6	2.5	2	0.8	2	0.8	-	-
MARIPOSA	-	-	-	-	-	-	-	-	-	-	-	-
MENDOCINO	-	-	-	-	1	1.1	11	12.4	2	2.3	-	-
MERCED	-	-	1	0.5	3	1.5	4	1.9	2	1.0	-	-
MODOC	-	-	-	-	-	-	-	-	-	-	-	-
MONO	-	-	-	-	-	-	-	-	-	-	-	-
MONTEREY	-	-	-	-	9	2.4	8	2.1	4	1.0	-	-
NAPA	-	-	-	-	12	10.1	1	0.8	-	-	-	-
NEVADA	-	-	-	-	4	4.3	1	1.1	-	-	-	-
ORANGE	1	0.0	5	0.2	181	6.8	20	0.8	10	0.4	-	-
PLACER	-	-	-	-	12	5.7	3	1.4	2	1.0	-	-
PLUMAS	-	-	-	-	-	-	2	9.3	-	-	-	-
RIVERSIDE	-	-	12	0.8	62	4.1	4	0.3	5	0.3	-	-
SACRAMENTO	-	-	-	-	46	3.9	24	2.0	9	0.8	-	-
SAN BENITO	-	-	-	-	2	4.7	1	2.3	-	-	-	-
SAN BERNARDINO	-	-	3	0.2	48	2.8	19	1.1	14	0.8	-	-
SAN DIEGO	1	0.0	2	0.1	199	7.2	28	1.0	4	0.1	-	-
SAN FRANCISCO	-	-	1	0.1	4	0.5	25	3.3	2	0.3	-	-
SAN JOAQUIN	-	-	-	-	15	2.7	4	0.7	3	0.6	-	-
SAN LUIS OBISPO	-	-	-	-	20	8.3	4	1.7	2	0.8	-	-
SAN MATEO	-	-	-	-	9	1.3	7	1.0	2	0.3	-	-
SANTA BARBARA	-	-	-	-	13	3.2	7	1.7	6	1.5	-	-
SANTA CLARA	-	-	1	0.1	47	2.9	21	1.3	14	0.9	-	-
SANTA CRUZ	-	-	-	-	6	2.5	6	2.5	3	1.3	-	-
SHASTA	-	-	-	-	21	12.2	5	2.9	-	-	-	-
SIERRA	-	-	-	-	1	30.1	-	-	-	-	-	-
SISKIYOU	-	-	-	-	-	-	1	2.2	-	-	-	-
SOLANO	-	-	1	0.3	19	4.7	5	1.2	-	-	-	-
SONOMA	-	-	-	-	7	1.6	3	0.7	1	0.2	-	-
STANISLAUS	-	-	-	-	53	12.2	16	3.7	2	0.5	-	-
SUTTER	-	-	-	-	3	3.9	2	2.6	1	1.3	-	-
TEHAMA	-	-	-	-	1	1.7	1	1.7	-	-	-	-
TRINITY	-	-	-	-	1	7.2	-	-	-	-	-	-
TULARE	-	-	-	-	33	8.9	7	1.9	20	5.4	-	-
TUOLUMNE	-	-	-	-	-	-	-	-	-	-	-	-
VENTURA	-	-	75	10.3	36	5.0	3	0.4	3	0.4	-	-
YOLO	-	-	-	-	2	1.2	1	0.6	1	0.6	-	-
YUBA	-	-	-	-	3	4.4	3	4.4	-	-	-	-

§ Exclusive of Sexually Transmitted Diseases -- See Table 6a and 6b.

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

(CONTINUED)

Table 4. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1995 (continued)

JURISDICTION	DISEASE										
	PERTUSSIS		PLAQUE		POLIOMYELITIS, PARALYTIC		PSITTACOSIS		Q FEVER		
	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	
CALIFORNIA	543	1.6	2	0.0	1	0.0	6	0.0	2	0.0	382
ALAMEDA CO	2	0.2	-	-	-	-	-	-	-	-	10
ALAMEDA HD	1	0.1	-	-	-	-	-	-	-	-	10
BERKELEY HD	1	1.0	-	-	-	-	-	-	-	-	-
ALPINE	-	-	-	-	-	-	-	-	-	-	-
AMADOR	-	-	-	-	-	-	-	-	-	-	1
BUTTE	4	2.0	-	-	-	-	1	0.5	-	-	40
CALAVERAS	-	-	-	-	-	-	-	-	-	-	-
COLUSA	1	5.3	-	-	-	-	-	-	-	-	2
CONTRA COSTA	23	2.6	-	-	-	-	-	-	-	-	2
DEL NORTE	-	-	-	-	-	-	-	-	-	-	-
EL DORADO	2	1.3	-	-	-	-	-	-	-	-	6
FRESNO	15	1.9	-	-	-	-	-	-	-	-	2
GLENN	-	-	-	-	-	-	-	-	-	-	15
HUMBOLDT	19	14.5	-	-	-	-	-	-	-	-	4
IMPERIAL	-	-	-	-	-	-	-	-	-	-	1
INYO	1	5.2	-	-	-	-	-	-	-	-	-
KERN	6	0.9	2	0.3	-	-	-	-	-	-	1
KINGS	2	1.7	-	-	-	-	-	-	-	-	-
LAKE	4	6.8	-	-	-	-	-	-	1	1.7	8
LASSEN	-	-	-	-	-	-	-	-	-	-	-
LOS ANGELES CO	109	1.2	-	-	-	-	-	-	-	-	4
LOS ANGELES HD	108	1.2	-	-	-	-	-	-	-	-	4
LONG BEACH HD	1	0.2	-	-	-	-	-	-	-	-	-
PASADENA HD	-	-	-	-	-	-	-	-	-	-	-
MADERA	1	0.9	-	-	-	-	-	-	-	-	-
MARIN	11	4.5	-	-	-	-	-	-	-	-	7
MARIPOSA	-	-	-	-	-	-	-	-	-	-	-
MENDOCINO	10	11.3	-	-	-	-	-	-	-	-	9
MERCED	4	1.9	-	-	-	-	-	-	-	-	-
MODOC	-	-	-	-	-	-	-	-	-	-	-
MONO	-	-	-	-	-	-	-	-	-	-	-
MONTEREY	5	1.3	-	-	-	-	-	-	-	-	2
NAPA	1	0.8	-	-	-	-	-	-	-	-	1
NEVADA	13	14.0	-	-	-	-	-	-	-	-	22
ORANGE	17	0.6	-	-	-	-	-	-	-	-	6
PLACER	3	1.4	-	-	-	-	-	-	-	-	45
PLUMAS	1	4.6	-	-	-	-	-	-	-	-	1
RIVERSIDE	8	0.5	-	-	-	-	-	-	-	-	3
SACRAMENTO	13	1.1	-	-	-	-	-	-	-	-	5
SAN BENITO	2	4.7	-	-	-	-	-	-	-	-	7
SAN BERNARDINO	12	0.7	-	-	-	-	-	-	-	-	16
SAN DIEGO	109	3.9	-	-	-	-	1	0.0	-	-	27
SAN FRANCISCO	23	3.0	-	-	-	-	-	-	-	-	3
SAN JOAQUIN	5	0.9	-	-	-	-	1	0.2	-	-	1
SAN LUIS OBISPO	2	0.8	-	-	-	-	-	-	-	-	37
SAN MATEO	6	0.9	-	-	1	0.1	-	-	-	-	1
SANTA BARBARA	6	1.5	-	-	-	-	-	-	-	-	2
SANTA CLARA	35	2.2	-	-	-	-	-	-	-	-	10
SANTA CRUZ	10	4.2	-	-	-	-	-	-	-	-	2
SHASTA	1	0.6	-	-	-	-	-	-	-	-	14
SIERRA	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	-	-	-	-	-	-	-	-	-	-	1
SOLANO	1	0.3	-	-	-	-	1	0.3	-	-	16
SONOMA	27	6.2	-	-	-	-	-	-	1	0.2	5
STANISLAUS	12	2.8	-	-	-	-	-	-	-	-	2
SUTTER	-	-	-	-	-	-	-	-	-	-	8
TEHAMA	-	-	-	-	-	-	-	-	-	-	2
TRINITY	-	-	-	-	-	-	-	-	-	-	-
TULARE	7	1.9	-	-	-	-	-	-	-	-	2
TIJUANNE	-	-	-	-	-	-	-	-	-	-	1
VENTURA	5	0.7	-	-	-	-	-	-	-	-	9
YOLO	5	3.1	-	-	-	-	2	1.2	-	-	8
YUBA	-	-	-	-	-	-	-	-	-	-	11

§ Exclusive of Sexually Transmitted Diseases -- See Table 6a and 6b.

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

(CONTINUED)

Tables

Table 4. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1995 (continued)

JURISDICTION	DISEASE											
	RABIES, HUMAN		RELAPSING FEVER		REYE SYNDROME		RHEUMATIC FEVER, ACUTE		ROCKY MOUNTAIN SPOTTED FEVER		RUBELLA (GERMAN MEASLES)	
	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE
CALIFORNIA	2	0.0	5	0.0	-	-	8	0.0	-	-	21	0.1
ALAMEDA CO	-	-	-	-	-	-	-	-	-	-	-	-
ALAMEDA HD	-	-	-	-	-	-	-	-	-	-	-	-
BERKELEY HD	-	-	-	-	-	-	-	-	-	-	-	-
ALPINE	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	-	-	-	-	-	-	-	-	-	-	-	-
BUTTE	1	0.5	-	-	-	-	-	-	-	-	-	-
CALAVERAS	-	-	-	-	-	-	-	-	-	-	-	-
COLUSA	-	-	-	-	-	-	-	-	-	-	-	-
CONTRA COSTA	-	-	-	-	-	-	-	-	-	-	1	0.1
DEL NORTE	-	-	-	-	-	-	-	-	-	-	-	-
EL DORADO	-	-	1	0.7	-	-	1	0.7	-	-	1	0.1
FRESNO	-	-	-	-	-	-	-	-	-	-	-	-
GLENN	-	-	-	-	-	-	1	3.6	-	-	-	-
HUMBOLDT	-	-	-	-	-	-	-	-	-	-	-	-
IMPERIAL	-	-	-	-	-	-	-	-	-	-	-	-
INYO	-	-	-	-	-	-	-	-	-	-	-	-
KERN	-	-	-	-	-	-	-	-	-	-	-	-
KINGS	-	-	-	-	-	-	-	-	-	-	-	-
LAKE	-	-	-	-	-	-	-	-	-	-	-	-
LASSEN	-	-	-	-	-	-	-	-	-	-	-	-
LOS ANGELES CO	-	-	-	-	-	-	1	0.0	-	-	7	0.1
LOS ANGELES HD	-	-	-	-	-	-	1	0.0	-	-	6	0.1
LONG BEACH HD	-	-	-	-	-	-	-	-	-	-	1	0.2
PASADENA HD	-	-	-	-	-	-	-	-	-	-	-	-
MADERA	-	-	-	-	-	-	-	-	-	-	-	-
MARIN	-	-	-	-	-	-	-	-	-	-	-	-
MARIPOSA	-	-	-	-	-	-	-	-	-	-	-	-
MENDOCINO	-	-	-	-	-	-	-	-	-	-	-	-
MERCED	-	-	-	-	-	-	-	-	-	-	-	-
MODOC	-	-	-	-	-	-	-	-	-	-	1	9.4
MONO	-	-	1	9.5	-	-	-	-	-	-	-	-
MONTEREY	-	-	-	-	-	-	-	-	-	-	-	-
NAPA	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	1	1.1	-	-	-	-	-	-	-	-
ORANGE	-	-	-	-	-	-	-	-	-	-	1	0.0
PLACER	-	-	-	-	-	-	-	-	-	-	1	0.5
PLUMAS	-	-	-	-	-	-	-	-	-	-	-	-
RIVERSIDE	-	-	-	-	-	-	-	-	-	-	-	-
SACRAMENTO	-	-	1	0.1	-	-	1	0.1	-	-	-	-
SAN BENITO	1	2.3	-	-	-	-	-	-	-	-	-	-
SAN BERNARDINO	-	-	-	-	-	-	-	-	-	-	3	0.2
SAN DIEGO	-	-	1	0.0	-	-	-	-	-	-	1	0.0
SAN FRANCISCO	-	-	-	-	-	-	-	-	-	-	3	0.4
SAN JOAQUIN	-	-	-	-	-	-	-	-	-	-	-	-
SAN LUIS OBISPO	-	-	-	-	-	-	-	-	-	-	-	-
SAN MATEO	-	-	-	-	-	-	1	0.1	-	-	-	-
SANTA BARBARA	-	-	-	-	-	-	-	-	-	-	-	-
SANTA CLARA	-	-	-	-	-	-	-	-	-	-	-	-
SANTA CRUZ	-	-	-	-	-	-	-	-	-	-	-	-
SHASTA	-	-	-	-	-	-	-	-	-	-	-	-
SIERRA	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	-	-	-	-	-	-	-	-	-	-	-	-
SOLANO	-	-	-	-	-	-	-	-	-	-	-	-
SONOMA	-	-	-	-	-	-	-	-	-	-	1	0.2
STANISLAUS	-	-	-	-	-	-	-	-	-	-	-	-
SUTTER	-	-	-	-	-	-	-	-	-	-	-	-
TEHAMA	-	-	-	-	-	-	-	-	-	-	-	-
TRINITY	-	-	-	-	-	-	-	-	-	-	-	-
TULARE	-	-	-	-	-	-	1	0.3	-	-	1	0.3
TUOLUMNE	-	-	-	-	-	-	-	-	-	-	-	-
VENTURA	-	-	-	-	-	-	-	-	-	-	-	-
YOLO	-	-	-	-	-	-	-	-	-	-	-	-
YUBA	-	-	-	-	-	-	-	-	-	-	-	-

§ Exclusive of Sexually Transmitted Diseases -- See Table 6a and 6b.

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

(CONTINUED)

Table 4. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1995 (continued)

JURISDICTION	DISEASE											
	RUBELLA, CONGENITAL		SALMONELLOSIS (NON-TYPHOID)		SHIGELLOSIS, GROUP A		SHIGELLOSIS, GROUP B		SHIGELLOSIS, GROUP C		SHIGELLOSIS, GROUP D	
	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE
CALIFORNIA	4	0.0	6356	19.2	50	0.2	1271	3.8	91	0.3	3144	9.5
ALAMEDA CO	-	-	245	17.8	3	0.2	26	1.9	2	0.2	97	7.0
ALAMEDA HD	-	-	225	17.7	3	0.2	23	1.8	2	0.2	93	7.3
BERKELEY HD	-	-	20	19.1	-	-	3	2.9	-	-	4	3.8
ALPINE	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	-	-	4	11.4	-	-	-	-	-	-	1	2.8
BUTTE	-	-	35	17.0	1	0.5	1	0.5	-	-	7	3.4
CALAVERAS	-	-	1	2.5	-	-	-	-	-	-	-	-
COLUSA	-	-	2	10.7	-	-	-	-	-	-	3	16.0
CONTRA COSTA	-	-	135	15.1	-	-	9	1.0	4	0.5	62	6.9
DEL NORTE	-	-	-	-	-	-	-	-	-	-	-	-
EL DORADO	-	-	16	10.5	2	1.3	1	0.7	-	-	2	1.3
FRESNO	-	-	91	11.3	1	0.1	36	4.5	-	-	112	13.9
GLENN	-	-	6	21.5	-	-	-	-	-	-	1	3.6
HUMBOLDT	-	-	13	9.9	-	-	-	-	-	-	-	-
IMPERIAL	-	-	24	17.4	1	0.7	4	2.9	1	0.7	28	20.3
INYO	-	-	9	47.0	-	-	-	-	-	-	3	15.7
KERN	-	-	93	14.1	-	-	4	0.6	-	-	20	3.0
KINGS	-	-	14	12.1	2	1.7	1	0.9	1	0.9	3	2.6
LAKE	-	-	14	23.7	-	-	-	-	-	-	-	-
LASSEN	-	-	-	-	-	-	-	-	-	-	-	-
LOS ANGELES CO	2	0.0	2147	22.6	11	0.1	503	5.3	25	0.3	1014	10.7
LOS ANGELES HD	2	0.0	2007	22.5	9	0.1	470	5.3	25	0.3	910	10.2
LONG BEACH HD	-	-	107	24.5	1	0.2	28	6.4	-	-	64	14.6
PASADENA HD	-	-	33	24.2	1	0.7	5	3.7	-	-	40	29.3
MADERA	-	-	24	21.0	1	0.9	11	9.6	-	-	11	9.6
MARIN	-	-	36	14.7	-	-	3	1.2	1	0.4	16	6.5
MARIPOSA	-	-	5	28.7	-	-	1	5.7	-	-	-	-
MENDOCINO	-	-	5	5.6	-	-	-	-	-	-	4	4.5
MERCED	-	-	69	33.3	-	-	1	0.5	-	-	48	23.1
MODOC	-	-	1	9.4	-	-	-	-	-	-	-	-
MONO	-	-	4	38.1	-	-	1	9.5	1	9.5	1	9.5
MONTEREY	-	-	48	12.5	-	-	13	3.4	1	0.3	30	7.8
NAPA	-	-	31	26.0	-	-	2	1.7	-	-	7	5.9
NEVADA	-	-	8	8.6	-	-	-	-	-	-	1	1.1
ORANGE	-	-	625	23.4	3	0.1	127	4.7	8	0.3	266	9.9
PLACER	-	-	16	7.6	-	-	1	0.5	-	-	2	1.0
PLUMAS	-	-	4	18.6	-	-	-	-	-	-	-	-
RIVERSIDE	-	-	265	17.7	1	0.1	43	2.9	6	0.4	95	6.3
SACRAMENTO	-	-	114	9.6	-	-	4	0.3	1	0.1	42	3.5
SAN BENITO	-	-	6	14.0	2	4.7	4	9.3	1	2.3	10	23.3
SAN BERNARDINO	-	-	361	21.0	3	0.2	38	2.2	3	0.2	175	10.2
SAN DIEGO	-	-	570	20.5	9	0.3	154	5.6	14	0.5	300	10.8
SAN FRANCISCO	-	-	193	25.5	2	0.3	96	12.7	4	0.5	223	29.5
SAN JOAQUIN	-	-	66	12.0	-	-	31	5.7	2	0.4	96	17.5
SAN LUIS OBISPO	-	-	45	18.8	-	-	1	0.4	1	0.4	3	1.3
SAN MATEO	-	-	140	19.9	1	0.1	21	3.0	2	0.3	113	16.1
SANTA BARBARA	1	0.3	80	19.8	1	0.3	17	4.2	1	0.3	20	4.9
SANTA CLARA	-	-	352	21.9	4	0.3	50	3.1	4	0.3	131	8.1
SANTA CRUZ	-	-	44	18.4	-	-	5	2.1	-	-	20	8.4
SHASTA	-	-	8	4.6	-	-	-	-	-	-	4	2.3
SIERRA	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	-	-	2	4.3	-	-	-	-	-	-	-	-
SOLANO	-	-	52	12.9	-	-	4	1.0	2	0.5	34	8.4
SONOMA	-	-	52	12.0	-	-	5	1.2	1	0.2	10	2.3
STANISLAUS	1	0.2	68	15.6	-	-	11	2.5	2	0.5	49	11.3
SUTTER	-	-	8	10.4	-	-	2	2.6	1	1.3	2	2.6
TEHAMA	-	-	2	3.5	-	-	-	-	-	-	1	1.7
TRINITY	-	-	2	14.3	-	-	-	-	-	-	-	-
TULARE	-	-	83	22.5	1	0.3	23	6.2	1	0.3	41	11.1
TIJUANNE	-	-	3	5.3	-	-	-	-	-	-	2	3.5
VENTURA	-	-	106	14.6	1	0.1	17	2.3	1	0.1	26	3.6
YOLO	-	-	6	3.7	-	-	-	-	-	-	3	1.8
YUBA	-	-	3	4.4	-	-	-	-	-	-	5	7.4

§ Exclusive of Sexually Transmitted Diseases -- See Table 6a and 6b.

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

(CONTINUED)

Tables

Table 4. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1995 (continued)

JURISDICTION	DISEASE											
	SHIGELLOSIS, GROUP UNKNOWN		STREPTOCOCCAL INF., DAIRY WORKERS		STREPTOCOCCAL INF., FOOD HANDLERS		TETANUS		TOXIC SHOCK SYNDROME		TRICHINOSIS	
	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE
CALIFORNIA	817	2.5	-	-	9	0.0	5	0.0	22	0.1	1	0.0
ALAMEDA CO	29	2.1	-	-	-	-	-	-	3	0.2	-	-
ALAMEDA HD	29	2.3	-	-	-	-	-	-	2	0.2	-	-
BERKELEY HD	-	-	-	-	-	-	-	-	1	1.0	-	-
ALPINE	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	1	2.8	-	-	-	-	-	-	-	-	-	-
BUTTE	4	2.0	-	-	-	-	-	-	-	-	-	-
CALAVERAS	1	2.5	-	-	-	-	-	-	-	-	-	-
COLUSA	-	-	-	-	-	-	-	-	-	-	-	-
CONTRA COSTA	18	2.0	-	-	-	-	-	-	-	-	-	-
DEL NORTE	-	-	-	-	-	-	-	-	-	-	-	-
EL DORADO	2	1.3	-	-	-	-	-	-	-	-	-	-
FRESNO	23	2.9	-	-	-	-	-	-	1	0.1	-	-
GLENN	-	-	-	-	-	-	-	-	-	-	-	-
HUMBOLDT	2	1.5	-	-	-	-	-	-	-	-	1	0.8
IMPERIAL	11	8.0	-	-	-	-	1	0.7	-	-	-	-
INYO	3	15.7	-	-	-	-	-	-	-	-	-	-
KERN	72	10.9	-	-	-	-	-	-	-	-	-	-
KINGS	-	-	-	-	-	-	-	-	-	-	-	-
LAKE	-	-	-	-	-	-	-	-	-	-	-	-
LASSEN	-	-	-	-	-	-	-	-	-	-	-	-
LOS ANGELES CO	260	2.7	-	-	-	-	3	0.0	4	0.0	-	-
LOS ANGELES HD	255	2.9	-	-	-	-	3	0.0	4	0.0	-	-
LONG BEACH HD	4	0.9	-	-	-	-	-	-	-	-	-	-
PASADENA HD	1	0.7	-	-	-	-	-	-	-	-	-	-
MADERA	-	-	-	-	-	-	-	-	-	-	-	-
MARIN	1	0.4	-	-	-	-	-	-	-	-	-	-
MARIPOSA	-	-	-	-	-	-	-	-	-	-	-	-
MENDOCINO	4	4.5	-	-	-	-	-	-	-	-	-	-
MERCED	19	9.2	-	-	1	0.5	-	-	-	-	-	-
MODOC	-	-	-	-	-	-	-	-	-	-	-	-
MONO	-	-	-	-	-	-	-	-	-	-	-	-
MONTEREY	36	9.4	-	-	-	-	-	-	-	-	-	-
NAPA	3	2.5	-	-	-	-	-	-	-	-	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
ORANGE	1	0.0	-	-	-	-	-	-	-	-	-	-
PLACER	1	0.5	-	-	-	-	-	-	1	0.5	-	-
PLUMAS	-	-	-	-	-	-	-	-	-	-	-	-
RIVERSIDE	65	4.3	-	-	-	-	-	-	1	0.1	-	-
SACRAMENTO	10	0.8	-	-	-	-	-	-	2	0.2	-	-
SAN BENITO	1	2.3	-	-	-	-	-	-	-	-	-	-
SAN BERNARDINO	29	1.7	-	-	-	-	-	-	-	-	-	-
SAN DIEGO	46	1.7	-	-	-	-	-	-	2	0.1	-	-
SAN FRANCISCO	2	0.3	-	-	-	-	-	-	1	0.1	-	-
SAN JOAQUIN	5	0.9	-	-	-	-	-	-	2	0.4	-	-
SAN LUIS OBISPO	1	0.4	-	-	-	-	-	-	1	0.4	-	-
SAN MATEO	10	1.4	-	-	-	-	-	-	1	0.1	-	-
SANTA BARBARA	11	2.7	-	-	-	-	-	-	2	0.5	-	-
SANTA CLARA	55	3.4	-	-	-	-	-	-	1	0.1	-	-
SANTA CRUZ	16	6.7	-	-	-	-	-	-	-	-	-	-
SHASTA	-	-	-	-	-	-	-	-	-	-	-	-
SIERRA	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	1	2.2	-	-	-	-	-	-	-	-	-	-
SOLANO	8	2.0	-	-	-	-	-	-	-	-	-	-
SONOMA	28	6.5	-	-	-	-	-	-	-	-	-	-
STANISLAUS	-	-	-	-	-	-	1	0.2	-	-	-	-
SUTTER	1	1.3	-	-	-	-	-	-	-	-	-	-
TEHAMA	1	1.7	-	-	-	-	-	-	-	-	-	-
TRINITY	-	-	-	-	-	-	-	-	-	-	-	-
TULARE	7	1.9	-	-	-	-	-	-	-	-	-	-
TUOLUMNE	2	3.5	-	-	-	-	-	-	-	-	-	-
VENTURA	18	2.5	-	-	8	1.1	-	-	-	-	-	-
YOLO	8	4.9	-	-	-	-	-	-	-	-	-	-
YUBA	1	1.5	-	-	-	-	-	-	-	-	-	-

§ Exclusive of Sexually Transmitted Diseases -- See Table 6a and 6b.

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

(CONTINUED)

Table 4. Reported Cases[§] and Rates by Local Health Jurisdiction, California, 1995 (continued)

JURISDICTION	DISEASE											
	TUBERCULOSIS		TULAREMIA		TYPHOID FEVER		TYPHUS FEVER		VIBRIO INFECTIONS		YELLOW FEVER	
	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE	CASES	RATE
CALIFORNIA	4672	14.1	2	0.0	73	0.2	15	0.1	44	0.1	-	-
ALAMEDA CO	252	18.3	-	-	5	0.4	-	-	-	-	-	-
ALAMEDA HD	238	18.7	-	-	5	0.4	-	-	-	-	-	-
BERKELEY HD	14	13.4	-	-	-	-	-	-	-	-	-	-
ALPINE	-	-	-	-	-	-	-	-	-	-	-	-
AMADOR	-	-	-	-	-	-	-	-	-	-	-	-
BUTTE	6	2.9	-	-	-	-	-	-	-	-	-	-
CALAVERAS	-	-	-	-	-	-	-	-	-	-	-	-
COLUSA	1	5.3	-	-	-	-	-	-	-	-	-	-
CONTRA COSTA	103	11.5	-	-	1	0.1	-	-	2	0.2	-	-
DEL NORTE	1	3.1	-	-	-	-	-	-	-	-	-	-
EL DORADO	4	2.6	-	-	-	-	-	-	-	-	-	-
FRESNO	72	9.0	-	-	-	-	-	-	-	-	-	-
GLENN	-	-	-	-	-	-	-	-	-	-	-	-
HUMBOLDT	10	7.6	-	-	-	-	-	-	-	-	-	-
IMPERIAL	38	27.6	-	-	-	-	-	-	-	-	-	-
INYO	-	-	-	-	-	-	-	-	-	-	-	-
KERN	79	12.0	-	-	-	-	-	-	-	-	-	-
KINGS	18	15.5	-	-	-	-	-	-	-	-	-	-
LAKE	3	5.1	-	-	-	-	-	-	-	-	-	-
LASSEN	1	3.0	-	-	-	-	-	-	-	-	-	-
LOS ANGELES CO	1738	18.3	1	0.0	24	0.3	15	0.2	19	0.2	-	-
LOS ANGELES HD	1620	18.2	1	0.0	23	0.3	12	0.1	18	0.2	-	-
LONG BEACH HD	91	20.8	-	-	1	0.2	-	-	-	-	-	-
PASADENA HD	27	19.8	-	-	-	-	3	2.2	1	0.7	-	-
MADERA	11	9.6	-	-	-	-	-	-	-	-	-	-
MARIN	22	9.0	-	-	-	-	-	-	-	-	-	-
MARIPOSA	-	-	-	-	-	-	-	-	-	-	-	-
MENDOCINO	1	1.1	-	-	-	-	-	-	-	-	-	-
MERCED	18	8.7	-	-	-	-	-	-	1	0.5	-	-
MODOC	-	-	-	-	-	-	-	-	-	-	-	-
MONO	-	-	-	-	-	-	-	-	-	-	-	-
MONTEREY	53	13.8	1	0.3	1	0.3	-	-	-	-	-	-
NAPA	7	5.9	-	-	-	-	-	-	1	0.8	-	-
NEVADA	-	-	-	-	-	-	-	-	-	-	-	-
ORANGE	336	12.6	-	-	7	0.3	-	-	2	0.1	-	-
PLACER	7	3.3	-	-	-	-	-	-	-	-	-	-
PLUMAS	3	13.9	-	-	-	-	-	-	-	-	-	-
RIVERSIDE	95	6.3	-	-	2	0.1	-	-	2	0.1	-	-
SACRAMENTO	135	11.4	-	-	1	0.1	-	-	-	-	-	-
SAN BENITO	3	7.0	-	-	-	-	-	-	-	-	-	-
SAN BERNARDINO	127	7.4	-	-	2	0.1	-	-	1	0.1	-	-
SAN DIEGO	438	15.8	-	-	6	0.2	-	-	2	0.1	-	-
SAN FRANCISCO	270	35.7	-	-	3	0.4	-	-	5	0.7	-	-
SAN JOAQUIN	77	14.0	-	-	1	0.2	-	-	-	-	-	-
SAN LUIS OBISPO	14	5.8	-	-	-	-	-	-	-	-	-	-
SAN MATEO	86	12.2	-	-	1	0.1	-	-	1	0.1	-	-
SANTA BARBARA	63	15.6	-	-	-	-	-	-	-	-	-	-
SANTA CLARA	285	17.7	-	-	16	1.0	-	-	5	0.3	-	-
SANTA CRUZ	26	10.9	-	-	1	0.4	-	-	1	0.4	-	-
SHASTA	5	2.9	-	-	-	-	-	-	-	-	-	-
SIERRA	-	-	-	-	-	-	-	-	-	-	-	-
SISKIYOU	2	4.3	-	-	-	-	-	-	-	-	-	-
SOLANO	65	16.1	-	-	1	0.3	-	-	1	0.3	-	-
SONOMA	19	4.4	-	-	-	-	-	-	-	-	-	-
STANISLAUS	34	7.8	-	-	-	-	-	-	1	0.2	-	-
SUTTER	12	15.6	-	-	-	-	-	-	-	-	-	-
TEHAMA	-	-	-	-	-	-	-	-	-	-	-	-
TRINITY	2	14.3	-	-	-	-	-	-	-	-	-	-
TULARE	41	11.1	-	-	-	-	-	-	-	-	-	-
TIJUANNE	-	-	-	-	-	-	-	-	-	-	-	-
VENTURA	73	10.1	-	-	1	0.1	-	-	-	-	-	-
YOLO	10	6.1	-	-	-	-	-	-	-	-	-	-
YUBA	6	8.9	-	-	-	-	-	-	-	-	-	-

[§] Exclusive of Sexually Transmitted Diseases -- See Table 6a and 6b.

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

Table 5a. Sexually Transmitted Disease Cases by Local Health Jurisdictions, 1994

JURISDICTION	Syphilis by Stages				Other Diseases			
	P & S	Early Latent	Late/Late Latent	Congenital	Gonorrhea	Chlamydia	PID	NGU
CALIFORNIA	811	1,714	5,174	443	28,663	73,548	2,611	7,120
ALAMEDA	47	95	171	44	2,456	3,511	126	417
ALPINE	-	-	-	-	2	4	1	-
AMADOR	-	-	1	-	4	13	-	-
BERKELEY	2	3	10	1	169	185	4	70
BUTTE	-	2	4	-	55	350	2	-
CALAVERAS	-	-	-	-	1	14	-	-
COLUSA	-	-	4	1	4	24	6	-
CONTRA COSTA	9	16	62	10	740	1,441	73	30
DEL NOTRE	-	-	1	-	5	49	1	-
EL DORADO	-	1	1	-	5	83	3	-
FRESNO	28	43	128	17	1,334	2,330	24	11
GLENN	2	-	1	1	5	20	-	1
HUMBOLDT	1	1	-	-	15	226	24	18
IMPERIAL	-	-	15	1	16	200	58	-
INYO	-	-	-	-	1	16	-	-
KERN	46	87	711	5	721	1,290	258	435
KINGS	1	-	33	1	56	298	23	105
LAKE	-	-	1	-	11	56	14	1
LASSEN	-	-	2	-	3	10	-	7
LONG BEACH	28	72	168	35	723	1,697	15	97
LOS ANGELES	337	1,024	2,171	204	8,802	21,258	381	1,604
MADERA	5	5	99	2	88	279	2	1
MARIN	-	-	51	-	79	369	50	191
MARIPOSA	-	-	-	-	4	7	3	2
MENDOCINO	2	3	-	-	7	140	2	-
MERCED	2	1	15	-	95	359	8	4
MODOC	-	-	-	-	-	-	-	-
MONO	-	-	-	-	1	4	1	2
MONTEREY	1	4	46	3	186	723	4	2
NAPA	-	-	1	-	17	102	9	2
NEVADA	-	-	-	-	2	54	-	2
ORANGE	23	46	232	17	936	4,563	49	1,335
PASADENA	4	11	25	6	240	416	6	19
PLACER	-	-	1	-	22	150	7	5
PLUMAS	-	-	-	-	4	15	2	-
RIVERSIDE	15	27	91	6	519	2,252	94	16
SACRAMENTO	9	31	86	11	1,736	3,802	20	6
SAN BENITO	-	-	1	-	10	65	2	2
SAN BERNARDINO	14	12	231	9	1,705	5,360	132	16
SAN DIEGO	100	102	291	24	2,607	6,310	332	1,330
SAN FRANCISCO	40	17	171	6	1,894	2,156	200	774
SAN JOAQUIN	60	53	33	12	684	1,615	23	7
SAN LUIS OBISPO	1	1	19	-	48	357	6	59
SAN MATEO	5	9	17	1	255	1,198	9	17
SANTA BARBARA	2	7	30	2	86	439	12	-
SANTA CLARA	4	5	122	13	773	4,047	34	110
SANTA CRUZ	-	-	8	1	52	343	43	77
SHASTA	-	-	2	-	60	328	3	48
SIERRA	-	-	-	-	-	-	-	-
SISKIYOU	-	-	-	-	4	76	4	-
SOLANO	8	9	14	1	478	1,105	15	12
SONOMA	1	-	-	-	87	651	100	51
STANISLAUS	2	3	33	1	317	935	279	197
SUTTER	-	1	2	2	20	97	2	3
TEHAMA	-	-	1	-	11	57	4	5
TRINITY	-	-	-	-	-	8	-	1
TULARE	2	3	24	-	283	924	114	8
TUOLUMNE	-	1	1	-	4	56	1	2
VENTURA	10	16	41	2	158	710	9	18
YOLO	-	3	1	3	27	273	6	-
YUBA	-	-	1	1	36	128	11	-

Table 5b. Sexually Transmitted Disease Rates by Local Health Jurisdictions, 1994

JURISDICTION	Syphilis by Stages				Other Diseases			
	P & S	Early Latent	Late/Late Latent	Congenital ¹	Gonorrhea	Chlamydia	PID ²	NGU ³
CALIFORNIA	2.5	5.4	16.2	78.1	89.7	230.1	16.1	43.7
ALAMEDA	3.8	7.6	13.8	217.9	197.6	282.5	19.7	67.6
ALPINE	-	-	-	-	172.4	344.8	171.2	-
AMADOR	-	-	3.0	-	12.0	39.2	-	-
BERKELEY	1.9	2.9	9.5	83.8	161.1	176.4	7.6	134.3
BUTTE	-	1.0	2.0	-	27.4	174.1	2.0	-
CALAVERAS	-	-	-	-	2.7	37.2	-	-
COLUSA	-	-	22.5	299.4	22.5	135.2	68.3	-
CONTRA COSTA	1.0	1.8	7.1	80.4	85.2	165.9	16.2	7.0
DEL NOTRE	-	-	3.5	-	17.4	170.1	7.3	-
EL DORADO	-	0.7	0.7	-	3.5	57.6	4.1	-
FRESNO	3.7	5.7	16.9	109.4	176.6	308.5	6.2	2.9
GLENN	7.5	-	3.8	216.9	18.9	75.5	-	7.3
HUMBOLDT	0.8	0.8	-	-	11.8	178.1	36.8	28.1
IMPERIAL	-	-	11.1	36.7	11.8	147.4	89.6	-
INYO	-	-	-	-	5.3	84.7	-	-
KERN	7.5	14.1	115.2	39.6	116.9	209.1	82.4	132.4
KINGS	0.9	-	28.9	44.8	49.0	260.9	44.2	170.6
LAKE	-	-	1.8	-	19.5	99.1	47.9	3.5
LASSEN	-	-	6.8	-	10.2	34.1	-	40.8
LONG BEACH	6.4	16.5	38.5	357.7	165.5	388.5	6.9	44.0
LOS ANGELES	3.9	11.8	25.1	121.6	101.7	245.5	8.7	36.4
MADERA	4.7	4.7	93.7	102.9	83.3	264.0	3.6	1.9
MARIN	-	-	21.0	-	32.6	152.2	41.0	158.3
MARIPOSA	-	-	-	-	24.9	43.6	35.8	23.2
MENDOCINO	2.4	3.5	-	-	8.3	165.1	4.6	-
MERCED	1.0	0.5	7.5	-	47.8	180.6	8.0	3.9
MODOC	-	-	-	-	-	-	-	-
MONO	-	-	-	-	8.9	35.7	21.2	35.9
MONTEREY	0.3	1.1	12.4	42.4	50.1	194.9	2.2	1.0
NAPA	-	-	0.8	-	14.4	86.3	15.1	3.4
NEVADA	-	-	-	-	2.3	61.9	-	4.5
ORANGE	0.9	1.8	8.9	34.0	36.0	175.7	3.8	100.9
PASADENA	3.0	8.2	18.5	209.4	178.0	308.6	8.7	28.9
PLACER	-	-	0.5	-	11.0	75.0	6.8	4.9
PLUMAS	-	-	-	-	19.0	71.4	18.6	-
RIVERSIDE	1.1	2.0	6.7	24.1	38.2	165.9	13.3	2.2
SACRAMENTO	0.8	2.7	7.6	59.4	153.6	336.3	3.4	1.1
SAN BENITO	-	-	2.4	-	24.4	158.7	9.6	9.5
SAN BERNARDINO	0.9	0.8	14.5	28.6	107.1	336.7	16.1	1.9
SAN DIEGO	3.7	3.8	10.8	50.4	97.0	234.7	24.8	95.9
SAN FRANCISCO	5.3	2.3	22.7	66.3	252.0	286.8	53.1	205.7
SAN JOAQUIN	11.5	10.2	6.3	128.3	131.2	309.7	8.7	2.6
SAN LUIS OBISPO	0.4	0.4	8.2	-	20.8	154.3	5.3	48.7
SAN MATEO	0.7	1.3	2.5	9.7	37.1	174.5	2.6	5.0
SANTA BARBARA	0.5	1.8	7.7	31.3	22.0	112.1	6.1	-
SANTA CLARA	0.3	0.3	7.7	48.8	48.7	254.9	4.3	13.6
SANTA CRUZ	-	-	3.3	27.2	21.8	143.6	35.9	64.9
SHASTA	-	-	1.2	-	36.8	201.0	3.5	58.3
SIERRA	-	-	-	-	-	-	-	-
SISKIYOU	-	-	-	-	8.8	166.8	17.1	-
SOLANO	2.1	2.4	3.7	16.8	127.8	295.5	7.9	6.0
SONOMA	0.2	-	-	-	20.6	154.2	46.3	24.4
STANISLAUS	0.5	0.7	8.0	13.5	76.8	226.6	130.1	94.0
SUTTER	-	1.4	2.7	161.8	27.4	132.7	5.3	8.1
TEHAMA	-	-	1.8	-	20.1	104.2	14.1	18.2
TRINITY	-	-	-	-	-	58.0	-	14.3
TULARE	0.6	0.9	6.8	-	80.7	263.5	64.0	4.5
TUOLUMNE	-	1.9	1.9	-	7.6	105.9	3.8	6.9
VENTURA	1.4	2.3	5.8	16.8	22.3	100.3	2.5	5.0
YOLO	-	2.0	0.7	131.9	17.9	181.0	7.5	-
YUBA	-	-	1.6	81.2	56.7	201.6	33.4	-

¹ Congenital Syphilis rate per 100,000 live births² Pelvic Inflammatory Disease rate per 100,000 female population³ Non-Gonococcal Urethritis rate per 100,000 male population

Tables

Table 6a. Sexually Transmitted Disease Cases by Local Health Jurisdictions, 1995

JURISDICTION	Syphilis by Stages				Other Diseases			
	P & S	Early Latent	Late/Late Latent	Congenital	Gonorrhea	Chlamydia	PID	NGU
CALIFORNIA	578	1,402	3,576	331	24,673	61,491	2,410	6,144
ALAMEDA	16	55	91	31	2,195	3,462	124	279
ALPINE	-	-	-	-	1	2	-	-
AMADOR	-	-	2	-	1	17	-	-
BERKELEY	-	3	12	-	154	127	10	36
BUTTE	-	-	1	1	73	317	5	-
CALAVERAS	-	-	1	-	4	15	-	-
COLUSA	-	-	1	-	4	24	1	-
CONTRA COSTA	10	4	46	2	601	1,424	67	37
DEL NOTRE	-	-	1	-	-	9	-	-
EL DORADO	-	-	-	-	6	64	4	-
FRESNO	38	44	82	12	1,005	1,770	47	22
GLENN	-	-	-	-	3	27	-	-
HUMBOLDT	1	1	-	-	54	258	21	5
IMPERIAL	-	1	5	-	11	131	29	1
INYO	-	-	-	-	5	8	1	-
KERN	30	52	337	3	781	1,349	205	276
KINGS	-	2	24	-	55	247	8	93
LAKE	-	-	-	-	14	48	24	2
LASSEN	-	1	1	-	4	20	-	1
LONG BEACH	16	42	145	26	609	1,270	12	307
LOS ANGELES	270	933	1,708	157	8,253	18,653	276	946
MADERA	3	7	57	5	71	250	3	-
MARIN	-	3	20	1	80	255	54	168
MARIPOSA	-	-	-	-	-	11	4	-
MENDOCINO	-	-	1	-	2	104	3	5
MERCED	-	1	5	1	63	406	8	18
MODOC	-	-	-	-	-	2	-	-
MONO	-	-	-	-	-	6	-	-
MONTEREY	2	1	4	-	115	685	8	-
NAPA	-	-	-	-	15	81	7	14
NEVADA	-	-	-	-	-	21	1	1
ORANGE	15	34	167	23	741	3,303	48	1,220
PASADENA	2	4	15	2	131	311	4	8
PLACER	1	2	-	-	12	140	6	2
PLUMAS	-	-	-	-	2	14	1	-
RIVERSIDE	11	24	85	8	458	1,982	115	6
SACRAMENTO	5	21	53	7	1,828	3,762	72	4
SAN BENITO	1	1	-	1	7	68	-	3
SAN BERNARDINO	26	36	133	10	958	3,022	139	8
SAN DIEGO	53	60	251	12	2,176	5,250	282	1,105
SAN FRANCISCO	30	10	121	2	1,631	1,747	81	1,157
SAN JOAQUIN	22	30	39	10	601	1,412	52	12
SAN LUIS OBISPO	-	-	12	-	38	250	3	59
SAN MATEO	5	1	-	-	184	1,055	3	38
SANTA BARBARA	2	4	20	3	75	481	11	1
SANTA CLARA	2	4	68	6	492	2,838	40	64
SANTA CRUZ	1	-	9	-	31	317	24	50
SHASTA	-	2	1	-	24	272	6	-
SIERRA	-	-	-	-	-	-	-	-
SISKIYOU	-	1	-	-	5	67	2	-
SOLANO	2	6	11	1	311	840	112	6
SONOMA	1	-	-	-	53	507	69	27
STANISLAUS	3	2	11	2	359	914	316	129
SUTTER	-	1	1	-	12	89	2	2
TEHAMA	-	-	-	-	13	41	2	11
TRINITY	-	-	-	-	2	14	-	-
TULARE	6	2	11	3	194	701	83	12
TUOLUMNE	-	-	1	-	8	52	-	-
VENTURA	3	6	21	2	92	653	6	9
YOLO	1	-	1	-	36	240	6	-
YUBA	-	1	1	-	20	86	3	-

Table 6b. Sexually Transmitted Disease Rates by Local Health Jurisdictions, 1995

JURISDICTION	Syphilis by Stages				Other Diseases			
	P & S	Early Latent	Late Latent	Congenital ¹	Gonorrhea	Chlamydia	PID ²	NGU ³
CALIFORNIA	1.8	4.3	11.1	60.0	76.3	190.1	14.6	36.9
ALAMEDA	1.3	4.4	7.2	154.8	174.6	275.4	19.1	44.7
ALPINE	-	-	-	-	81.3	162.6	-	-
AMADOR	-	-	5.9	-	3.0	50.2	-	-
BERKELEY	-	2.8	11.3	-	145.4	119.9	18.8	68.4
BUTTE	-	-	0.5	39.7	35.7	155.2	4.8	-
CALAVERAS	-	-	2.6	-	10.3	38.8	-	-
COLUSA	-	-	5.6	-	22.2	133.3	11.1	-
CONTRA COSTA	1.1	0.5	5.2	16.0	68.0	161.2	14.5	8.6
DEL NOTRE	-	-	3.4	-	-	30.8	-	-
EL DORADO	-	-	-	-	4.0	43.1	5.2	-
FRESNO	5.0	5.8	10.7	79.6	131.4	231.4	11.7	5.5
GLENN	-	-	-	-	11.1	99.6	-	-
HUMBOLDT	0.8	0.8	-	-	41.9	200.2	31.6	7.7
IMPERIAL	-	0.7	3.5	-	7.8	92.6	43.8	1.4
INYO	-	-	-	-	26.5	42.3	10.3	-
KERN	4.8	8.3	53.7	25.1	124.4	214.9	63.7	81.8
KINGS	-	1.7	20.6	-	47.3	212.4	15.0	148.2
LAKE	-	-	-	-	24.3	83.5	79.7	6.9
LASSEN	-	3.4	3.4	-	13.4	67.1	-	4.8
LONG BEACH	3.7	9.7	33.5	281.7	140.6	293.2	5.6	140.4
LOS ANGELES	3.1	10.8	19.7	96.3	95.1	215.0	6.2	21.2
MADERA	2.7	6.4	52.1	250.8	64.8	228.3	5.0	-
MARIN	-	1.2	8.1	38.3	32.6	103.9	43.9	138.2
MARIPOSA	-	-	-	-	-	66.5	46.5	-
MENDOCINO	-	-	1.2	-	2.3	120.6	6.7	11.3
MERCED	-	0.5	2.5	24.9	31.1	200.2	7.8	17.1
MODOC	-	-	-	-	-	18.7	-	-
MONO	-	-	-	-	-	53.3	-	-
MONTEREY	0.5	0.3	1.1	-	31.0	184.6	4.3	-
NAPA	-	-	-	-	12.4	67.2	11.6	23.7
NEVADA	-	-	-	-	-	23.5	2.1	2.2
ORANGE	0.6	1.3	6.3	47.2	28.1	125.0	3.6	90.6
PASADENA	1.5	3.0	11.1	76.5	96.9	230.0	5.8	12.1
PLACER	0.5	1.0	-	-	5.7	66.7	5.6	1.9
PLUMAS	-	-	-	-	9.3	65.1	9.2	-
RIVERSIDE	0.8	1.7	6.1	33.0	32.9	142.2	15.5	0.8
SACRAMENTO	0.4	1.8	4.6	37.4	159.1	327.4	11.9	0.7
SAN BENITO	2.3	2.3	-	125.6	16.3	158.0	-	13.9
SAN BERNARDINO	1.6	2.2	8.2	33.2	59.2	186.8	16.2	0.9
SAN DIEGO	1.9	2.2	9.2	26.1	80.0	193.0	20.7	78.2
SAN FRANCISCO	4.0	1.3	15.9	23.3	214.8	230.1	21.4	305.8
SAN JOAQUIN	4.1	5.7	7.3	110.5	113.2	266.1	19.1	4.4
SAN LUIS OBISPO	-	-	5.1	-	16.1	105.9	2.6	47.8
SAN MATEO	0.7	0.1	-	-	26.5	151.8	0.8	11.0
SANTA BARBARA	0.5	1.0	5.0	51.6	18.9	121.2	5.5	0.5
SANTA CLARA	0.1	0.2	4.2	23.1	30.6	176.5	5.1	7.8
SANTA CRUZ	0.4	-	3.7	-	12.8	130.7	20.0	41.9
SHASTA	-	1.2	0.6	-	14.4	163.8	6.8	-
SIERRA	-	-	-	-	-	-	-	-
SISKIYOU	-	2.2	-	-	10.8	144.1	8.5	-
SOLANO	0.5	1.6	2.9	17.6	82.4	222.5	56.7	2.9
SONOMA	0.2	-	-	-	12.3	117.3	31.4	12.7
STANISLAUS	0.7	0.5	2.6	27.5	85.5	217.6	143.6	59.9
SUTTER	-	1.3	1.3	-	16.0	118.8	5.2	5.2
TEHAMA	-	-	-	-	23.3	73.6	6.8	38.9
TRINITY	-	-	-	-	14.3	100.4	-	-
TULARE	1.7	0.6	3.1	42.0	54.6	197.4	45.1	6.5
TUOLUMNE	-	-	1.9	-	15.0	97.6	-	-
VENTURA	0.4	0.8	2.9	16.6	12.8	90.6	1.7	2.5
YOLO	0.7	-	0.7	-	23.4	156.1	7.3	-
YUBA	-	1.6	1.6	-	31.2	134.2	8.8	-

¹ Congenital Syphilis rate per 100,000 live births² Pelvic Inflammatory Disease rate per 100,000 female population³ Non-Gonococcal Urethritis rate per 100,000 male population

Tables

Table 7a. Cases Reported by Age Group, California, 1994

DISEASE	AGE GROUP												
	TOTAL	0	01-04	05-09	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	N/A
	CASES	CASES	CASES	CASES	CASES	CASES	CASES	CASES	CASES	CASES	CASES	CASES	CASES
AIDS	9985	[--- 36 ---]	-	11	19	26	272	1199	4484	2835	857	246	-
BOTULISM, FOODBORNE	4	-	-	-	-	-	-	-	1	1	-	2	-
BOTULISM, INFANT	30	30	-	-	-	-	-	-	-	-	-	-	-
BOTULISM, WOUND	11	-	-	-	-	-	-	1	3	6	-	1	-
BRUCELLOSIS	36	1	2	1	1	5	2	4	5	4	4	7	-
CHOLERA	18	-	-	-	-	-	1	2	4	4	2	5	-
CRYPTOSPORIDIOSIS	480	4	16	5	5	3	8	57	220	118	21	16	7
CYSTICERCOSIS	118	-	6	8	9	7	17	22	25	13	4	7	-
DENGUE	6	-	-	-	3	-	-	1	-	1	1	-	-
DIPHTHERIA	1	-	-	-	-	-	1	-	-	-	-	-	-
E. COLI O157:H7 INFECTION	118	4	26	22	11	7	2	2	10	5	7	22	-
ENCEPHALITIS, ARBOVIRAL	1	-	-	-	-	-	-	-	1	-	-	-	-
ENCEPHALITIS, POST INFECTIOUS	8	-	3	4	-	-	-	-	1	-	-	-	-
ENCEPHALITIS, PRIMARY, OTHER & UNSP.	130	11	14	13	8	6	10	12	16	13	15	12	-
HAEMOPHILUS INFLUENZAE, INVASIVE	165	29	12	4	1	5	5	2	12	10	12	63	10
HEPATITIS A	6641	17	501	1028	626	495	694	856	1338	586	238	239	23
HEPATITIS B	2122	8	10	19	39	154	279	329	624	361	155	144	-
HEPATITIS D	6	-	-	-	-	-	1	-	3	2	-	-	-
HEPATITIS NON-A NON-B	593	1	4	2	4	11	22	55	177	202	64	50	1
HEPATITIS UNSPECIFIED	185	1	14	17	12	12	12	29	38	20	8	20	2
KAWASAKI SYNDROME	118	10	86	20	1	-	-	-	-	-	-	-	1
LEGIONELLOSIS	54	1	1	-	-	-	2	-	5	10	9	26	-
LEPROSY	38	-	-	-	1	3	5	1	9	5	6	8	-
LEPTOSPIROSIS	-	-	-	-	-	-	-	-	-	-	-	-	-
LISTERIOSIS	126	10	1	2	1	3	7	6	16	16	10	54	-
LYME DISEASE	68	-	5	5	4	3	3	4	9	9	16	7	3
MALARIA	216	-	11	9	14	20	28	27	39	31	19	15	3
MEASLES: IMPORTED	8	3	-	1	-	2	1	1	-	-	-	-	-
MEASLES: INDIGENOUS	53	1	12	3	10	13	1	1	9	3	-	-	-
MENINGITIS, VIRAL	1370	373	165	134	88	71	96	100	194	79	29	39	2
MENINGOCOCCAL INFECTIONS	400	79	88	43	21	35	35	12	21	28	17	21	-
MUMPS	270	-	47	96	31	20	11	29	20	11	2	2	1
PARALYTIC SHELLFISH POISONING	23	-	1	1	2	1	1	3	5	5	2	2	-
PERTUSSIS	603	302	111	64	49	11	9	11	24	14	4	4	-
PLAQUE	2	-	-	-	1	-	-	-	-	-	1	-	-
POLIOMYELITIS, PARALYTIC	-	-	-	-	-	-	-	-	-	-	-	-	-
PSITTACOSIS	4	-	-	-	-	-	-	-	1	-	3	-	-
Q FEVER	7	1	-	-	-	-	-	-	-	3	2	-	1
RABIES, HUMAN	1	-	-	-	-	-	-	-	-	1	-	-	-
RELAPSING FEVER	3	-	-	-	-	-	-	-	1	1	1	-	-
REYE SYNDROME	5	1	1	-	2	1	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER	5	-	-	-	1	-	1	-	1	-	1	-	1
RUBELLA (GERMAN MEASLES)	28	5	10	4	1	-	3	-	3	2	-	-	-
RUBELLA, CONGENITAL	1	1	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL INF., DAIRY WORKERS	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL INF., FOOD HANDLERS	17	-	1	1	-	-	1	1	2	3	3	5	-
TETANUS	8	-	-	-	-	1	-	-	1	3	1	2	-
TOXIC SHOCK SYNDROME	39	-	3	2	1	6	7	2	12	5	-	1	-
TRICHINOSIS	12	-	-	1	2	1	3	-	2	1	1	1	-
TUBERCULOSIS	4839	39	245	134	69	154	350	412	905	739	543	1249	-
TULAREMIA	2	-	-	-	-	-	-	-	-	1	-	1	-
TYPHOID FEVER, ACUTE	112	-	13	7	7	12	13	15	23	7	5	5	5
TYPHUS FEVER	21	-	-	1	2	2	2	2	3	4	3	2	-
VIBRIO INFECTIONS (NON-CHOLERA)	27	1	-	1	-	1	2	2	7	6	3	4	-
YELLOW FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7b. Rates for Cases Reported by Age Group, California, 1994

DISEASE	AGE GROUP													
	TOTAL	0	01-04	05-09	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	N/A	
RATE	RATE	RATE	RATE	RATE	RATE	RATE	RATE	RATE	RATE	RATE	RATE	RATE	RATE	
AIDS	30.7	[--- 1.5 ---]	-	0.5	0.8	1.3	11.3	44.5	76.3	63.3	31.0	5.4	-	
BOTULISM, FOODBORNE	0.0	-	-	-	-	-	-	-	0.0	0.0	-	0.0	-	
BOTULISM, INFANT	0.1	4.9	-	-	-	-	-	-	-	-	-	-	-	
BOTULISM, WOUND	0.0	-	-	-	-	-	-	0.0	0.1	0.1	-	-	-	
BRUCELLOSIS	0.1	0.2	0.1	0.0	0.0	0.2	0.1	0.2	0.1	0.1	0.1	0.2	-	
CHOLERA	0.1	-	-	-	-	-	0.0	0.1	0.1	0.1	0.1	0.1	-	
CRYPTOSPORIDIOSIS	1.5	0.7	0.7	0.2	0.2	0.1	0.3	2.1	3.7	2.6	0.8	0.4	-	
CYSTICERCOSIS	0.4	-	0.3	0.3	0.4	0.3	0.7	0.8	0.4	0.3	0.1	0.2	-	
DENGUE	0.0	-	-	-	0.1	-	-	0.0	-	0.0	0.0	-	-	
DIPHTHERIA	0.0	-	-	-	-	-	0.0	-	-	-	-	-	-	
E. COLI 0157:H7 INFECTION	0.4	0.7	1.1	0.9	0.5	0.3	0.1	0.1	0.2	0.1	0.3	0.5	-	
ENCEPHALITIS, ARBOVIRAL	0.0	-	-	-	-	-	-	-	0.0	-	-	-	-	
ENCEPHALITIS, POST INFECTIOUS	0.0	-	0.1	0.2	-	-	-	-	0.0	-	-	-	-	
ENCEPHALITIS, PRIMARY, OTHER & UNSP.	0.4	1.8	0.6	0.5	0.4	0.3	0.4	0.5	0.3	0.3	0.5	0.3	-	
HAEMOPHILUS INFLUENZAE, INVASIVE	0.5	4.7	0.5	0.2	0.0	0.2	0.2	0.1	0.2	0.2	0.4	1.4	-	
HEPATITIS A	20.4	2.8	21.3	42.0	27.5	23.9	28.9	31.8	22.8	13.1	8.6	5.3	-	
HEPATITIS B	6.5	1.3	0.4	0.8	1.7	7.4	11.6	12.2	10.6	8.1	5.6	3.2	-	
HEPATITIS D	0.0	-	-	-	-	-	0.0	-	0.1	0.0	-	-	-	
HEPATITIS NON-A NON-B	1.8	0.2	0.2	0.1	0.2	0.5	0.9	2.0	3.0	4.5	2.3	1.1	-	
HEPATITIS UNSPECIFIED	0.6	0.2	0.6	0.7	0.5	0.6	0.5	1.1	0.7	0.5	0.3	0.4	-	
KAWASAKI SYNDROME	0.4	1.6	3.7	0.8	0.0	-	-	-	-	-	-	-	-	
LEGIONELLOSIS	0.2	0.2	0.0	-	-	-	0.1	-	0.1	0.2	0.3	0.6	-	
LEPROSY	0.1	-	-	-	0.0	0.1	0.2	0.0	0.2	0.1	0.2	0.2	-	
LEPTOSPIROSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	
LISTERIOSIS	0.4	1.6	0.0	0.1	0.0	0.1	0.3	0.2	0.3	0.4	0.4	1.2	-	
LYME DISEASE	0.2	-	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.6	0.2	-	
MALARIA	0.7	-	0.5	0.4	0.6	1.0	1.2	1.0	0.7	0.7	0.7	0.3	-	
MEASLES: IMPORTED	0.0	0.5	-	0.0	-	0.1	0.0	0.0	-	-	-	-	-	
MEASLES: INDIGENOUS	0.2	0.2	0.5	0.1	0.4	0.6	0.0	0.0	0.2	0.1	-	-	-	
MENINGITIS, VIRAL	4.2	61.0	7.0	5.5	3.9	3.4	4.0	3.7	3.3	1.8	1.1	0.9	-	
MENINGOCOCCAL INFECTIONS	1.2	12.9	3.7	1.8	0.9	1.7	1.5	0.5	0.4	0.6	0.6	0.5	-	
MUMPS	0.8	-	2.0	3.9	1.4	1.0	0.5	1.1	0.3	0.3	0.1	0.0	-	
PARALYTIC SHELLFISH POISONING	0.1	-	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.0	-	
PERTUSSIS	1.9	49.4	4.7	2.6	2.2	0.5	0.4	0.4	0.4	0.3	0.1	0.1	-	
PLAQUE	0.0	-	-	-	0.0	-	-	-	-	-	0.0	-	-	
POLIOMYELITIS, PARALYTIC	-	-	-	-	-	-	-	-	-	-	-	-	-	
PSITTACOSIS	0.0	-	-	-	-	-	-	-	0.0	-	0.1	-	-	
Q FEVER	0.0	0.2	-	-	-	-	-	-	-	0.1	0.1	-	-	
RABIES, HUMAN	0.0	-	-	-	-	-	-	-	-	0.0	-	-	-	
RELAPSING FEVER	0.0	-	-	-	-	-	-	-	0.0	0.0	0.0	-	-	
REYE SYNDROME	0.0	0.2	0.0	-	0.1	0.1	-	-	-	-	-	-	-	
ROCKY MOUNTAIN SPOTTED FEVER	0.0	-	-	-	0.0	-	0.0	-	0.0	-	0.0	-	-	
RUBELLA (GERMAN MEASLES)	0.1	0.8	0.4	0.2	0.0	-	0.1	-	0.1	0.0	-	-	-	
RUBELLA, CONGENITAL	0.0	0.2	-	-	-	-	-	-	-	-	-	-	-	
STREPTOCOCCAL INF., DAIRY WORKERS	-	-	-	-	-	-	-	-	-	-	-	-	-	
STREPTOCOCCAL INF., FOOD HANDLERS	0.1	-	0.0	0.0	-	-	0.0	0.0	0.0	0.1	0.1	0.1	-	
TETANUS	0.0	-	-	-	-	0.1	-	-	0.0	0.1	0.0	0.0	-	
TOXIC SHOCK SYNDROME	0.1	-	0.1	0.1	0.0	0.3	0.3	0.1	0.2	0.1	-	0.0	-	
TRICHINOSIS	0.0	-	-	0.0	0.1	0.1	0.1	-	0.0	0.0	0.0	0.0	-	
TUBERCULOSIS	14.9	6.4	10.4	5.5	3.0	7.4	14.6	15.3	15.4	16.5	19.6	27.5	-	
TULAREMIA	0.0	-	-	-	-	-	-	-	-	0.0	-	0.0	-	
TYPHOID FEVER, ACUTE	0.3	-	0.6	0.3	0.3	0.6	0.5	0.6	0.4	0.2	0.2	0.1	-	
TYPHUS FEVER	0.1	-	-	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	-	
VIBRIO INFECTIONS (NON-CHOLERA)	0.1	0.2	-	0.0	-	0.1	0.1	0.1	0.1	0.1	0.1	0.1	-	
YELLOW FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-	

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

Tables

Table 8a. Cases Reported by Age Group, California, 1995

DISEASE	AGE GROUP												
	TOTAL	0	01-04	05-09	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	N/A
	CASES	CASES	CASES	CASES	CASES	CASES	CASES	CASES	CASES	CASES	CASES	CASES	CASES
AIDS	8434	[--- 30 ---]	-	9	14	23	248	992	3798	2362	719	239	-
BOTULISM, FOODBORNE	2	-	-	-	-	-	-	1	-	1	-	-	-
BOTULISM, INFANT	37	37	-	-	-	-	-	-	-	-	-	-	-
BOTULISM, WOUND	20	-	-	-	-	-	1	-	11	5	2	1	-
BOTULISM, UNSPECIFIED	1	-	-	-	-	-	-	-	1	-	-	-	-
BRUCELLOSIS	29	-	1	4	2	2	3	4	6	2	2	3	-
CHOLERA	9	-	1	-	-	1	-	-	1	2	2	2	-
CRYPTOSPORIDIOSIS	521	-	24	6	6	1	15	46	222	139	41	17	4
CYSTICERCOSIS	93	-	8	9	7	8	16	13	19	7	4	2	-
DENGUE	9	-	-	-	-	-	-	2	3	3	1	-	-
DIPHTHERIA	-	-	-	-	-	-	-	-	-	-	-	-	-
E. COLI 0157:H7 INFECTION	118	3	31	18	7	5	3	5	8	8	7	23	-
ENCEPHALITIS, ARBOVIRAL	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS, POST INFECTIOUS	4	-	-	3	-	-	-	-	1	-	-	-	-
ENCEPHALITIS, PRIMARY, OTHER & UNSP.	108	2	3	11	6	8	9	3	15	12	20	19	-
HAEMOPHILUS INFLUENZAE, INVASIVE	179	28	13	4	2	1	6	3	9	24	18	69	2
HEMOLYTIC-UREMIC SYNDROME	3	-	2	1	-	-	-	-	-	-	-	-	-
HEPATITIS A	6773	12	470	1035	608	567	675	850	1368	657	278	235	18
HEPATITIS B	1723	6	13	16	33	112	214	222	556	305	134	109	3
HEPATITIS D	-	-	-	-	-	-	-	-	-	-	-	-	-
HEPATITIS NON-A NON-B	508	2	1	2	3	7	18	40	178	171	40	44	2
HEPATITIS UNSPECIFIED	208	1	6	20	16	13	13	24	44	38	16	16	1
KAWASAKI SYNDROME	111	9	80	20	2	-	-	-	-	-	-	-	-
LEGIONELLOSIS	79	1	-	1	1	-	3	1	10	11	9	42	-
LEPROSY	49	-	-	-	2	2	8	7	7	2	7	14	-
LEPTOSPIROSIS	2	-	-	-	-	-	-	1	-	1	-	-	-
LISTERIOSIS	145	19	2	1	1	1	8	10	21	4	10	67	1
LYME DISEASE	80	-	1	13	3	-	5	6	15	21	6	10	-
MALARIA	244	-	12	12	15	17	24	26	54	38	20	20	6
MEASLES: IMPORTED	3	-	-	-	-	-	-	1	-	-	2	-	-
MEASLES: INDIGENOUS	106	17	23	8	7	5	8	11	15	11	1	-	-
MENINGITIS, VIRAL	1234	290	92	120	75	76	89	117	205	80	40	47	3
MENINGOCOCCAL INFECTIONS	370	68	79	34	25	32	24	12	27	20	11	35	3
MUMPS	212	1	35	55	39	22	14	7	20	12	4	3	-
PARALYTIC SHELLFISH POISONING	2	-	-	-	-	-	-	1	1	-	-	-	-
PERTUSSIS	543	283	71	45	48	10	4	11	33	21	11	5	1
PLAQUE	2	-	-	-	-	-	1	-	-	1	-	-	-
POLIOMYELITIS, PARALYTIC	1	-	1	-	-	-	-	-	-	-	-	-	-
PSITTACOSIS	6	-	-	-	-	-	1	1	2	1	1	-	-
Q FEVER	2	-	-	-	-	-	-	-	-	-	1	1	-
RABIES, HUMAN	2	-	-	-	-	-	-	1	-	-	-	1	-
RELAPSING FEVER	5	-	1	-	-	-	-	-	1	2	-	1	-
REYE SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA (GERMAN MEASLES)	21	3	3	-	2	2	2	5	3	1	-	-	-
RUBELLA, CONGENITAL	4	3	1	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL INF., DAIRY WORKERS	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL INF., FOOD HANDLERS	9	-	3	-	-	1	1	-	1	-	2	1	-
TETANUS	5	-	-	-	-	-	-	-	-	4	-	1	-
TOXIC SHOCK SYNDROME	22	-	1	1	1	1	-	3	6	7	-	2	-
TRICHINOSIS	1	-	-	-	-	-	-	-	-	-	1	-	-
TUBERCULOSIS	4672	25	222	116	63	137	300	427	820	710	588	1262	2
TULAREMIA	2	-	-	-	-	-	-	-	1	-	-	1	-
TYPHOID FEVER, ACUTE	73	1	9	6	10	3	7	10	15	8	-	3	1
TYPHUS FEVER	15	-	-	-	2	-	1	-	2	6	3	1	-
VIBRIO INFECTIONS (NON-CHOLERA)	44	1	1	-	2	-	-	4	9	9	6	12	-
YELLOW FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8b. Rates for Cases Reported by Age Group, California, 1995

DISEASE	AGE GROUP												
	TOTAL	0	01-04	05-09	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	N/A
	RATE	RATE	RATE	RATE	RATE	RATE	RATE	RATE	RATE	RATE	RATE	RATE	RATE
AIDS	25.4	[--- 1.2 ---]	-	-	0.4	0.6	1.1	10.6	37.2	63.9	50.4	25.0	5.2
BOTULISM, FOODBORNE	0.0	-	-	-	-	-	-	0.0	-	0.0	-	-	-
BOTULISM, INFANT	0.1	6.0	-	-	-	-	-	-	-	-	-	-	-
BOTULISM, WOUND	0.1	-	-	-	-	-	0.0	-	0.2	0.1	0.1	0.0	-
BOTULISM, UNSPECIFIED	0.0	-	-	-	-	-	-	0.0	-	-	-	-	-
BRUCELLOSIS	0.1	-	0.0	0.2	0.1	0.1	0.1	0.2	0.1	0.0	0.1	0.1	-
CHOLERA	0.0	-	0.0	-	0.1	-	-	-	0.0	0.0	0.1	0.0	-
CRYPTOSPORIDIOSIS	1.6	-	1.0	0.2	0.3	0.1	0.6	1.7	3.7	3.0	1.4	0.4	-
CYSTICERCOSIS	0.3	-	0.3	0.4	0.3	0.4	0.7	0.5	0.3	0.2	0.1	0.0	-
DENGUE	0.0	-	-	-	-	-	-	0.1	0.1	0.1	0.0	-	-
DIPHTHERIA	-	-	-	-	-	-	-	-	-	-	-	-	-
E. COLI 0157:H7 INFECTION	0.4	0.5	1.3	0.7	0.3	0.2	0.1	0.2	0.1	0.2	0.2	0.5	-
ENCEPHALITIS, ARBOVIRAL	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS, POST INFECTIOUS	0.0	-	-	0.1	-	-	-	-	0.0	-	-	-	-
ENCEPHALITIS, PRIMARY, OTHER & UNSP.	0.3	0.3	0.1	0.4	0.3	0.4	0.4	0.1	0.3	0.3	0.7	0.4	-
HAEMOPHILUS INFLUENZAE, INVASIVE	0.5	4.6	0.5	0.2	0.1	0.1	0.3	0.1	0.2	0.5	0.6	1.5	-
HEMOLYTIC-UREMIC SYNDROME	0.0	-	0.1	0.0	-	-	-	-	-	-	-	-	-
HEPATITIS A	20.4	2.0	19.4	40.8	26.1	26.5	28.9	31.9	23.0	14.0	9.7	5.1	-
HEPATITIS B	5.2	1.0	0.5	0.6	1.4	5.2	9.2	8.3	9.4	6.5	4.7	2.4	-
HEPATITIS D	-	-	-	-	-	-	-	-	-	-	-	-	-
HEPATITIS NON-A NON-B	1.5	0.3	0.0	0.1	0.1	0.3	0.8	1.5	3.0	3.7	1.4	1.0	-
HEPATITIS UNSPECIFIED	0.6	0.2	0.3	0.8	0.7	0.6	0.6	0.9	0.7	0.8	0.6	0.4	-
KAWASAKI SYNDROME	0.3	1.5	3.3	0.8	0.1	-	-	-	-	-	-	-	-
LEGIONELLOSIS	0.2	0.2	-	0.0	0.0	-	0.1	0.0	0.2	0.2	0.3	0.9	-
LEPROSY	0.2	-	-	-	0.1	0.1	0.3	0.3	0.1	0.0	0.2	0.3	-
LEPTOSPIROSIS	0.0	-	-	-	-	-	-	0.0	-	0.0	-	-	-
LISTERIOSIS	0.4	3.1	0.1	0.0	0.0	0.1	0.3	0.4	0.4	0.1	0.4	1.5	-
LYME DISEASE	0.2	-	0.0	0.5	0.1	-	0.2	0.2	0.3	0.5	0.2	0.2	-
MALARIA	0.7	-	0.5	0.5	0.6	0.8	1.0	1.0	0.9	0.8	0.7	0.4	-
MEASLES: IMPORTED	0.0	-	-	-	-	-	-	0.0	-	-	0.1	-	-
MEASLES: INDIGENOUS	0.3	2.8	1.0	0.3	0.3	0.2	0.3	0.4	0.3	0.2	0.0	-	-
MENINGITIS, VIRAL	3.7	47.2	3.8	4.7	3.2	3.6	3.8	4.4	3.5	1.7	1.4	1.0	-
MENINGOCOCCAL INFECTIONS	1.1	11.1	3.3	1.3	1.1	1.5	1.0	0.5	0.5	0.4	0.4	0.8	-
MUMPS	0.6	0.2	1.5	2.2	1.7	1.0	0.6	0.3	0.3	0.3	0.1	0.1	-
PARALYTIC SHELLFISH POISONING	0.0	-	-	-	-	-	-	0.0	0.0	-	-	-	-
PERTUSSIS	1.6	46.1	2.9	1.8	2.1	0.5	0.2	0.4	0.6	0.5	0.4	0.1	-
PLAQUE	0.0	-	-	-	-	-	0.0	-	-	-	0.0	-	-
POLIOMYELITIS, PARALYTIC	0.0	-	0.0	-	-	-	-	-	-	-	-	-	-
PSITTACOSIS	0.0	-	-	-	-	-	0.0	0.0	0.0	0.0	0.0	-	-
Q FEVER	0.0	-	-	-	-	-	-	-	-	-	0.0	0.0	-
RABIES, HUMAN	0.0	-	-	-	-	-	-	0.0	-	-	-	0.0	-
RELAPSING FEVER	0.0	-	0.0	-	-	-	-	-	0.0	0.0	-	0.0	-
REYE SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA (GERMAN MEASLES)	0.1	0.5	0.1	-	0.1	0.1	0.1	0.2	0.1	0.0	-	-	-
RUBELLA, CONGENITAL	0.0	0.5	0.0	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL INF., DAIRY WORKER	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL INF., FOOD HANDLERS	0.0	-	0.1	-	-	0.1	0.0	-	0.0	-	0.1	0.0	-
TETANUS	0.0	-	-	-	-	-	-	-	-	-	0.1	-	0.0
TOXIC SHOCK SYNDROME	0.1	-	0.0	0.0	0.0	0.1	-	0.1	0.1	0.2	-	0.0	-
TRICHINOSIS	0.0	-	-	-	-	-	-	-	-	-	0.0	-	-
TUBERCULOSIS	14.1	4.1	9.2	4.6	2.7	6.4	12.9	16.0	13.8	15.1	20.4	27.2	-
TULAREMIA	0.0	-	-	-	-	-	-	-	0.0	-	-	0.0	-
TYPHOID FEVER, ACUTE	0.2	0.2	0.4	0.2	0.4	0.1	0.3	0.4	0.3	0.2	-	0.1	-
TYPHUS FEVER	0.1	-	-	-	0.1	-	0.0	-	0.0	0.1	0.1	0.0	-
VIBRIO INFECTIONS (NON-CHOLERA)	0.1	0.2	0.0	-	0.1	-	-	0.2	0.2	0.2	0.2	0.3	-
YELLOW FEVER	-	-	-	-	-	-	-	-	-	-	-	-	-

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

Tables

Table 9a. Cases Reported by Race / Ethnic Groups, California, 1994

DISEASE	RACE / ETHNICITY					
	Black	Hispanic	Other	White	Unknown	All
	CASES	CASES	CASES	CASES	CASES	CASES
AIDS	1983	2167	-	5519	316	9985
BOTULISM, FOODBORNE	-	2	-	1	1	4
BOTULISM, INFANT	-	7	3	20	-	30
BOTULISM, WOUND	1	2	-	7	1	11
BRUCELLOSIS	-	26	3	1	6	36
CHOLERA	-	10	2	3	3	18
CRYPTOSPORIDIOSIS	28	76	6	132	238	480
CYSTICERCOSIS	2	91	8	4	13	118
DENGUE	-	2	3	-	1	6
DIPHTHERIA	-	-	-	1	-	1
E. COLI 0157:H7 INFECTION	10	15	4	68	21	118
ENCEPHALITIS, ARBOVIRAL	-	-	-	1	-	1
ENCEPHALITIS, POST INFECTIOUS	-	3	-	4	1	8
ENCEPHALITIS, PRIMARY, OTHER & UNSP.	14	27	10	57	22	130
HAEMOPHILUS INFLUENZAE, INVASIVE	11	26	8	63	57	165
HEPATITIS A	229	1948	364	3022	1078	6641
HEPATITIS B	205	326	550	606	435	2122
HEPATITIS D	-	1	-	4	1	6
HEPATITIS NON-A NON-B	38	134	37	299	85	593
HEPATITIS UNSPECIFIED	9	63	14	76	23	185
KAWASAKI SYNDROME	12	31	26	39	10	118
LEGIONELLOSIS	5	6	1	36	6	54
LEPROSY	-	13	23	-	2	38
LISTERIOSIS	9	31	14	53	19	126
LYME DISEASE	1	2	1	53	11	68
MALARIA	41	34	47	49	45	216
MEASLES: IMPORTED	-	-	5	3	-	8
MEASLES: INDIGENOUS	3	15	2	30	3	53
MENINGITIS, VIRAL	108	429	73	588	172	1370
MENINGOCOCCAL INFECTIONS	35	129	16	155	65	400
MUMPS	6	122	23	84	35	270
PARALYTIC SHELLFISH POISONING	3	7	4	5	4	23
PERTUSSIS	21	206	29	272	75	603
PLAQUE	-	-	-	2	-	2
PSITTACOSIS	-	-	1	3	-	4
Q FEVER	1	-	-	5	1	7
RABIES, HUMAN	-	-	-	-	1	1
RELAPSING FEVER	1	-	-	1	1	3
REYE SYNDROME	-	2	-	3	-	5
ROCKY MOUNTAIN SPOTTED FEVER	-	-	-	3	2	5
RUBELLA (GERMAN MEASLES)	4	10	-	12	2	28
RUBELLA, CONGENITAL	-	-	-	1	-	1
STREPTOCOCCAL INF., FOOD HANDLERS	-	2	1	10	4	17
TETANUS	-	3	1	4	-	8
TOXIC SHOCK SYNDROME	-	3	1	31	4	39
TRICHINOSIS	-	1	-	-	11	12
TUBERCULOSIS	625	1794	1710	708	2	4839
TULAREMIA	-	-	-	2	-	2
TYPHOID FEVER, ACUTE	2	35	43	6	26	112
TYPHUS FEVER	-	6	3	12	-	21
VIBRIO INFECTIONS (NON-CHOLERA)	-	8	5	7	7	27

Table 9b. Rates for Cases Reported by Race / Ethnic Group, California, 1994

DISEASE	RACE / ETHNICITY				
	Black	Hispanic	Other	White	All
	RATE	RATE	RATE	RATE	RATE
AIDS	87.9	23.2	-	31.5	30.7
BOTULISM, FOODBORNE	-	0.0	-	0.0	0.0
BOTULISM, INFANT	-	0.1	0.1	0.1	0.1
BOTULISM, WOUND	0.0	0.0	-	0.0	0.0
BRUCELLOSIS	-	0.3	0.1	0.0	0.1
CHOLERA	-	0.1	0.1	0.0	0.1
CRYPTOSPORIDIOSIS	1.2	0.8	0.2	0.8	1.5
CYSTICERCOSIS	0.1	1.0	0.2	0.0	0.4
DENGUE	-	0.0	0.1	-	0.0
DIPHTHERIA	-	-	-	0.0	0.0
E. COLI O157:H7 INFECTION	0.4	0.2	0.1	0.4	0.4
ENCEPHALITIS, ARBOVIRAL	-	-	-	0.0	0.0
ENCEPHALITIS, POST INFECTIOUS	-	0.0	-	0.0	0.0
ENCEPHALITIS, PRIMARY, OTHER & UNSP.	0.6	0.3	0.3	0.3	0.4
HAEMOPHILUS INFLUENZAE, INVASIVE	0.5	0.3	0.2	0.4	0.5
HEPATITIS A	10.2	20.9	10.7	17.3	20.4
HEPATITIS B	9.1	3.5	16.1	3.5	6.5
HEPATITIS D	-	0.0	-	0.0	0.0
HEPATITIS NON-A NON-B	1.7	1.4	1.1	1.7	1.8
HEPATITIS UNSPECIFIED	0.4	0.7	0.4	0.4	0.6
KAWASAKI SYNDROME	0.5	0.3	0.8	0.2	0.4
LEGIONELLOSIS	0.2	0.1	0.0	0.2	0.2
LEPROSY	-	0.1	0.7	-	0.1
LISTERIOSIS	0.4	0.3	0.4	0.3	0.4
LYME DISEASE	0.0	0.0	0.0	0.3	0.2
MALARIA	1.8	0.4	1.4	0.3	0.7
MEASLES: IMPORTED	-	-	0.2	0.0	0.0
MEASLES: INDIGENOUS	0.1	0.2	0.1	0.2	0.2
MENINGITIS, VIRAL	4.8	4.6	2.1	3.4	4.2
MENINGOCOCCAL INFECTIONS	1.6	1.4	0.5	0.9	1.2
MUMPS	0.3	1.3	0.7	0.5	0.8
PARALYTIC SHELLFISH POISONING	0.1	0.1	0.1	0.0	0.1
PERTUSSIS	0.9	2.2	0.9	1.6	1.9
PLAQUE	-	-	-	0.0	0.0
PSITTACOSIS	-	-	0.0	0.0	0.0
Q FEVER	0.0	-	-	0.0	0.0
RABIES, HUMAN	-	-	-	-	0.0
RELAPSING FEVER	0.0	-	-	0.0	0.0
REYE SYNDROME	-	0.0	-	0.0	0.0
ROCKY MOUNTAIN SPOTTED FEVER	-	-	-	0.0	0.0
RUBELLA (GERMAN MEASLES)	0.2	0.1	-	0.1	0.1
RUBELLA, CONGENITAL	-	-	-	0.0	0.0
STREPTOCOCCAL INF., FOOD HANDLERS	-	0.0	0.0	0.1	0.1
TETANUS	-	0.0	0.0	0.0	0.0
TOXIC SHOCK SYNDROME	-	0.0	0.0	0.2	0.1
TRICHINOSIS	-	0.0	-	-	0.0
TUBERCULOSIS	27.7	19.2	50.1	4.0	14.9
TULAREMIA	-	-	-	0.0	0.0
TYPHOID FEVER, ACUTE	0.1	0.4	1.3	0.0	0.3
TYPHUS FEVER	-	0.1	0.1	0.1	0.1
VIBRIO INFECTIONS (NON-CHOLERA)	-	0.1	0.2	0.0	0.1

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

Tables

Table 10a. Cases Reported by Race / Ethnic Groups, California, 1995

DISEASE	RACE / ETHNICITY					
	Black	Hispanic	Other	White	Unknown	All
	CASES	CASES	CASES	CASES	CASES	CASES
AIDS	1668	2021	-	4487	258	8434
BOTULISM, FOODBORNE	-	-	-	1	1	2
BOTULISM, INFANT	-	10	5	22	-	37
BOTULISM, WOUND	-	6	-	8	6	20
BOTULISM, UNSPECIFIED	-	-	-	1	-	1
BRUCELLOSIS	-	21	-	6	2	29
CHOLERA	-	7	1	1	-	9
CRYPTOSPORIDIOSIS	23	97	10	166	225	521
CYSTICERCOSIS	-	77	1	5	10	93
DENGUE	1	1	1	6	-	9
E. COLI O157:H7 INFECTION	3	14	8	63	30	118
ENCEPHALITIS, POST INFECTIOUS	-	-	-	3	1	4
ENCEPHALITIS, PRIMARY, OTHER & UNSP.	6	18	4	67	13	108
HAEMOPHILUS INFLUENZAE, INVASIVE	25	33	4	88	29	179
HEMOLYTIC-UREMIC SYNDROME	-	1	-	-	2	3
HEPATITIS A	272	2009	317	3162	1013	6773
HEPATITIS B	145	285	385	540	368	1723
HEPATITIS NON-A NON-B	42	108	37	249	72	508
HEPATITIS UNSPECIFIED	8	62	5	107	26	208
KAWASAKI SYNDROME	6	22	37	40	6	111
LEGIONELLOSIS	5	7	5	49	13	79
LEPROSY	2	17	22	2	6	49
LEPTOSPIROSIS	-	1	-	-	1	2
LISTERIOSIS	10	36	26	55	18	145
LYME DISEASE	1	6	-	67	6	80
MALARIA	44	34	77	51	38	244
MEASLES: IMPORTED	-	1	-	1	1	3
MEASLES: INDIGENOUS	2	38	4	46	16	106
MENINGITIS, VIRAL	79	328	68	532	227	1234
MENINGOCOCCAL INFECTIONS	29	106	17	159	59	370
MUMPS	7	102	15	65	23	212
PARALYTIC SHELLFISH POISONING	-	-	-	1	1	2
PERTUSSIS	40	158	20	259	66	543
PLAQUE	-	-	-	2	-	2
POLIOMYELITIS, PARALYTIC	-	-	-	-	1	1
PSITTACOSIS	-	-	-	6	-	6
Q FEVER	-	-	-	2	-	2
RABIES, HUMAN	-	1	-	1	-	2
RELAPSING FEVER	-	-	-	4	1	5
RUBELLA (GERMAN MEASLES)	1	8	3	8	1	21
RUBELLA, CONGENITAL	-	4	-	-	-	4
STREPTOCOCCAL INF., FOOD HANDLERS	2	4	-	1	2	9
TETANUS	-	3	2	-	-	5
TOXIC SHOCK SYNDROME	2	3	-	14	3	22
TRICHINOSIS	-	-	-	1	-	1
TUBERCULOSIS	591	1686	1728	659	8	4672
TULAREMIA	-	-	-	-	2	2
TYPHOID FEVER, ACUTE	4	21	28	2	18	73
TYPHUS FEVER	-	2	1	11	1	15
VIBRIO INFECTIONS (NON-CHOLERA)	5	13	4	14	8	44

Table 10b. Rates for Cases Reported by Race / Ethnic Group, California, 1995

DISEASE	RACE / ETHNICITY				
	Black	Hispanic	Other	White	All
	RATE	RATE	RATE	RATE	RATE
AIDS	72.7	20.7	-	25.5	25.4
BOTULISM, FOODBORNE	-	-	-	0.0	0.0
BOTULISM, INFANT	-	0.1	0.1	0.1	0.1
BOTULISM, WOUND	-	0.1	-	0.1	0.1
BOTULISM, UNSPECIFIED	-	-	-	0.0	0.0
BRUCELLOSIS	-	0.2	-	0.0	0.1
CHOLERA	-	0.1	0.0	0.0	0.0
CRYPTOSPORIDIOSIS	1.0	1.0	0.3	0.9	1.6
CYSTICERCOSIS	-	0.8	0.0	0.0	0.3
DENGUE	0.0	0.0	0.0	0.0	0.0
E. COLI O157:H7 INFECTION	0.1	0.1	0.2	0.4	0.4
ENCEPHALITIS, POST INFECTIOUS	-	-	-	0.0	0.0
ENCEPHALITIS, PRIMARY, OTHER & UNSP.	0.3	0.2	0.1	0.4	0.3
HAEMOPHILUS INFLUENZAE, INVASIVE	1.1	0.3	0.1	0.5	0.5
HEMOLYTIC-UREMIC SYNDROME	-	0.0	-	-	0.0
HEPATITIS A	11.9	20.6	9.0	18.0	20.4
HEPATITIS B	6.3	2.9	10.9	3.1	5.2
HEPATITIS NON-A NON-B	1.8	1.1	1.1	1.4	1.5
HEPATITIS UNSPECIFIED	0.4	0.6	0.1	0.6	0.6
KAWASAKI SYNDROME	0.3	0.2	1.1	0.2	0.3
LEGIONELLOSIS	0.2	0.1	0.1	0.3	0.2
LEPROSY	0.1	0.2	0.6	0.0	0.2
LEPTOSPIROSIS	-	0.0	-	-	0.0
LISTERIOSIS	0.4	0.4	0.7	0.3	0.4
LYME DISEASE	0.0	0.1	-	0.4	0.2
MALARIA	1.9	0.4	2.2	0.3	0.7
MEASLES: IMPORTED	-	0.0	-	0.0	0.0
MEASLES: INDIGENOUS	0.1	0.4	0.1	0.3	0.3
MENINGITIS, VIRAL	3.4	3.4	1.9	3.0	3.7
MENINGOCOCCAL INFECTIONS	1.3	1.1	0.5	0.9	1.1
MUMPS	0.3	1.0	0.4	0.4	0.6
PARALYTIC SHELLFISH POISONING	-	-	-	0.0	0.0
PERTUSSIS	1.7	1.6	0.6	1.5	1.6
PLAQUE	-	-	-	0.0	0.0
POLIOMYELITIS, PARALYTIC	-	-	-	-	0.0
PSITTACOSIS	-	-	-	0.0	0.0
Q FEVER	-	-	-	0.0	0.0
RABIES, HUMAN	-	0.0	-	0.0	0.0
RELAPSING FEVER	-	-	-	0.0	0.0
RUBELLA (GERMAN MEASLES)	0.0	0.1	0.1	0.1	0.1
RUBELLA, CONGENITAL	-	0.0	-	-	0.0
STREPTOCOCCAL INF., FOOD HANDLERS	0.1	0.0	-	0.0	0.0
TETANUS	-	0.0	0.1	-	0.0
TOXIC SHOCK SYNDROME	0.1	0.0	-	0.1	0.1
TRICHINOSIS	-	-	-	0.0	0.0
TUBERCULOSIS	25.8	17.3	48.9	3.8	14.1
TULAREMIA	-	-	-	-	0.0
TYPHOID FEVER, ACUTE	0.2	0.2	0.8	0.0	0.2
TYPHUS FEVER	-	0.0	0.0	0.1	0.1
VIBRIO INFECTIONS (NON-CHOLERA)	0.2	0.1	0.1	0.1	0.1

Rates are expressed as number of cases per 100,000 population, rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05, or 1 case per 2 million population).

Tables

Table 11. Summary of Reported Foodborne Outbreaks, California, 1994

	CONFIRMED ETOLOGICAL AGENT	DATE OF ONSET	NUMBER OF CASES	REPORTING HEALTH JURISDICTION	VEHICLE SUSPECTED	PLACE WHERE CONTAMINATED ITEM WAS PREPARED	PLACE WHERE EATEN	FACTORS CONTRIBUTING TO OUTBREAK		
BACTERIAL										
1	<i>Clostridium botulinum</i>	2/17/94	1	Merced	home canned tuna		x			
2	<i>Clostridium botulinum</i>	3/8/94	1	Fresno	bread pudding	x	x	x	x	x
3	<i>Clostridium botulinum</i>	5/22/94	1	Fresno	home canned olive	x	x	x	x	x
4	<i>Clostridium botulinum</i>	6/17/94	2	Placer	chowder soup	x	x	x	x	x
5	<i>Escherichia coli</i> O157:H7	11/17/94	4	Sacramento	salami	x	x	x	x	x
6	<i>Salmonella</i> Enteritidis	12/17/93	7	Los Angeles	lasagna	x	x	x	x	x
7	<i>Salmonella</i> Enteritidis	5/5/94	20	Orange	rice, cheese, broccoli	x	x	x	x	x
8	<i>Salmonella</i> Enteritidis	8/24/94	9	Fresno	turkey	x	x	x	x	x
9	<i>Salmonella</i> Enteritidis	9/12/94	4	Yolo	commercial ice cream	x	x	x	x	x
10	<i>Salmonella</i> Enteritidis	9/15/94	3	San Diego	fried rice with scramble egg	x	x	x	x	x
11	<i>Salmonella</i> Enteritidis	9/15/94	4	Yolo	commercial ice cream	x	x	x	x	x
12	<i>Salmonella</i> Enteritidis	10/1/94	4	Sacramento	barbecued goat meat	x	x	x	x	x
13	<i>Salmonella</i> Newport	10/9/93	27	Los Angeles	"top" (fan raw pork), stir-fry pork	x	x	x	x	x
14	<i>Salmonella</i> Typhimurium	3/4/94	28	San Joaquin	"top" (fan raw pork), stir-fry pork	x	x	x	x	x
15	<i>Salmonella</i> Typhimurium	5/15/94	41	Riverside	goat meat	x	x	x	x	x
16	<i>Salmonella</i> Typhimurium	7/22/94	3	Monterey	smoked turkey sandwich	x	x	x	x	x
17	<i>Salmonella</i> Typhimurium	9/4/94	142	Tulare	"turb's" (raw beef) sausage	x	x	x	x	x
18	<i>Salmonella</i> Heidelberg	7/27/94	55	Santa Cruz	ground turkey	x	x	x	x	x
19	<i>Salmonella</i> Infantis	7/3/94	30	Fresno	raw beef	x	x	x	x	x
20	<i>Shigella</i> <i>Flexneri</i>	3/7/94	6	Riverside	pumpkin pie	x	x	x	x	x
21	<i>Shigella</i> <i>Flexneri</i>	6/5/94	10	Orange	unspecked	x	x	x	x	x
22	<i>Staphylococcus aureus</i>	5/8/94	80	Sonoma	ham	x	x	x	x	x
23	<i>Staphylococcus aureus</i>	12/16/94	15	Los Angeles	fried rice	x	x	x	x	x
24	CHEMICAL									
25	PARENTHETIC	4/6/94	1	San Diego	dietary supplement	x	x	x	x	x
26	VIRAL	10/8/93	10	Tulare	"top" (raw-spiced pork sausage)	x	x	x	x	x
TOTAL CASES WITH ETIOLOGY CONFIRMED										
TOTAL CASES WITH SUSPECTED ETIOLOGY						608 (26 outbreaks)				
TOTAL CASES WITH UNKNOWN ETIOLOGY						404 (16 outbreaks)				
ALL FOODBORNE OUTBREAK RELATED CASES						249 (19 outbreaks)				
						1261 (61 outbreaks)				

* Reports received in 1994, not necessarily the year in which the outbreak occurred.

** One death, eleven year-old.

*** One death, two year-old.

Table 12. Summary of Reported Foodborne Outbreaks, California, 1995

ETIOLOGICAL AGENT	DATE OF ONSET	NUMBER OF CASES	REPORTING HEALTH JURISDICTION	PLACE WHERE CONTAMINATED ITEM WAS PREPARED	FACTORS CONTRIBUTING TO OUTBREAK													
						RESTAURANT	CATERER	PRIVATE HOME	CAFETERIA	RESTAURANT	PRIVATE HOME	CHURCH	SCHOOL	PICNIC	INDOOR/OUTDOOR COOKING	UNSAFE SOURCE	CONTAMINATED EQUIPMENT	POOR HYGIENE OF FOOD HANDLER
BACTERIAL																		
1 <i>Clostridium botulinum</i>	9/20/94	1	Pasadena	can black bean	x													
2 <i>Clostridium botulinum</i>	12/7/95	1	Santa Clara	home canned tuna	x													
3 <i>Clostridium perfringens</i>	11/18/95	100	Sacramento	turkey or gravy	x													
4 <i>Escherichia coli</i> O157:H7	12/1/95	5	Sacramento	ground beef	x													
5 <i>Salmonella</i> Enteritidis	6/25/94	8	Los Angeles	scrambled eggs	x													
6 <i>Salmonella</i> Enteritidis	8/21/94	50	Los Angeles	ham croquettes	x													
7 <i>Salmonella</i> Enteritidis	8/29/94	29	Orange	"kim pop" (Korean sushi)	x													
8 <i>Salmonella</i> Enteritidis	10/18/94	21	Orange	homemade mayonnaise	x													
9 <i>Salmonella</i> Enteritidis	10/29/94	20	Los Angeles	unspecified	x													
10 <i>Salmonella</i> Enteritidis	4/3/95	4	San Bernardino	unspecified	x													
11 <i>Salmonella</i> Enteritidis	4/16/95	4	Orange	egg dish	x													
12 <i>Salmonella</i> Enteritidis	6/12/95	8	Monterey	egg dish	x													
13 <i>Salmonella</i> Enteritidis	6/17/95	7	Monterey	multiple food items	x													
14 <i>Salmonella</i> Enteritidis	7/4/95	10	San Bernardino	egg and cheese	x													
15 <i>Salmonella</i> Typhimurium	10/23/94	5	San Francisco	sushi	x													
16 <i>Salmonella</i> Typhimurium	4/17/95	3	Los Angeles	raw milk	x													
17 <i>Salmonella</i> Tennessee	4/17/94	9	Los Angeles	chicken rice	x													
18 <i>Salmonella</i> Weltevreden	11/28/94	26	Los Angeles	salmon dish	x													
19 <i>Salmonella</i> Kottbus	2/10/95	14	Los Angeles	unspecified	x													
20 <i>Salmonella</i> Hadar	3/19/95	55	San Bernardino	medium rare beef	x													
21 <i>Salmonella</i> Heidelberg	8/13/95	30	Los Angeles	spaghetti	x													
22 <i>Shigella sonnei</i>	6/1/94	27	Los Angeles	unspecified	x													
23 <i>Shigella flexneri</i>	3/6/95	5	San Diego	unspecified	x													
24 <i>Staphylococcus aureus</i>	10/19/94	140	San Francisco	meat in rice salad	x													
VIRAL																		
25 Norwalk	9/9/95	97	Los Angeles	fruit tart	x													
TOTAL CASES WITH ETIOLOGY CONFIRMED		679	(25 outbreaks)															
TOTAL CASES WITH SUSPECTED ETIOLOGY		207	(20 outbreaks)															
TOTAL CASES WITH UNKNOWN ETIOLOGY		333	(18 outbreaks)															
ALL FOODBORNE OUTBREAK RELATED CASES		1219	(63 outbreaks)															

* Reports received in 1995, not necessarily the year in which the outbreak occurred.

Table 13. Deaths from Selected Diseases, California, 1986-1995

Year:	1986			1987			1988			1989			1990			1991			1992			1993			1994		
Population	27,052,400	27,716,900	28,393,100	29,142,000	29,976,000	30,646,000	31,300,000	31,906,308	32,520,140	33,188,930	DEATHS	RATE															
Cause of Death																											
AIDS	3,453	12.8	4,355	15.7	4,013	14.1	3,040	10.4	5,041	16.8	5,533	18.1	5,996	19.2	6,287	19.7	6,739	20.7	6,450	19.4	-	0	-	0	-	0	
AMEBIASIS	1	0.0	3	0.0	2	0.0	2	0.0	2	0.0	1	0.0	2	0.0	2	0.0	2	0.0	2	0.0	2	0.0	2	0.0	2	0.0	
ASTHMA	465	1.7	548	2.0	597	2.1	570	2.0	561	1.9	601	2.0	569	1.8	588	1.8	684	2.1	651	2.0	-	0	-	0	-	0	
BOTULISM, Foodborne	1	0.0	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
BRONCHITIS, Acute & Bronchiolitis	69	0.3	58	0.2	94	0.3	103	0.4	??	91	0.3	84	0.3	70	0.2	60	0.2	84	0.3	66	0.2	84	0.3	72	0.2	65	0.2
BRONCHITIS, Other	75	0.3	77	0.3	94	0.3	78	0.3	84	0.3	70	0.2	60	0.2	81	0.3	72	0.2	65	0.2	-	0	-	0	-	0	
CHICKENPOX (Varicella)	5	0.0	10	0.0	9	0.0	18	0.1	26	0.1	17	0.1	9	0.0	15	0.0	17	0.1	7	0.0	-	0	-	0	-	0	
ENCEPHALITIS, Acute Infectious	40	0.1	14	0.1	20	0.1	24	0.1	21	0.1	19	0.1	13	0.0	23	0.1	21	0.1	17	0.1	-	0	-	0	-	0	
HEPATITIS, Viral	203	0.8	236	0.9	274	1.0	267	0.9	265	0.9	348	1.1	340	1.1	459	1.4	557	1.7	605	1.8	-	0	-	0	-	0	
INFLUENZA	89	0.3	75	0.3	217	0.8	292	1.0	155	0.5	109	0.4	122	0.4	103	0.3	131	0.4	53	0.2	-	0	-	0	-	0	
LEPROSY	1	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
LEPTOSPIROSIS	-	-	-	-	1	0.0	-	-	1	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
MALARIA	2	0.0	2	0.0	5	0.0	-	-	-	-	2	0.0	1	0.0	4	0.0	0	0	2	0.0	-	0	-	0	-	0	
MEASLES (Rubeola)	-	-	-	-	2	0.0	12	0.0	39	0.1	8	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-		
MENTINGITIS	121	0.4	129	0.5	147	0.5	252	0.9	260	0.9	105	0.3	92	0.3	96	0.3	92	0.3	92	0.3	75	0.2	-	0	-	0	
MENTINGOCOCCAL INFECTIONS	42	0.2	72	0.3	66	0.2	77	0.3	36	0.1	40	0.1	37	0.1	44	0.1	46	0.1	46	0.1	31	0.1	-	0	-	0	
PNEUMONIA, Viral	116	0.4	110	0.4	141	0.5	176	0.6	135	0.5	128	0.4	122	0.4	110	0.3	152	0.5	99	0.3	-	0	-	0	-	0	
PNEUMONIA, Bacterial	649	2.4	696	2.5	766	2.7	842	2.9	501	1.7	836	2.7	773	2.5	805	2.5	827	2.5	782	2.4	-	0	-	0	-	0	
PNEUMONIA, Other	6,748	24.9	7,382	26.6	8,258	29.1	9,169	31.5	8,895	29.7	8,652	28.2	8,776	28.0	9,490	29.7	9,127	28.1	9,614	29.0	-	0	-	0	-	0	
RHEUMATIC FEVER	10	0.0	3	0.0	7	0.0	14	0.0	11	0.0	11	0.0	7	0.0	8	0.0	8	0.0	8	0.0	9	0.0	-	0	-	0	
RUBELLA (German Measles)	-	-	-	-	2	0.0	6	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
SALMONELLOSIS	17	0.1	7	0.0	4	0.0	9	0.0	8	0.0	6	0.0	8	0.0	8	0.0	8	0.0	8	0.0	10	0.0	-	0	-	0	
SHIGELLOSIS	-	-	4	0.0	2	0.0	3	0.0	4	0.0	3	0.0	2	0.0	2	0.0	4	0.0	4	0.0	3	0.0	-	0	-	0	
SYPHILIS	11	0.0	11	0.0	10	0.0	18	0.1	10	0.0	6	0.0	7	0.0	9	0.0	6	0.0	6	0.0	4	0.0	-	0	-	0	
TETANUS	3	0.0	-	4	0.0	-	2	0.0	-	1	0.0	-	1	0.0	-	0	-	0	-	1	0.0	-	1	0.0	-	0	
TUBERCULOSIS	169	0.6	200	0.7	235	0.8	234	0.8	211	0.7	201	0.7	202	0.6	202	0.6	199	0.6	190	0.6	-	0	-	0	-	0	

Rate is expressed as number of deaths per 100,000 population. Rounded to nearest tenth (rate of 0.0 is greater than zero and less than 0.05).


Population Estimates from California Dept. of Finance: For 1984 to 1990, Report 80-90; for 1991 & 1992, Report 92-E-2, and for 1993 to 1995, Report 93-P-3.

Data Source: California Department of Health Services, Health Information and Strategic Planning Division, Center for Health Statistics.

FIGURES

AIDS By Year, California, 1980-1995


CASES REPORTED



AMEBIASIS

By Year, California, 1980-1995


CASES REPORTED



COCCIDIOIDOMYCOSIS

By Year, California, 1980-1995

CASES REPORTED





CRYPTOSPORIDIOSIS


By Age Group and Sex

California, 1995

Rate









Foodborne Outbreaks by Confirmed *Salmonella* Serotype, 1994

CONFIRMED SALMONELLA SEROTYPES	OUTBREAKS	CASES
<i>S. Enteritidis</i>	7	51
<i>S. Typhimurium</i> **	4	214
<i>S. Heidelberg</i>	1	55
<i>S. Infantis</i>	1	30
<i>S. Newport</i>	1	27
Total	14	377





* Year of report, not necessarily year of occurrence.


** 2 deaths were associated with this serotype.

Foodborne Outbreaks by Confirmed *Salmonella* Serotype, 1995

CONFIRMED SALMONELLA SEROTYPES	OUTBREAKS	CASES
S. Enteritidis	10	161
S. Hadar	1	55
S. Heidelberg	1	30
S. Kottbus	1	14
S. Tennessee	1	9
S. Weltevreden	1	26
S. Typhimurium	2	8
TOTAL	17	303



* Year of report, not necessary year of occurrence.





HEPATITIS A

By Age Group and Sex

California, 1995

Rate





HEPATITIS B


By Age Group and Sex
California, 1995



HEPATITIS B

By Year, California, 1980-1995

CASES REPORTED




KAWASAKI SYNDROME

By Age Group and Sex

California, 1995

Rate



Total Cases N=111


Rate as Cases per 100,000 population

Excludes Cases with unknown Sex or Age (N=0)

KAWASAKI SYNDROME

By Year, California, 1986-1995


CASES REPORTED




LEPROSY

By Year, California, 1980-1995

CASES REPORTED






VIRAL MENINGITIS

By Age Group and Sex

California, 1995

Rate




Total Cases N=1234
Rate as Cases per 100,000 population
Excludes Cases with unknown Sex or Age (N=4)

VIRAL MENINGITIS

By Year, California, 1980-1995


CASES REPORTED



MENINGOCOCCAL INFECTIONS

By Age Group and Sex


California, 1995




MENINGOCOCCAL INFECTIONS

By Year, California, 1980-1995

CASES REPORTED




MUMPS
By Year, California, 1980-1995
CASES REPORTED



PERTUSSIS

By Year, California, 1980-1995


CASES REPORTED



RUBELLA

By Year, California, 1980-1995


CASES REPORTED




SALMONELLOSIS

By Year, California, 1980-1995

CASES REPORTED





SYPHILIS, TOTAL

By Year, California, 1980-1995

CASES REPORTED

